Journal of the American Ceramic Society

Including Advanced Ceramic Materials and Communications

VOLUME 84, 2001

Author Index

Numbers in parentheses refer to month of issue, following numbers are page numbers.

Adair, James H. See Kimel, R. Allen

Adler, Stuart B.
Chemical Expansivity of Electrochemical Ceramics. (9) 2117

Ado, Kazuaki See Takeuchi, Tomonari

Agrawal, Dinesh K. See Vaidhyanathan, Balasubramaniam

Ahn, Sun-Yong; Kim, Seong-Won; and Kang, Shinhoo
Microstructure of Ti(CN)–WC–NbC–Ni Cermets. (4) 843

Ai, Hua; Young, J. Francis; and Scherer, George W.
Thermal Expansion Kinetics: Method to Measure Permeability of Cementitious Materials: II. Application to Hardened Cement Pastes. (2) 385

Akinc, Mufit See Zheng, Jing

Akiyama, Morito; Xu, Chao-Nan; Kodama, Masaya; Usui, Ichiro; Nonaka, Kazuhiro; and Watanabe, Tadahiko
Preparation of Highly Oriented Aluminum Nitride Thin Films on Polycrystalline Substrates by Helicon Plasma Sputtering and Annealing. (9) 1917

Akiyama, Tomoyuki See Tsukuma, Koji

Aksay, Ilhan A. See Li, Xiaoping

Albertsen, Knuth See Metzmacher, Christof

Aldinger, Fritz See Majewski, Peter J.; Wang, Zhi-Chang; Bauer, Arndt

Aldridge, Matthew and Yeomans, Julie A
Thermal Shock Behavior of Iron-Particle-Toughened Alumina. (3) 603

Ali, Roushown; Yashima, Masatomo; Yoshimura, Masahiro; and Yoshioka, Hideki
Crystal Structure Refinement of $La_{0.683}(Ti_{0.95}Al_{0.05})O_3$ Perovskite by the Rietveld Method. (2) 468

Allibert, Michel See Dable, Pierre

Alonso, Cruz See Hidalgo, Ana

Alvisi, Marco See Epifani, Mauro

Amosse, Jean See Dable, Pierre

An, Linan See Raj, Rishi; Hermann, Allen M.

Anderson, Harlan U. See Gorman, Brian P.; Suzuki, Toshio

Ando, Kotoji; Furusawa, Kotokaze; Chu, Min Cheol; Hanagata, Tsuyoshi; Tuji, Kiichi; and Sato, Shigemi
Crack-Healing Behavior Under Stress of Mullite/Silicon Carbide Ceramics and the Resultant Fatigue Strength. (9) 2073

Ando, Motohide See Deng, Zhen-Yan; Fukasawa, Takayuki

Andrade, Carmen See Hidalgo, Ana

Andrade, Eduardo See Muñoz, Eduardo

Andrievskaya, Elena R. and Lopato, Lidiya M.
Phase Equilibria in the Hafnia–Yttria–Lanthana System. (10) 2415

Aono, Hiromichi; Sato, Masaki; Traversa, Enrico; Sakamoto, Masatomi; and Sadaoka, Yoshihiko
Design of Ceramic Materials for Chemical Sensors: Effect of $SmFeO_3$ Processing on Surface and Electrical Properties. (2) 341

Aono, Hiromichi; Tsuzaki, Mioko; Kawaura, Akihiro; Sakamoto, Masatomi; Traversa, Enrico; and Sadaoka, Yoshihiko
Preparation of Nanosized Perovskite-Type $LaMnO_3$ Powders Using the Thermal Decomposition of a Heteronuclear Complex, $LaMn(dhbaen)(OH)(NO_3)(H_2O)_4$. (5) 969

Argent, Bernard Barry See Sarpoolaky, Hossain

Atisivan, Raj; Bose, Susmita; and Bandyopadhyay, Amit
Porous Mullite Preforms via Fused Deposition. (1) 221

Atisivan, Raj See Soundararajan, Raji

Atkinson, Alan See Galusek, Dušan

Awaji, Hideo and Sivakumar, Ramasamy
Temperature and Stress Distributions in a Hollow Cylinder of Functionally Graded Material: The Case of Temperature-Independent Material Properties. (5) 1059

Awano, Masanobu See Hwang, Hae Jin; Moon, Jooho

Azooz, Moenis A. See El-Batal, Hatem A.

Babonneau, Florence See Gervais, Christel

Bae, Byeong-Soo See Koo, Junmo

Baek, Seung S. See Kang, Shin H.

Baither, Dietmar; Bartsch, Martin; Baufeld, Bernd; Tikhonovsky, Aleksander; Foitzik, Andreas; Rühle, Manfred; and Messerschmidt, Ulrich
Ferroelastic and Plastic Deformation of *t'*-Zirconia Single Crystals. (8) 1755

Balan, Etienne See Djemai, Amédée

Balderas, Antonio; Navarro, Hugo; Flores-Velez, Luisa Maria; and Dominguez, Octavio
Properties of Portland Cement Pastes Incorporating Nanometer-Sized Franklinite Particles Obtained from Electric-Arc-Furnace Dust. (12) 2909

Balmer, Mari Lou; Su, Yali; Xu, Hongwu; Bitten, Eric; McCready, David; and Navrotsky, Alexandra
Synthesis, Structure Determination, and Aqueous Durability of $Cs_2ZrSi_3O_9$. (1) 153

Balmer, Mari Lou See Xu, Hongwu

Balzar, Davor See Hermann, Allen M.

Balzer, Beate; Hruschka, Martin K. M.; and Gauckler, Ludwig J.
In Situ Rheological Investigation of the Coagulation in Aqueous Alumina Suspensions. (8) 1733

Ban, Takayuki See Tahar, Radhouane Bel Hadj

Bando, Yoshio See Wang, Chang-Meng

Bandyopadhyay, Amit See Atisivan, Raj; Das, Rabindra N.; Soundararajan, Raji

Bandyopadhyay, Debajyoti See Pathak, Lokesh Chandra

Banerjee, Srikumar See Mohan, Dhirendra

Bansal, Narottam P. See Gouadec, Gwénaël

Baptista, Joao L. See Zhu, Weizhong

Baranwal, Rita; Villar, Maria P.; Garcia, Rafael; and Laine, Richard M.
Flame Spray Pyrolysis of Precursors as a Route to Nano-mullite Powder: Powder Characterization and Sintering Behavior. (5) 951

Barbieri, Luisa; Lancellotti, Isabella; Manfredini, Tiziano; Pellacani, Gian Carlo; Rincón, Jesus Ma.; and Romero, Maximina
Nucleation and Crystallization of New Glasses from Fly Ash Originating from Thermal Power Plants. (8) 1851

Barnes, Paul See Nonnet, Emmanuel

Barsoum, Michel W. See Chen, Da

Bartels, Arno See Günther, Robert

Bartolomé, José F. See Pecharromán, Carlos

Bartsch, Martin See Baither, Dietmar

Bartz, Andi See Ruud, James A.

Basu, Rajendra N.; Randall, Clive A.; and Mayo, Merrilea J.
Fabrication of Dense Zirconia Electrolyte Films for Tubular Solid Oxide Fuel Cells by Electrophoretic Deposition. (1) 33

Bauer, Arndt; Christ, Martin; Zimmermann, Andre; and Aldinger, Fritz
Fracture Toughness of Amorphous Precursor-Derived Ceramics in the Silicon–Carbon–Nitrogen System. (10) 2203

Baufeld, Bernd See Baither, Dietmar

Beach, David B. See Paranthaman, M. Parans

Becher, Paul F. See de Arellano-López, Antonio R.; Plucknett, Kevin P.

Beck, Horst P. See Mathur, Sanjay

Beckman, Scott P. See Zheng, Jing

Beerkens, Ruud G. C.
Modeling the Kinetics of Volatilization from Glass Melts. (9) 1952

Begg, B. D. See Vance, E. R.

Begley, Matthew R. See McNulty, John C.

Bellosi, Alida; Medri, Valentina; and Monteverde, Frédéric
Processing and Properties of Ti(C,N)–WC-Based Materials. (11) 2669

Benino, Yasuhiko See Miura, Tadashi

Bentz, Dale P.; Jensen, Ole Mejlhede; Hansen, Kurt Kielsgaard; Olesen, John F.; Stang, Henrik; and Haecker, Claus-Jochen
Influence of Cement Particle-Size Distribution on Early Age Autogenous Strains and Stresses in Cement-Based Materials. (1) 129

Berbon, Min Z.; Dietrich, Donald R.; Marshall, David B.; and Hasselman, D. P. H.
Transverse Thermal Conductivity of Thin C/SiC Composites Fabricated by Slurry Infiltration and Pyrolysis. (10) 2229

Bergström, Lennart See Laarz, Eric; Sun, Jing

Bermudo, Joaquin See De Pablos, Angel

Bernache-Assollant, Didier See Raynaud, Sylvie

Bernard, Frédéric; Charlot, Frédéric; Gaffet, Eric; and Munir, Zuhair A.
One-Step Synthesis and Consolidation of Nanophase Iron Aluminide. (5) 910

Berndt, Christopher C. See Kucuk, Ahmet

Bertrand, Sebastien; Pailler, Rene; and Lamon, Jacques
Influence of Strong Fiber/Coating Interfaces on the Mechanical Behavior and Lifetime of Hi-Nicalon/(PyC/SiC)$_n$/SiC Minicomposites. (4) 787

Bhargava, Parag See Dhara, Santanu

Bhatia, Tania; Chattopadhyay, Kamanio; and Jayaram, Vikram
Effect of Rapid Solidification on Microstructural Evolution in MgO–$MgAl_2O_4$. (8) 1873

Bhatia, Tania See Deshpande, Swarnima A.; Xu, Huiwen

Biedenkopf, Peter; Karwath, Thomas; Kobertz, Dietmar; Rane, Manisha; Wessel, Egbert; Hilpert, Klaus; and Singheiser, Lorenz
Vaporization and Corrosion of Refractories in the Presence of Pressurized Pulverized Coal Combustion Slag. (7) 1445

Bilde-Sørensen, Jørgen B. See Linderoth, Søren

Birnboim, Amikam; Olorunyolemi, Tayo; and Carmel, Yuval
Calculating the Thermal Conductivity of Heated Powder Compacts. (6) 1315

Birnboim, Amikam See Pert, Evan

Bitten, Eric R. See Balmer, Mari Lou; Xu, Hongwu

Bittencourt, Luis R. M. See Innocentini, Murilo D. M.

Black, David
Strength-Limiting Surface Damage in Single-Crystal Sapphire Imaged by X-ray Topography. (10) 2351

Blackman, Kim; Silaty, Rita M.; and Lewis, Jennifer A.
Competitive Adsorption Phenomena in Nonaqueous Tape Casting Suspensions. (11) 2501

Blazdell, Philip and Kuroda, Seiji
Bimodal Ceramic Ink for Continuous Ink-Jet Printer Plasma Spraying. (6) 1257
Boakye, Emmanuel E.; Hay, Randall S.; Mogilevsky, Pavel; and Douglas, L. M.
Monazite Coatings on Fibers: II. Coating without Strength Degradation. (12) 2793
Boakye, Emmanuel E. See Hay, Randall S.; Parthasarathy, Triplicane A.
Boch, Philippe See Nonnet, Emmanuel
Boettger, Ulrich See Weber, Ulrich
Bokhimi, Xi. See Muñoz, Eduardo
Boldú, José L. See Muñoz, Eduardo
Bonanos, Nikolaos See Linderoth, Søren
Bondioli, Federica; Ferrari, Anna Maria; Leonelli, Cristina; Siligardi, Cristina; and Pellacani, Gian Carlo
Microwave-Hydrothermal Synthesis of Nanocrystalline Zirconia Powders. (11) 2728
Bonnell, Dawn See Smith, Jackson
Borchardt, Günter See Fielitz, Peter
Borgia, Ilaria See Pérez-Arantegui, Josefina
Bormann, Rüdiger See Günther, Robert
Borodians'ka, Hanna See Vasylkiv, Oleg
Borom, Marcus P. See Ruud, James A.
Bose, Susmita See Atisivan, Raj; Das, Rabindra N.; Soundararajan, Raji
Boukos, Nikos K. See Koumoulidis, George C.
Breder, Kristin See Kleveland, Kjersti
Bredesen, Rune See Nijmeijer, Arian
Brewer, J. Anthony See Greskovich, C.
Brey, Gerhard See Nicolich, Jeffrey P.
Brøndsted, Povl See Jacobsen, Torben K.
Brow, Richard K. See Metwalli, EzzEldin
Bruhn, David See Nair, Balakrishnan G.
Brunetti, Brunetto G. See Pérez-Arantegui, Josefina
Brunner, Dieter; Taeri-Baghbadrani, Shahram; Sigle, Wilfried; and Rühle, Manfred
Surprising Results of a Study on the Plasticity in Strontium Titanate. (5) 1161
Brydson, Rik See Galusek, Dušan
Buhler, Peter See Colombo, Paolo
Buscaglia, Maria Teresa; Buscaglia, Vincenzo; Viviani, Massimo; and Nanni, Paolo
Atomistic Simulation of Dopant Incorporation in Barium Titanate. (2) 376
Buscaglia, Vincenzo See Buscaglia, Maria Teresa
Bush, Mark B. See Zhao, Hong
Butchereit, Elke; Nickel, Klaus G.; and Müller, Anita
Precursor-Derived Si-B-C-N Ceramics: Oxidation Kinetics. (10) 2184
Byun, Jae-Dong See Lee, Hwack Joo
Calame, Jeff See Pert, Evan
Calas, Georges See Djemai, Amédée
Cannon, W. Roger See Lance, Michael J.
Cao, Guozhong See Wu, Yun
Cao, X. Q.; Vassen, R.; Jungen, W.; Schwartz, S.; Tietz, F.; and Stöver, D.
Thermal Stability of Lanthanum Zirconate Plasma-Sprayed Coating. (9) 2086
Cao, Xueqiang; Kim, Chan-Soo; and Yoo, Han-Ill
Effect of Substitution of Manganese for Iron on the Structure and Electrical Properties of Yttrium Ferrite. (6) 1265
Capel, Francisco See Durán, Pedro
Caracoche, María C. See Rodríguez, Agustín M.
Caram, Hugo S. See Sheedy, Paul M.
Carazo, Alfredo Vázquez See Ryu, Jungho
Cariati, Franco See Pérez-Arantegui, Josefina
Carlström, Elis See Vandeperre, Luc J.
Carmel, Yuval See Birnboim, Amikam; Pert, Evan
Carneim, Tamara J. and Green, David J.
Mechanical Properties of Dry-Pressed Alumina Green Bodies. (7) 1405
Carpenter, R. Douglas See Carrillo-Heian, Ellen M.
Carr, Peter W. See Yan, Bingwen
Carrillo-Heian, Ellen M.; Carpenter, R. Douglas; Paulino, Glaucio H.; Gibeling, Jeffery C.; and Munir, Zuhair A.
Dense Layered Molybdenum Disilicide–Silicon Carbide Functionally Graded Composites Formed by Field-Activated Synthesis. (5) 962
Carter, C. Barry See Ravishankar, N.
Carter, M. L. See Vance, E. R.
Carter, W. Craig See Vedula, Venkata R.
Cawley, James D. See Pujar, Vijay V.; Suppakarn, Nitinat
Cernuschi, Federico See Scardi, Paolo
Cesarano, Joseph, III See Morissette, Sherry L.; Tuttle, Bruce A.
Champion, Eric See Raynaud, Sylvie
Chan, Helen M. See DiGiovanni, Anthony A.; Sheedy, Paul M.; Wang, Chong-Min
Charlot, Frédéric See Bernard, Frédéric
Chatterjee, Minati and Patra, Amitava
Cadmium Sulfide Aggregates through Reverse Micelles. (7) 1439
Chattopadhyay, Kamanio See Bhatia, Tania
Cheek, Kevin See Maria, Jon-Paul
Chen, Che-Fu See Tai, Nyan-Hwa
Chen, Da; Shirato, Kiroshi; Barsoum, Michel W.; El-Raghy, Tamer; and Ritchie, Robert O.
Cyclic Fatigue-Crack Growth and Fracture Properties in Ti_3SiC_2 Ceramics at Elevated Temperatures. (12) 2914
Chen, Fang See Yan, Bingwen
Chen, I-Wei See Zenotchkine, Misha
Chen, Wei; Lupascu, Doru C.; Rödel, Jürgen; and Lynch, Christopher S.
Short Crack *R*-Curves in Ferroelectric and Electrostrictive PLZT. (3) 593
Chen, Xiang Ming See Xu, Yebin
Chen, Yi-Chi See Lin, Yung-Jen
Cheng, Jian-Gong; Tang, Jun; Meng, Xiang-Jian; Guo, Shao-Ling; Chu, Jun-Hao; Wang, Min; Wang, Hong; and Wang, Zhuo
Fabrication and Characterization of Pyroelectric $Ba_{0.8}Sr_{0.2}TiO_3$ Thin Films by a Sol–Gel Process. (7) 1421
Cheng, Jihong; Zeng, Zhaoqiang; Wu, Chongjun; Hu, Xiaoqing; and Miao, Hezhuo
Boron Nitride–Aluminum Nitride Ceramic Composites Fabricated by Transient Plastic Phase Processing. (4) 887
Chin, Tsung-Shune See Hsieh, Ming-Fa
Ching, Wai-Yim See Ouyang, Lizhi
Chiozzini, Gianni See Ingo, Gabriel Maria
Chirayil, Thomas G. See Paranthaman, M. Parans
Chmel, Alexandre E.; Smirnov, Andrej N.; and Shashkin, Victor S.
Raman Study of the Interface between Hot-Pressed Silica Parts. (1) 29
Cho, Jin Y.; Hyun, Sang H.; and Hong, Seong A.
Fabrication and Characterization of γ-$LiAlO_2$ Matrices Using an Aqueous Tape-Casting Process. (5) 937
Cho, Junghyun See Wang, Chong-Min
Cho, Nam-Hee See Park, Myung-Beom
Cho, Seo-Yong; Youn, Hyuk-Joon; Lee, Hyo-Jong; and Hong, Kug Sun
Contribution of Structure to Temperature Dependence of Resonant Frequency in the $(1 - x)La(Zn_{1/2}Ti_{1/2})O_3$–$xATiO_3$ (A = Ca, Sr) System. (4) 753
Cho, Seong-Jai; Lee, Yun-Cheol; Yoon, Kyung-Jin; Kim, Jong-Jip; Hahn, Jun-Hee; Park, Hyun-Min; and Yanagisawa, Masaaki
Effect of Coarse-Powder Portion on Abnormal Grain Growth during Hot Pressing of Commercial-Purity Alumina Powder. (5) 1143
Cho, Yang Koo See Lee, Hwack Joo
Choa, Yong-Ho See Yang, Jian-Feng
Choi, Doo Jin See Oh, Byung Jun; Wang, Chae Hyun
Choi, Heon-Jin; Lee, Ki-Min; Kim, Gyeung-Ho; and Lee, June-Gunn
Mechanochemical Synthesis and Electrochemical Properties of $LiMn_2O_4$. (1) 242
Choi, Ji-Won; Kucheiko, Sergey; Yoon, Seok-Jin; Kim, Hyun-Jai; and Yoon, Ki Hyun
Microwave Dielectric Properties of $(1 - x)(Al_{1/2}Ta_{1/2})O_2$–$x(Mg_{1/3}Ta_{2/3})O_2$ Ceramics. (11) 2570
Choi, Jong-Jin; Ryu, Jungho; and Kim, Hyoun-Ee
Microstructural Evolution of Transparent PLZT Ceramics Sintered in Air and Oxygen Atmospheres. (7) 1465
Choi, Jong-Jin See Ryu, Jungho
Choi, Jung-Hae; Hwang, Nong-Moon; and Kim, Doh-Yeon
Pore–Boundary Separation Behavior during Sintering of Pure and Bi_2O_3-Doped ZnO Ceramics. (6) 1398
Choi, Kwansik See Kim, Cheon-Woo
Chokshi, Atul H. See Sudhir, B.
Chou, Tammy See Wu, Yun
Christ, Martin See Bauer, Arndt
Christen, David K. See Paranthaman, M. Parans
Christensen, Axel Nørlund; Lundtoft, Britta; and Madsen, Ian C.
Investigation of the Formation of Cristobalite from the Diatomaceous Clay *Moler* Using Powder X-ray Diffractometry Data and Profile Refinement Methods. (4) 878
Chu, Jun-Hao See Cheng, Jian-Gong
Chu, Min Cheol See Ando, Kotoji
Chung, Jang-Hoon See Lee, Jung-Kun
Chung, Tai-Joo; Lee, Jong-Sook; Kim, Doh-Yeon; Kim, Gyeung-Ho; and Song, Huesup
Morphology and Phase Stability of Nitrogen–Partially Stabilized Zirconia (N-PSZ). (1) 172
Chung, Ui-Jin See Park, Jong-Keuk
Chung, Woon Jin and Heo, Jong
Energy Transfer Process for the Blue Up-Conversion in Calcium Aluminate Glasses Doped with Tm^{3+} and Nd^{3+}. (2) 348
Cihlár, Jaroslav See Trunec, Martin
Cima, Michael J. See Uhland, Scott A.
Cinibulk, Michael K. and Parthasarathy, Triplicane A.
Characterization of Oxidized Polymer-Derived SiBCN Fibers. (10) 2197
Clarke, David R. See Heydt, Paul
Clegg, William J. See Pitchford, James E.; Vandeperre, Luc J.
Clem, Paul G. See Morissette, Sherry L.
Climent, Miguel A. See Hidalgo, Ana
Cohen, Lesley F. See Li, Ying Hai
Colic, Miroslav See Fisher, Matthew L.; Klein, Sascha
Collin, Marianne I. K. and Rowcliffe, David J.
Influence of Thermal Conductivity and Fracture Toughness on the Thermal Shock Resistance of Alumina–Silicon-Carbide-Whisker Composites. (6) 1334
Collins, Joseph M. See Park, Deok-Yong
Collins, Richard E. See Kocer, Cenk
Colomban, Philippe See Gouadec, Gwénaël; Suzuki, Toshio
Colombo, Paolo; Gambaryan-Roisman, Tatiana; Scheffler, Michael; Buhler, Peter; and Greil, Peter
Conductive Ceramic Foams from Preceramic Polymers. (10) 2265
Colombo, Paolo; Hellmann, John R.; and Shelleman, David L.
Mechanical Properties of Silicon Oxycarbide Ceramic Foams. (10) 2245
Colombo, Paolo; Martucci, Alessandro; Fogato, Oscar; and Villoresi, Paolo
Silicon Carbide Films by Laser Pyrolysis of Polycarbosilane. (1) 224
Colombo, Paolo See Lewinsohn, Charles A.; Schmidt, Harald
Colston, Sally L. See Nonnet, Emmanuel
Consolati, Giovanni; Dotelli, Giovanni; and Quasso, Fiorenza
Drying and Rewetting of Mature Cement Pastes Studied through Positron Annihilation Lifetime Spectroscopy. (1) 227
Cooper, Reid F. See Nair, Balakrishnan G.
Corbin, Stephen F.; Lee, Joyce; and Qiao, Xin
Influence of Green Formulation and Pyrolyzable Particulates on the Porous Microstructure and Sintering Characteristics of Tape Cast Ceramics. (1) 41
Cordelair, Jens and Greil, Peter
Electrical Characterization of Polymethylsiloxane/$MoSi_2$-Derived Composite Ceramics. (10) 2256
Criado, José M. See Gotor, Francisco J.
Crisan, Maria See Stanciu, Lia A.
Cross, L. Eric See Schwartz, Robert W.
Cui, Suo-Jing See Li, Ya-Li
Cui, Xingtian See Paranthaman, M. Parans
Cumbrera, Francisco L. See Deshpande, Swarnima A.; Xu, Huiwen
Dable, Pierre; Allibert, Michel; Poignet, Jean Claude; and Amosse, Jean
Solubility of Platinum and Rhodium in Lime–Alumina–Silica Melts at 1700 K. (5) 1097
Dai, Steve X. See Jean, Jau-Ho
Dallabonna, Nicola See Gervais, Christel
Damay, Françoise See Li, Ying Hai
Damjanovic, Dragan See Robert, Gilles; Thiele, Erik S.
Daneu, Nina See Rečnik, Aleksander
Danforth, Stephen C. See Labropoulos, Kyriakos C.
Danzer, Robert See Hill, Richard F.
Das, Gopes C. See Goswami, Amiya P.
Das, Rabindra N.; Bandyopadhyay, Amit; and Bose, Susmita
Nanocrystalline α-Al_2O_3 Using Sucrose. (10) 2421
Das, Swapan Kumar See Pathak, Lokesh Chandra
Davies, Ian J. See Ogasawara, Toshio
Davis, Mark J.
Effect of the Growth Treatment on Two-Stage Nucleation Experiments. (3) 492
Day, R. A. See Vance, E. R.
de Arellano-López, Antonio R.; Meléndez-Martínez, Juan J.; Domínguez-Rodríguez, Arturo; Routbort, Jules L.; Lin, Hua-Tay; and Becher, Paul F.
Grain-Size Effect on Compressive Creep of Silicon-Carbide-Whisker-Reinforced Aluminum Oxide. (7) 1645
Dehm, Gerhard See Scheu, Christina
De Jonghe, Lutgard C. See Gopal, Mani; Sixta, Mark E.; Zhang, Xiao Feng
Deng, Yan See Kim, Hae-Won; Rhee, Young-Woo
Deng, Zhen-Yan; Fukasawa, Takayuki; Ando, Motohide; Zhang, Guo-Jun; and Ohji, Tatsuki
High-Surface-Area Alumina Ceramics Fabricated by the Decomposition of $Al(OH)_3$. (3) 485; Microstructure and Mechanical Properties of Porous Alumina Ceramics Fabricated by the Decomposition of Aluminum Hydroxide. (11) 2638
De Pablos, Angel; Bermudo, Joaquin; and Osendi, Maria Isabel
Microstructure and Mechanical Properties of Silicon Nitride Materials Fabricated from SHS Powders. (5) 1033
Derby, Brian See Seerden, Kitty A. M.
Deshpande, Swarnima A.; Bhatia, Tania; Xu, Huiwen; Padture, Nitin P.; Ortiz, Angel L.; and Cumbrera, Francisco L.
Microstructural Evolution in Liquid-Phase-Sintered SiC: Part II. Effects of Planar Defects and Seeds in the Starting Powder. (7) 1585
Deshpande, Swarnima A. See Xu, Huiwen
Devanarayanan, Sankaranarayanan See Yamuna, Ammini
De Vera, Guillem See Hidalgo, Ana
de With, Gijsbertus See Fang, Chang Ming
Dhara, Santanu and Bhargava, Parag
Egg White as an Environmentally Friendly Low-Cost Binder for Gelcasting of Ceramics. (12) 3048
DiAntonio, Cristopher B. and Pilgrim, Stephen M.
Processing, Characterization, and Dielectric Studies on $K(Ta_{1-x}Nb_x)O_3$ for Use at Cryogenic Temperatures. (11) 2547
Díaz, Aranzazu See MacLaren, Ian
Dickau, Birte See Günther, Robert

Dickey, Elizabeth C.; Fan, Xudong; and Pennycook, Stephen J.
Structure and Chemistry of Yttria-Stabilized Cubic-Zirconia Symmetric Tilt Grain Boundaries. (6) 1361
Dickey, Elizabeth C. See Guo, Chang-Xin
Dietrich, Astrid and Neubrand, Achim
Effects of Particle Size and Molecular Weight of Polyethylenimine on Properties of Nanoparticulate Silicon Dispersions. (4) 806
Dietrich, Donald R. See Berbon, Min Z.
DiGiovanni, Anthony A.; Chan, Helen M.; Harmer, Martin P.; and Nied, Herman F.
Micromechanics of Deformation in Porous Liquid-Phase-Sintered Alumina under Hertzian Contact. (8) 1844
Dimos, Duane B. See Morissette, Sherry L.
Djemai, Amédée; Balan, Etienne; Morin, Guillaume; Hernandez, Giancarlo; Labbe, Jean Claude; and Muller, Jean Pierre
Behavior of Paramagnetic Iron during the Thermal Transformations of Kaolinite. (5) 1017
Djemai, Amédée; Calas, Georges; and Muller, Jean Pierre
Role of Structural Fe(III) and Iron Oxide Nanophases in Mullite Coloration. (7) 1627
Djurado, Elisabeth See Vernoux, Philippe
Dogan, Fatih See Sofie, Stephen W.
Dominguez, Octavio See Balderas, Antonio
Domínguez-Rodríguez, Arturo See de Arellano-López, Antonio R.
Dotelli, Giovanni See Consolati, Giovanni
Douglas, L. M. See Boakye, Emmanuel E.
Dravid, Vinayak. P. See Guo, Chang-Xin
Drennan, John See Lee, Jong-Heun
Drofenik, Miha See Makovec, Darko
Dryden, John R. See McDonald, Kathleen R.
Dunn, Greg See Maria, Jon-Paul
Durán, Pedro; Capel, Francisco; Tartaj, Jesús; and Moure, Carlos
Sintering Behavior and Electrical Properties of Nanosized Doped-ZnO Powders Produced by Metallorganic Polymeric Processing. (8) 1661
Duscher, Gerd See Smith, Jackson
Easley, Thomas C. See Torrents, Josep M.
Egashira, Makoto See Shimizu, Yasuhiro
Einarsrud, Mari-Ann See Kleveland, Kjersti
Eisele, Ulrich See Kanters, Johannes
El-Alaily, Nagia A. See El-Batal, Hatem A.
El-Batal, Hatem A.; Azooz, Moenis A.; Ezz-El-Din, Fathy M.; and El-Alaily, Nagia A.
Interaction of Gamma Rays with Calcium Aluminoborate Glasses Containing Holmium or Erbium. (9) 2065
Eldridge, Jeffrey I.; Zhu, Dongming; and Miller, Robert A.
Mesoscopic Nonlinear Elastic Modulus of Thermal Barrier Coatings Determined by Cylindrical Punch Indentation. (11) 2739
Eldridge, Jeffrey I. See Lewinsohn, Charles A.
Ellis, Donald E. See Guo, Chang-Xin
El-Raghy, Tamer See Chen, Da
Epifani, Mauro; Alvisi, Marco; Mirenghi, Luciana; Leo, Gabriella; Siciliano, Pietro; and Vasanelli, Lorenzo
Sol–Gel Processing and Characterization of Pure and Metal-Doped SnO_2 Thin Films. (1) 48
Ernst, Frank; Mulvihill, Maureen L.; Kienzle, Oliver; and Rühle, Manfred
Preferred Grain Orientation Relationships in Sintered Perovskite Ceramics. (8) 1885
Escardino, Agustin
Kinetic Model for Crystallization in White Ceramic Glazes. (1) 23
Esparza, Daniel Antonio See Malachevsky, Maria Teresa
Evans, Anthony G. See Lu, Tian Jian
Evans, Julian R. G. See Krug, Steffen; Mott, Matthew; Seerden, Kitty A. M.
Evans, Neal D. See Gust, Maria C.
Evenson, William E. See Karapetrova, Evguenia
Ezz-El-Din, Fathy M. See El-Batal, Hatem A.
Faber, K. T. See Torrents, Josep M.
Falk, Lena K. L. See MacLaren, Ian
Fan, Huiqing and Kim, Hyoun-Ee
Effect of Lead Content on the Structure and Electrical Properties of $Pb((Zn_{1/3}Nb_{2/3})_{0.5}(Zr_{0.47}Ti_{0.53})_{0.5})O_3$ Ceramics. (3) 636
Fan, Qiulin See Kado, Tetsuo
Fan, Xudong See Dickey, Elizabeth C.
Fang, Chang Ming; de With, Gijsbertus; and Parker, Stephen C.
Computer Simulation of Dissociative Adsorption of Water on the Surfaces of Spinel $MgAl_2O_4$. (7) 1553
Fang, Chang Ming; Metselaar, Rudi; Hintzen, Hubertus T.; and de With, Gijsbertus
Structure Models for γ-Aluminum Oxynitride from *Ab Initio* Calculations. (11) 2633
Fang, Tsang-Tse and Tsay, Jenq-Dar
Effect of pH on the Chemistry of the Barium Titanium Citrate Gel and Its Thermal Decomposition Behavior. (11) 2475
Fang, Yi See Yu, Feng
Fang, Yu-Ching See Jean, Jau-Ho
Fariñas, Juan Carlos See Ferrari, Begoña
Fasel, Claudia See Raj, Rishi
Feenstra, Ron See Paranthaman, M. Parans
Feng, Chang-Lin See Zou, Rui-Ping
Feng, Xian; Tanabe, Setsuhisa; and Hanada, Teiichi
Spectroscopic Properties and Thermal Stability of Er^{3+}-Doped Germanotellurite Glasses for Broadband Fiber Amplifiers. (1) 165
Ferkel, Hans See Hellmig, Ralph Jörg
Fermo, Paola See Pérez-Arantegui, Josefina
Ferrari, Anna Maria See Bondioli, Federica
Ferrari, Begoña; Fariñas, Juan Carlos; and Moreno, Rodrigo
Determination and Control of Metallic Impurities in Alumina Deposits Obtained by Aqueous Electrophoretic Deposition. (4) 733
Ferreira, José M. F. See Olhero, Susana M.; Yang, Juan
Ferroni, Luca Paolo See Pezzotti, Giuseppe
Fielitz, Peter; Borchardt, Günter; Schmücker, Martin; Schneider, Hartmut; Wiedenbeck, Michael; Rhede, Dieter; Weber, Sylvian; and Scherrer, Stanislas
Secondary Ion Mass Spectroscopy Study of Oxygen-18 Tracer Diffusion in 2/1-Mullite Single Crystals. (12) 2845
Figari, Angelamaria See Scardi, Paolo
Fischer-Cripps, Anthony C.
Role of Internal Friction in Indentation Damage in a Mica-Containing Glass-Ceramic. (11) 2603
Fiscina, Jorge Eduardo See Malachevsky, Maria Teresa
Fisher, Matthew See Klein, Sascha
Fisher, Matthew L.; Colic, Miroslav; Rao, Masa P.; and Lange, Fred F.
Effect of Silica Nanoparticle Size on the Stability of Alumina/Silica Suspensions. (4) 713
FitzGerald, Stephen A. See Thomas, Jeffrey J.
Fleig, Jürgen See Rodewald, Stefan
Flores-Velez, Luisa Maria See Balderas, Antonio
Fogato, Oscar See Colombo, Paolo
Foitzik, Andreas See Baither, Dietmar
Forbess, Mike J. See Wu, Yun
Franks, George See Klein, Sascha
French, Roger H. See Smith, Jackson
Fu, Xi-Ren See Xie, Rong-Jun
Fujihara, Shinobu; Kato, Takayoshi; and Kimura, Toshio
Sol–Gel Synthesis of Silica-Based Oxyfluoride Glass-Ceramic Thin Films: Incorporation of Eu^{3+} Activators into Crystallites. (11) 2716
Fujimori, Hirotaka; Yashima, Masatomo; Kakihana, Masato; and Yoshimura, Masahiro
In Situ Ultraviolet Raman Study on the Phase Transition of Hafnia up to 2085 K. (3) 663
Fujimoto, Masayuki See Suzuki, Toshimasa
Fujimoto, Takao and Noda, Naotake
Influence of the Compositional Profile of Functionally Graded Material on the Crack Path under Thermal Shock. (7) 1480
Fujisawa, Tomoyuki See Ohtaka, Osamu
Fukasawa, Takayuki; Ando, Motohide; Ohji, Tatsuki; and Kanzaki, Shuzo
Synthesis of Porous Ceramics with Complex Pore Structure by Freeze-Dry Processing. (1) 230
Fukasawa, Takayuki See Deng, Zhen-Yan
Fukuda, Koichiro; Takeda, Ayari; Yamaguchi, Akira; Hashimoto, Shinobu; and Yoshida, Hideto
Characterization of Liquid Exsolved by Remelting Reaction of Belite. (5) 1155
Fukuda, Koichiro; Wakamatsu, Norihiko; and Ito, Suketoshi
Improvement in Hydration Reactivity of α-Phase Belite by Remelting Reaction. (3) 639
Fukui, Hiroshi See Ohtaka, Osamu
Fukui, Takehisa; Okawa, Hajime; Hotta, Tadashi; Naito, Makio; and Yokoyama, Toyokazu
Synthesis of CoO/Ni Composite Powders for Molten Carbonate Fuel Cells. (1) 233
Fuller, Edwin R., Jr., See Vedula, Venkata R.
Funakoshi, Kenichi See Ohtaka, Osamu
Furusawa, Kotokaze See Ando, Kotoji
Gaffet, Eric See Bernard, Frédéric
Galusek, Dušan; Brydson, Rik; Twigg, Peter C.; Riley, Frank L.; Atkinson, Alan; and Zhang, Yan-Hui
Wet Erosive Wear of Alumina Densified with Magnesium Silicate Additions. (8) 1767
Galusek, Dušan; Riley, Frank L.; and Riedel, Ralf
Nanoindentation of a Polymer-Derived Amorphous Silicon Carbonitride Ceramic. (5) 1164
Gambaryan-Roisman, Tatiana See Colombo, Paolo
Ganguly, Suman See Vaidhyanathan, Balasubramaniam
Ganine, Vladimir See Kimel, R. Allen
Gao, Lian See Li, Jingguo; Sun, Jing
Garcia, Rafael See Baranwal, Rita
Gardner, John A. See Karapetrova, Evguenia
Gärtner, Frank See Günther, Robert
Gasch, Matthew J. See Wan, Julin
Gauckler, Ludwig J. See Balzer, Beate; Hesselbarth, Daniels; Will, Julia
Geffen, Ygal See Goldstein, Adrian
George, Jacob See Sebastian, Mailadil T.
Gerhardt, Rosario A. and Ruh, Robert
Volume Fraction and Whisker Orientation Dependence of the Electrical Properties of SiC-Whisker-Reinforced Mullite Composites. (10) 2328
Gerhardt, Rosario A.; Runyan, Julie; Sana, Catherine; McLachlan, David S.; and Ruh, Robert
Electrical Properties of Boron Nitride Matrix Composites: III. Observations near the Percolation Threshold in $BN–B_4C$ Composites. (10) 2335
Gerhardt, Rosario A. See Runyan, Julie
Gershon, David See Pert, Evan
Gervais, Christel; Babonneau, Florence; Dallabonna, Nicola; and Sorarù, Gian Domenico
Sol–Gel-Derived Silicon-Boron Oxycarbide Glasses Containing Mixed Silicon Oxycarbide (SiC_xO_{4-x}) and Boron Oxycarbide (BC_xO_{3-x}) Units. (10) 2160
Gibeling, Jeffery C. See Carrillo-Heian, Ellen M.
Gibson, Iain R. and Irvine, John T. S.
Qualitative X-ray Diffraction Analysis of Metastable Tetragonal (*t'*) Zirconia. (3) 615
Giesche, Herbert See Yener, Doruk O.
Gieske, John H. See Tuttle, Bruce A.
Gilbert, Christopher J. See Han, Yoon Soo
Glaeser, Andreas M. See Narushima, Takayuki
Glass, S. Jill See Vedula, Venkata R.
Glazounov, Alexandre E.; Kungl, Hans; Reszat, Jan-Thorsten; Hoffmann, Michael J.; Kolleck, Arnd; Schneider, Gerold A.; and Wroblewski, Thomas
Contribution from Ferroelastic Domain Switching Detected Using X-ray Diffraction to *R*-Curves in Lead Zirconate Titanate Ceramics. (12) 2921
Gogotsi, George See Kleveland, Kjersti
Goldenberg, Ayala See Goldstein, Adrian
Goldstein, Adrian; Geffen, Ygal; and Goldenberg, Ayala
Boron Carbide–Zirconium Boride *In Situ* Composites by the Reactive Pressureless Sintering of Boron Carbide–Zirconia Mixtures. (3) 642
Gómez, Ricardo See Muñoz, Eduardo
Goodman, David A. See Wei, George C.
Gopal, Mani; Sixta, Mark; De Jonghe, Lutgard; and Thomas, Gareth
Seamless Joining of Silicon Nitride Ceramics. (4) 708
Gorman, Brian P. and Anderson, Harlan U.
Synthesis and Microstructural Characterization of Unsupported Nanocrystalline Zirconia Thin Films. (4) 890
Goswami, Amiya P.; Roy, Sukumar; Mitra, Manoj K.; and Das, Gopes C.
Impurity-Dependent Morphology and Grain Growth in Liquid-Phase-Sintered Alumina. (7) 1620
Goto, Ken; Hatta, Hiroshi; Takahashi, Hirotsugu; and Kawada, Hiroyuki
Effect of Shear Damage on the Fracture Behavior of Carbon–Carbon Composites. (6) 1327
Goto, Yasuhiro See Yasuda, Kazuhiro
Goto, Yoichi See Nogami, Masayuki
Gotor, Francisco J.; Criado, José M.; and Málek, Jiri
Limitations of the Augis and Bennett Method for Kinetic Analysis of the Crystallization of Glasses and Conditions for Correct Use. (8) 1797
Gouadec, Gwénaël; Colomban, Philippe; and Bansal, Narottam P.
Raman Study of Hi-Nicalon-Fiber-Reinforced Celsian Composites: I. Distribution and Nanostructure of Different Phases. (5) 1129; Raman Study of Hi-Nicalon-Fiber-Reinforced Celsian Composites: II. Residual Stress in Fibers. (5) 1136
Gouma, Pelagia I. and Mills, Michael J.
Anatase-to-Rutile Transformation in Titania Powders. (3) 619
Goyal, Amit See Paranthaman, M. Parans
Grande, Tor See Kleveland, Kjersti
Granqvist, Claes G. See Solis, Jose L.
Grant, Patrick S. See Seerden, Kitty A. M.
Grathwohl, Georg See Schmidt, Harald
Gray, Joe N. See Zheng, Jing
Green, David J. See Carneim, Tamara J.; Sglavo, Vincenzo M.
Gregori, G. See Turquat, Christian
Greil, Peter See Colombo, Paolo; Cardelair, Jens; Vogli, Evelina
Greskovich, C. and Brewer, J. Anthony
Solubility of Magnesia in Polycrystalline Alumina at High Temperatures. (2) 420
Greuel, Georg See Weber, Ulrich
Grey, Clare P. See Parukuttyamma, Sujatha D.
Grimsditch, Marcus H. See Singh, Jitendra P.
Groza, Joanna R. See Stanciu, Lia A.
Gu, Hui See Nagano, Takayuki
Gu, Shou-Ren See Wang, Shuang-Xi
Gubler, Lorenz See Will, Julia
Gui, Lin-Hua See Zhang, Jing-Xian
Gui, Zhilun See Zhang, Hongguo
Guillodo, Michael See Vernoux, Philippe
Guin, Jean-Pierre See Rouxel, Tanguy
Günther, Robert; Klassen, Thomas; Dickau, Birte; Gärtner, Frank; Bartels, Arno; and Bormann, Rüdiger
Advanced Alumina Composites Reinforced with Titanium-Based Alloys. (7) 1509
Guo, Chang-Xin; Warschkow, Oliver; Ellis, Donald E.; Dravid, Vinayak. P.; and Dickey, Elizabeth C.
Oxide–Oxide Interfaces: Atomistic and Density Functional Study of Cubic-ZrO_2 (100) ‖ NiO (111). (11) 2677
Guo, Jingkun See Li, Jingguo
Guo, Shao-Ling See Cheng, Jian-Gong

Guo, Shuqi and Kagawa, Yutaka
Temperature Dependence of Tensile Strength for a Woven Boron-Nitride-Coated Hi-Nicalon™ SiC Fiber-Reinforced Silicon-Carbide-Matrix Composite. (9) 2079
Gupta, Devendra See Lewis, Daniel J.
Guruswamy, Sivaraman See Milliken, Christopher E.
Gust, Maria C.; Momoda, Leslie A.; Evans, Neal D.; and Mecartney, Martha L.
Crystallization of Sol–Gel-Derived Barium Strontium Titanate Thin Films. (5) 1087
Haas, Michel See Mathur, Sanjay
Haberkorn, Robert See Mathur, Sanjay
Haecker, Claus-Jochen See Bentz, Dale P.
Hahn, Horst See Srdić, Vladimir V.
Hahn, Jun-Hee See Cho, Seong-Jai
Hall, Peyton W.; Swinnea, J. Steven; and Kovar, Desiderio
Fracture Resistance of Highly Textured Alumina. (7) 1514
Halloran, John W. See Seerden, Kitty A. M.
Haluschka, Cristoph See Hermann, Allen M.
Hama, Shigenori See Hayashi, Akitoshi
Hampshire, Stuart See MacLaren, Ian
Han, Jiande See Zheng, Shuqi
Han, Joo-Hwan and Kim, Doh-Yeon
Interactions and Chemistry of Defects at the Grain Boundaries of Ceramics. (3) 539
Han, Joo-Hwan See Sone, Tae-Wook
Han, Yoon Soo; Kim, Do Kyung; Gilbert, Christopher J.; and Ritchie, Robert O.
Cyclic Fatigue–Crack Propagation Behavior in Silicon Carbide: Long- and Small-Crack Behavior. (3) 551
Han, Young Ho See Hwang, Jin Hyun
Hanada, Teiichi See Feng, Xian
Hanagata, Tsuyoshi See Ando, Kotoji
Hand, Russell J. See Whittle, Ben R.
Haneda, Hajime See Jiménez-Melendo, Manuel
Hansen, Kurt Kielsgaard See Bentz, Dale P.
Hanžel, Darko See Kuščer, Danjela
Harmer, Martin P. See DiGiovanni, Anthony A.; Kim, Jeong-Joo; Sheedy, Paul M.; Wang, Chong-Min
Hasegawa, Koichi See Matsuda, Atsunori
Hashimoto, Shinobu See Fukuda, Koichiro
Hashimoto, Tadanori See Narazaki, Aiko
Hasselman, D. P. H. See Berbon, Min Z.
Hatta, Hiroshi See Goto, Ken
Hatton, Benjamin and Nicholson, Patrick S.
Design and Fracture of Layered Al_2O_3/TZ3Y Composites Produced by Electrophoretic Deposition. (3) 571
Hatton, Benjamin D. and Sakka, Yoshio
Influence of Washing on Zirconia Powder for Electrophoretic Deposition. (3) 666
Hay, Randall S. and Boakye, Emmanuel E.
Monazite Coatings on Fibers: I, Effect of Temperature and Alumina Doping on Coated-Fiber Tensile Strength. (12) 2783
Hay, Randall S. See Boakye, Emmanuel E.; Parthasarathy, Triplicane A.
Hayakawa, Satoshi See Sakida, Shinichi
Hayashi, Akitoshi; Hama, Shigenori; Morimoto, Hideyuki; Tatsumisago, Masahiro; and Minami, Tsutomu
Preparation of Li_2S–P_2S_5 Amorphous Solid Electrolytes by Mechanical Milling. (2) 477
Hayashi, Hiroyuki; Hirao, Kiyoshi; Toriyama, Motohiro; Kanzaki, Shuzo; and Itatani, Kiyoshi
$MgSiN_2$ Addition as a Means of Increasing the Thermal Conductivity of β-Silicon Nitride. (12) 3060
Haynes, J. Allen See Ji, Zhiqiang
Hecker, Arlene See Wei, George C.
Heian, Ellen M. See Kaga, Hisashi
Hellmann, John R. See Colombo, Paolo
Hellmig, Ralph Jörg and Ferkel, Hans
Using Nanoscaled Powder as an Additive in Coarse-Grained Powder. (2) 261
Henager, Charles H., Jr. See Lewinsohn, Charles A.
Hennings, Detlev F. K.; Metzmacher, Christoph; and Schreinemacher, B. Seriyati
Defect Chemistry and Microstructure of Hydrothermal Barium Titanate. (1) 179
Hennings, Detlev F. K.; Schreinemacher, B. Seriyati; and Schreinemacher, Herbert
Solid-State Preparation of $BaTiO_3$-Based Dielectrics, Using Ultrafine Raw Materials. (12) 2777
Hennings, Detlev F. K. See Weber, Ulrich
Heo, Jong See Chung, Woon Jin
Herman, Herbert See Parukuttyamma, Sujatha D.
Hermann, Allen M.; Wang, Yao-Te; Ramakrishnan, Padmanabhan A.; Balzar, Davor; An, Linan; Haluschka, Cristoph; and Riedel, Ralf
Structure and Electronic Transport Properties of Si-(B)-C-N Ceramics. (10) 2260
Hernandez, Giancarlo See Djemai, Amédée
Hesselbarth, Daniels; Tervoort, Elena; Urban, C.; and Gauckler, Ludwig J.
Mechanical Properties of Coagulated Wet Particle Networks with Alkali-Swellable Thickeners. (8) 1689
Heydt, Paul; Luo, Chongyang; and Clarke, David R.
Crystallographic Texture and Thermal Conductivity of Zirconia Thermal Barrier Coatings Deposited on Different Substrates. (7) 1539
Hidalgo, Ana; De Vera, Guillem; Climent, Miguel A.; Andrade, Carmen; and Alonso, Cruz
Measurements of Chloride Activity Coefficients in Real Portland Cement Paste Pore Solutions. (12) 3008
Hiei, Yoshiko See Mori, Masashi
Higuchi, Takashi See Kitaoka, Satoshi
Hildmann, Bernd; Ledbetter, Hassel; Kim, Sudook; and Schneider, Hartmut
Structural Control of Elastic Constants of Mullite in Comparison to Sillimanite. (10) 2409
Hill, Richard F.; Danzer, Robert; and Paine, Robert T.
Synthesis of Aluminum Oxide Platelets. (3) 514
Hilpert, Klaus See Biedenkopf, Peter
Hintzen, Hubertus T. See Fang, Chang Ming
Hiraga, Keijiro See Sakka, Yoshio; Suzuki, Tohru S.
Hirai, Toshio See Mizoguchi, Yoshihito
Hirano, Masanori; Miwa, Toshio; and Inagaki, Michio
Effect of the Presence of Ammonium Peroxodisulfate on the Direct Precipitation of Ceria and Ceria–Zirconia Solid Solutions from Acidic Aqueous Solutions. (8) 1728
Hirano, Shin-ichi See Ono, Satomi; Yamaguchi, Toshiaki
Hirao, Kazuyuki See Narazaki, Aiko
Hirao, Kiyoshi See Hayashi, Hiroyuki; Jones, Mark I.; Kitayama, Mikito; Nakamura, Masateru; Pezzotti, Guiseppe; Satoh, Takeshi; Zhou, You
Hirosaki, Naoto See Wang, Chang-Meng
Hirota, Ken; Takano, Yoshihiko; Yoshinaka, Masaru; and Yamaguchi, Osamu
Hot Isostatic Pressing of Chromium Nitrides (Cr_2N and CrN) Prepared by Self-Propagating High-Temperature Synthesis. (9) 2120
Hirota, Ken See Takano, Yoshihiko
Hng, Huey-Hoon; Knowles, Kevin M.; and Midgley, Paul A.
Zinc Vanadates in Vanadium Oxide-Doped Zinc Oxide Varistors. (2) 435
Hoel, Anders See Solis, Jose L.
Hofer, Ferdinand See Nicolich, Jeffrey P.
Hoffman, Christiane See Vogli, Evelina
Hoffmann, Michael J. See Glazounov, Alexandre E.; Langjahr, Petra A.
Holc, Janez See Kuščer, Danjela
Holland, Hans J See Pavlik, Robert S., Jr.
Holm, Elizabeth A. See Tikare, Veena
Holman, Richard K. See Uhland, Scott A.
Hong, Gye Won See Oh, Byung Jun
Hong, Kug Sun See Cho, Seo-Yong; Kim, Dong-Wan; Lee, Jung-Kun; Park, Yong Hwan
Hong, Seong A. See Cho, Jin Y.
Hong, Seong-Hyeon and Kim, Doh-Yeon
Effect of Liquid Content on the Abnormal Grain Growth of Alumina. (7) 1597
Hong, Seong-Hyeon See Sone, Tae-Wook
Hong, Soon-Kug See Kim, Yong-Seog
Horsewell, Andy See Sørensen, Bent F.
Hosoi, Yoshimasa See Kasuga, Toshihiro
Hossain, Akther K. M. See Li, Ying Hai
Hosseinpour, Ardeshir and Zakery, Abdolnaser
Investigation of Magnetic Force for Barium and Strontium Ferrites. (5) 1184
Hotta, Tadashi See Fukui, Takehisa; Uematsu, Keizo
Hrovat, Marko See Kuščer, Danjela
Hruschka, Martin K. M. See Balzer, Beate; Will, Julia
Hsieh, Ming-Fa; Chin, Tsung-Shune; Perng, Li-Hsiang; and Perng, Huann-Guang
Gel-to-Ceramic Conversion during Hydroxyapatite Synthesis. (9) 2123
Hsueh, Chun-Hway
Analyses of Multiple Film Cracking in Film/Substrate Systems. (12) 2955
Hu, Xiao-Zhi See Zhao, Hong
Hu, Xiaoqing See Cheng, Jihong
Huang, Chuanyong; Tang, Zilong; and Zhang, Zhongtai
Differences between Zirconium Hydroxide ($Zr(OH)_4$·nH_2O) and Hydrous Zirconia (ZrO_2·nH_2O). (7) 1637
Huang, Jow-Lay See Lu, Horng-Hwa
Huang, Li-Ping See Xie, Rong-Jun
Huang, Yong; Zhou, Longjie; Tang, Qiang; Xie, Zhipeng; and Yang, Jinglong
Water-Based Gelcasting of Surface-Coated Silicon Nitride Powder. (4) 701
Huang, Yong See Wang, Chang-an
Huch, Volker See Mathur, Sanjay
Hüfner, Stefan See Mathur, Sanjay
Hunter, Brett A. See Vogt, Tom
Hwang, Hae Jin; Towata, Atsuya; and Awano, Masanobu
Fabrication of Lanthanum Manganese Oxide Thin Films on Yttria-Stabilized Zirconia Substrates by a Chemically Modified Alkoxide Method. (10) 2323
Hwang, Hae Jin See Suzuki, Yoshikazu
Hwang, Jin Hyun and Han, Young Ho
Electrical Properties of Cerium-Doped $BaTiO_3$. (8) 1750
Hwang, Nong M. See Choi, Jung-Hae; Park, Bo-Kyung; Park, Jong-Keuk
Hwang, Shiang-Po and Wu, Jenn-Ming
Effect of Composition on Microstructural Development in MgO–Al_2O_3–SiO_2 Glass-Ceramics. (5) 1108
Hyun, Sang H. See Cho, Jin Y.; Kim, Gun S.
Ichikawa, Kiyoshi See Takeuchi, Tomonari
Ichimaru, Hiroyuki See Pezzotti, Giuseppe
Igarashi, Kaoru See Li, Keqin
Igawa, Naoki and Ishii, Yoshinobu
Crystal Structure of Metastable Tetragonal Zirconia up to 1473 K. (5) 1169
Ikeda, Ko; Onikura, Kyoichi; Nakamura, Yoshinori; and Vedanand, Swaroop
Optical Spectra of Nickel-Bearing Silicate Gels Prepared by the Geopolymer Technique, with Special Reference to the Low-Temperature Formation of Liebenbergite (Ni_2SiO_4). (8) 1717
Ikegami, Takayasu See Lee, Jong-Heun
Ikuhara, Yiichi See Sasaki, Kazutaka
Ikuhara, Yuichi See Mimurada, Junpei
Imai, Hiroaki See Tsukuma, Koji
Imanaka, Yoshihiko See Lewis, Daniel J.
Inagaki, Michio See Hirano, Masanori
Inagaki, Yoshiaki See Kondo, Naoki
Ingo, Gabriel Maria; Riccucci, Cristina; and Chiozzini, Gianni
Origin of Gas Porosity in Gold-Based Alloys Cast in Calcium Sulfate-Bonded Investment and Influence of Metal Oxide Acid–Base Properties on Calcium Sulfate Thermal Stability. (8) 1839
Innocentini, Murilo D. M. and Pandolfelli, Victor C.
Permeable Porosity of Refractory Castables Evaluated by the Water-Expulsion Porosimetry Technique. (1) 236; Permeability of Porous Ceramics Considering the Klinkenberg and Inertial Effects. (5) 941
Innocentini, Murilo D. M.; Ribeiro, Caue; Bittencourt, Luis R. M.; and Pandolfelli, Victor C.
Fluid Dynamics and Thermal Aspects of the Dewatering of High-Alumina Refractory Castables: Removal of Physically Absorbed Water. (11) 2696
Innocentini, Murilo D. M.; Silva, Maurício G.; Menegazzo, Bruno A.; and Pandolfelli, Victor C.
Permeability of Refractory Castables at High Temperatures. (3) 645
Innocentini, Murilo D. M. See Ribeiro, Caue
Irifune, Tetsuo See Ohtaka, Osamu
Irvine, John T. S. See Gibson, Iain R.
Ishida, Hatsuo See Suppakarn, Nitinat
Ishida, Hideki See Watanabe, Osamu
Ishigaki, Takamasa See Li, Ya-Li
Ishii, Yoshinobu See Igawa, Naoki
Ishikawa, Takashi See Ogasawara, Toshio
Ishimaru, Kazushi See Ohgushi, Tatsuo
Isono, Shigemi See Yoshida, Satoshi
Itatani, Kiyoshi See Hayashi, Hiroyuki
Ito, Hiroshi See Ogasawara, Toshio
Ito, Masahiro See Shimoo, Toshio
Ito, Suketoshi See Fukuda, Koichiro
Ives, Lewis K. See Kanematsu, Wataru
Iwamoto, Yuji; Völger, Wolfgang; Kroke, Edwin; Riedel, Ralf; Saitou, Tomohiro; and Matsunaga, Katsuyuki
Crystallization Behavior of Amorphous Silicon Carbonitride Ceramics Derived from Organometallic Precursors. (10) 2170
Iwamoto, Yuji See Matsunaga, Katsuyuki
Jacobsen, Torben K. and Brøndsted, Povl
Mechanical Properties of Two Plain-Woven Chemical Vapor Infiltrated Silicon Carbide-Matrix Composites. (5) 1043
Jalowicki, Arthur See Majewski, Peter J.
Jang, Jae Hyeok See Koo, Junmo
Jang, Jin-Wook See Lee, Jung-Kun
Jayaram, Vikram See Bhatia, Tania
Jean, Jau-Ho; Fang, Yu-Ching; Dai, Steve X.; and Wilcox, David L., Sr.
Devitrification Kinetics and Mechanism of K_2O–CaO–SrO–BaO–B_2O_3–SiO_2 Glass-Ceramic. (6) 1354
Jean, Jau-Ho and Wang, Hong-Ren
Organic Distributions in Dried Alumina Green Tape. (2) 267
Jensen, Karin V. See Linderoth, Søren
Jensen, Ole Mejlhede See Bentz, Dale P.
Jeon, Hyung-Jo See Kim, Yong-Seog
Jeoung, Jun-Sik; Poisl, W. Howard; Weinberg, Michael C.; Smith, Gary L.; and Li, Hong
Effect of Oxidation State of Iron on Phase Separation in Sodium Silicate Glasses. (8) 1859
Ji, Zhiqiang; Haynes, J. Allen; Voelkl, Edgar; and Rigsbee, J. Michael
Phase Formation and Stability in Reactively Sputter Deposited Yttria-Stabilized Zirconia Coatings. (5) 929
Ji, Zhiqiang and Rigsbee, J. M.
Growth of Tetragonal Zirconia Coatings by Reactive Sputter Deposition. (12) 2841
Jiang, Dongliang See Zhang, Jing-Xian; Zhu, Xinwen
Jiang, Weihua See Kinemuchi, Yoshiaki
Jilavi, Mohammad See Mathur, Sanjay
Jiménez-Melendo, Manuel; Haneda, Hajime; and Nozawa, Hoshiteru
Ytterbium Cation Diffusion in Yttrium Aluminum Garnet (YAG)—Implications for Creep Mechanisms. (10) 2356

Jin, Qiang; Wilkinson, David S.; Weatherly, George C.; Luecke, William E.; and Wiederhorn, Sheldon M.
Thickness Alteration of Grain-Boundary Amorphous Films during Creep of a Multiphase Silicon Nitride Ceramic. (6) 1296
Johnson, Curtis A. See Ruud, James A.
Jones, Mark I.; Valecillos, Maria-Cecilia; Hirao, Kiyoshi; and Toriyama, Motohiro
Densification Behavior in Microwave-Sintered Silicon Nitride at 28 GHz. (10) 2424
Jones, Russell H. See Lewinsohn, Charles A.
Jung, Sug-Woo; Kim, Joosun; and Kang, Suk-Joong L.
Etching for Microstructural Observation of Cemented Submicrometer-Sized Carbides. (4) 899
Jungen, W. See Cao, X. Q.
Junmin, Xue See Yeong, Bernard
Kado, Tetsuo and Fan, Qiulin
Chromium Oxycarbide Thin Films Prepared by Inductively Coupled Radio-Frequency Plasma-Assisted Magnetron Sputtering. (8) 1763
Kaesche, Stefanie See Majewski, Peter J.
Kaga, Hisashi; Heian, Ellen M.; Munir, Zuhair A.; Schmalzried, Clemens; and Telle, Rainer
Synthesis of Hard Materials by Field Activation: The Synthesis of Solid Solutions and Composites in the TiB_2–WB_2–CrB_2 System. (12) 2764
Kagawa, Masahiro See Mizoguchi, Yoshihito
Kagawa, Yutaka See Guo, Shuqi
Kageyama, Hiroyuki See Takeuchi, Tomonari
Kakihana, Masato See Fujimori, Hirotaka
Kamegashira, Naoki See Nakano, Hiromi
Kamei, Masayuki See Kawamura, Fumio
Kameshima, Yoshikazu See Okada, Kiyoshi
Kamiya, Kanichi See Narazaki, Aiko
Kammler, Daniel R.; Mason, Thomas O.; and Poeppelmeier, Kenneth R.
Bulk Phase Relations, Conductivity, and Transparency in Novel Bixbyite Transparent Conducting Oxide Solution in the Cadmium-Indium-Tin Oxide System. (5) 1004
Kaneko, Kenji See Nagano, Takayuki
Kanematsu, Wataru; Miyajima, Tatsuya; and Sando, Mutsuo
Visualization of Knoop Indentation Damage of Silicon Nitride by Plasma Etching. (10) 2427
Kanematsu, Wataru; Sando, Mutsuo; Ives, Lewis K.; Marinenko, Ryna; and Quinn, George D.
Dye Impregnation Method for Revealing Machining Crack Geometry. (4) 795
Kang, Eul S. See Kang, Shin H.
Kang, Shin H.; Kim, Deug J.; Kang, Eul S.; and Baek, Seung S.
Pressureless Sintering and Properties of Titanium Diboride Ceramics Containing Chromium and Iron. (4) 893
Kang, Shinhoo See Ahn, Sun-Yong
Kang, Suk-Joong L. See Jung, Sug-Woo
Kang, Won Ho See Lee, Yong Su
Kang, Yun Chan; Roh, Hyun Sook; and Park, Seung Bin
Sodium Carbonate Flux Effects on the Luminescence Characteristics of $(Y_{0.5}Gd_{0.5})_2O_3$:Eu Phosphor Particles Prepared by Spray Pyrolysis. (2) 447
Kannan, Thandali S. See Rao, R. Ramachandra
Kanters, Johannes; Eisele, Ulrich; and Rödel, Jürgen
Cosintering Simulation and Experimentation: Case Study of Nanocrystalline Zirconia. (12) 2757
Kanzaki, Shuzo See Fukasawa, Takayuki; Hayashi, Hiroyuki; Kitayama, Mikito; Nakamura, Masateru; Satoh, Takeshi; Yoshizawa, Yu-ichi; Zhou, You
Kaplan, Wayne D. See Scheu, Christina
Karamanov, Alexander See Pelino, Mario
Karapetrova, Evguenia; Platzer, Roland; Gardner, John A.; Torne, Erwin; Sommers, James A.; and Evenson, William E.
Oxygen Vacancies in Pure Tetragonal Zirconia Powders: Dependence on the Presence of Chlorine during Processing. (1) 65
Karwath, Thomas See Biedenkopf, Peter
Kasuga, Toshihiro; Hosoi, Yoshimasa; Nogami, Masayuki; and Niinomi, Mitsuo
Apatite Formation on Calcium Phosphate Invert Glasses in Simulated Body Fluid. (2) 450
Kasuga, Toshihiro See Nogami, Masayuki
Kata, Dariusz; Shirai, Kenshiro; Ohyanagi, Manshi; and Munir, Zuhair A.
Formation Mechanism of AlN–SiC Solid Solution by Combustion Nitridation in Si_3N_4–Si-Al-C System. (4) 726
Kataoka, Tomoyuki See Shimada, Shiro
Kato, Etsuro See Murase, Yoshio
Kato, Takayoshi See Fujihara, Shinobu
Kato, Yoshinari; Yamazaki, Hiroki; and Tomozawa, Minoru
Detection of Phase Separation by FTIR in a Liquid-Crystal-Display Substrate Aluminoborosilicate Glass. (9) 2111
Kato, Zenji See Uematsu, Keizo
Katsuki, Hiroaki and Komarneni, Sridhar
Microwave-Hydrothermal Synthesis of Monodispersed Nanophase α-Fe_2O_3. (10) 2313
Kawada, Hiroyuki See Goto, Ken
Kawahara, Masakazu See Takeuchi, Tomonari
Kawai, Chihiro
Effect of Interfacial Reaction on the Thermal Conductivity of Al–SiC Composites with SiC Dispersions. (4) 896
Kawamura, Fumio; Yasui, Itaru; Kamei, Masayuki; and Sunagawa, Ichiro
Habit Modifications of SnO_2 Crystals in SnO_2–Cu_2O Flux System in the Presence of Trivalent Impurity Cations. (6) 1341
Kawanabe, Kazuyuki See Shimizu, Yasuhiro
Kawashima, Katsuhiro See Matsumoto, Takahiro
Kawashima, Naoki See Kitaoka, Satoshi
Kawaura, Akihiro See Aono, Hiromichi
Keller, Kristin A. See Parthasarathy, Triplicane A.
Kelly, Anthony See Pitchford, James E.
Kennedy, Shane J. See Ma, Yuxiang; Wu, Erdong
Kera, Yoshiya See Kominami, Hiroshi
Kersten, Michael See Kulik, Dmitrii A.
Keryvin, Vincent See Rouxel, Tanguy
Khandkar, Ashok C. See Milliken, Christopher E.
Kholkin, Andrei L. See Zhu, Weizhong
Kienzle, Oliver See Ernst, Frank
Kikegawa, Takumi See Ohtaka, Osamu
Kim, Byeoung Il See Lee, Yong Su
Kim, Chan-Soo See Cao, Xueqiang
Kim, Cheon-Woo; Choi, Kwansik; Park, Jong-Kil; Shin, Sang-Woon; and Song, Myung-Jae
Enthalpies of Chromium Oxide Solution in Soda Lime Borosilicate Glass Systems. (12) 2987
Kim, Deug J. See Kang, Shin H.
Kim, Do Kyung See Han, Yoon Soo; Kim, Hae-Won; Lee, Chul-Seung; Park, Hong Sik
Kim, Doh-Yeon See Choi, Jung-Hae; Chung, Tai-Joo; Han, Joo-Hwan; Hong, Seong-Hyeon; Lee, Jong-Heun; Park, Bo-Kyung; Park, Jong-Keuk; Rhee, Sang-Hoon; Sone, Tae-Wook
Kim, Dong-Wan; Ko, Kyung Hyun; and Hong, Kug Sun
Influence of Copper(II) Oxide Additions to Zinc Niobate Microwave Ceramics on Sintering Temperature and Dielectric Properties. (6) 1286
Kim, Dong Wan See Park, Yong Hwan
Kim, Eung Soo See Park, Heung Soo
Kim, Gun S.; Hyun, Sang H.; and Park, Hyung H.
Synthesis of Low-Dielectric Silica Acrogel Films by Ambient Drying. (2) 453
Kim, Gyeung-Ho See Choi, Heon-Jin; Chung, Tai-Joo
Kim, Hae-Won; Deng, Yan; Miranda, Pedro; Pajares, Antonia; Kim, Do Kyung; Kim, Hyoun-Ee; and Lawn, Brian R.
Effect of Flaw State on the Strength of Brittle Coatings on Soft Substrates. (10) 2377
Kim, Hae-Won See Rhee, Young-Woo
Kim, Hyo Tae; Kim, Yoonho; Valant, Matjaz; and Suvorov, Danilo
Titanium Incorporation in Zn_2TiO_4 Spinel Ceramics. (5) 1081
Kim, Hyoun-Ee See Choi, Jong-Jin; Fan, Huiqing; Kim, Hae-Won; Koh, Young-Hag; Ryu, Jungho
Kim, Hyun-Jai See Choi, Ji-Won
Kim, Hyun-Min See Uchida, Masaki
Kim, Jeong-Joo and Harmer, Martin P.
Effect of Liquid Volume Fraction on Grain Growth of Magnesium Oxide Grains in Molten Calcium Magnesium Silicate Matrix. (12) 3027
Kim, Jinsoo; Wilhelm, Oliver; and Pratsinis, Sotiris E.
Packaging of Sol–Gel-Made Porous Nanostructured Titania Particles by Spray Drying. (12) 2802
Kim, Jong-Jip See Cho, Seong-Jai
Kim, Joo Sun See Jung, Sug-Woo; Zenotchkine, Misha
Kim, Nam Heun See Shirakami, Tatsuya
Kim, Nam-Kyoung See Suh, Dong-Hwan
Kim, Seong-Won See Ahn, Sun-Yong
Kim, Seung-Hyun See Maria, Jon-Paul
Kim, Sudook See Hildmann, Bernd
Kim, Sung S. and Sanders, Thomas H., Jr.
Thermodynamic Modeling of the Isomorphous Phase Diagrams in the Al_2O_3–Cr_2O_3 and V_2O_3–Cr_2O_3 Systems. (8) 1881
Kim, Troy and Wooldridge, Margaret S.
Catalytically Assisted Self-Propagating High-Temperature Synthesis of Tantalum Carbide Powders. (5) 976
Kim, Won Ju See Oh, Byung Jun
Kim, Yong-Seog; Lee, Seog-Young; Hong, Soon-Kug; and Jeon, Hyung-Jo
Formation of Barrier Ribs for Plasma Display Panel via Roll Forming of Green Tapes. (7) 1470
Kim, Yoonho See Kim, Hyo Tae
Kim, Young-Wook; Mitomo, Mamoru; and Nishimura, Toshiyuki
Heat-Resistant Silicon Carbide with Aluminum Nitride and Erbium Oxide. (9) 2060
Kim, Young-Wook See Lee, Sung-Gu; Zhan, Guo-Dong
Kim, Youn Joong See Lee, Sujeong
Kimel, R. Allen; Ganine, Vladimir; and Adair, James H.
Double Injection Synthesis and Dispersion of Submicrometer Barium Titanyl Oxalate Tetrahydrate. (5) 1172
Kimura, Shoichi See Pavarajarn, Varong; Vatanatham, Minkmas
Kimura, Toshio See Fujihara, Shinobu
Kinemuchi, Yoshiaki; Suzuki, Tsuneo; Jiang, Weihua; and Yatsui, Kiyoshi
Ceramic Membrane Filter Using Ultrafine Powders. (9) 2144
Kingon, Angus See Maria, Jon-Paul
Kirchheim, Reiner
Solubility of Gases in Vitreous Silica Described by a Distribution of Dissolution Energies. (11) 2699
Kirkland, Timothy P. See Kleveland, Kjersti
Kish, Laszlo B. See Solis, Jose L.
Kisi, Erich H. See Ma, Yuxiang; Wu, Erdong
Kitamura, Kazuko See Watanabe, Osamu
Kitaoka, Satoshi; Kawashima, Naoki; Suzuki, Toshiyuki; Sugita, Yuji; Shinohara, Nobuo; and Higuchi, Takashi
Fabrication of Continuous-SiC-Fiber-Reinforced SiAlON-Based Ceramic Composites by Reactive Melt Infiltration. (9) 1945
Kitayama, Mikito; Hirao, Kiyoshi; Watari, Koji; Toriyama, Motohiro; and Kanzaki, Shuzo
Thermal Conductivity of β-Si_3N_4: III. Effect of Rare-Earth (RE = La, Nd, Gd, Y, Yb, and Sc) Oxide Additives. (2) 353
Kladny, Ralf See Vogli, Evelina
Klassen, Thomas See Günther, Robert
Kleebe, Hans-Joachim; Turquat, Christian; and Sorarù, Gian Domenico
Phase Separation in an SiCO Glass Studied by Transmission Electron Microscopy and Electron Energy-Loss Spectroscopy. (5) 1073
Kleebe, Hans-Joachim See Pezzotti, Giuseppe; Raj, Rishi; Turquat, Christian
Klein, Sascha; Fisher, Matthew; Franks, George; Colic, Miroslave; and Lange, Fred
Effect of the Interparticle Pair Potential on the Rheological Behavior of Zirconia Powders: II. The Influence of Chem-Adsorbed Silanes. (5) 991
Klemm, Hagen and Schubert, Christian
Silicon Nitride/Molybdenum Disilicide Composite with Superior Long-Term Oxidation Resistance at 1500°C. (10) 2430
Kleveland, Kjersti; Orlovskaya, Nina; Grande, Tor; Moe, Anne Marie Mardal; Einarsrud, Mari-Ann; Breder, Kristin; and Gogotsi, George
Ferroelastic Behavior of $LaCoO_3$-Based Ceramics. (9) 2029
Kleveland, Kjersti; Wereszczak, Andrew; Kirkland, Timothy P.; Einarsrud, Mari-Ann; and Grande, Tor
Compressive Creep Performance of $SrFeO_3$. (8) 1822
Knowles, Kevin M. See Hng, Huey-Hoon
Ko, Kyung Hyun See Kim, Dong-Wan; Park, Yong Hwan
Kobertz, Dietmar See Biedenkopf, Peter
Kocer, Cenk and Collins, Richard E.
Measurement of Very Slow Crack Growth in Glass. (11) 2585
Koch, Dietmar See Schmidt, Harald
Kodama, Masaya See Akiyama, Morito
Kodash, Vladimir Y. See Stanciu, Lia A.
Koh, Young-Hag; Lee, Seung-Yong; and Kim, Hyoun-Ee
Oxidation Behavior of Titanium Boride at Elevated Temperatures. (1) 239
Kohlstedt, David L. See Nair, Balakrishnan G.
Kohno, Masaaki See Kominami, Hiroshi
Kokubo, Tadashi See Uchida, Masaki
Kolar, Drago See Kuščer, Danjela
Kolleck, Arnd See Glazounov, Alexandre E.
Komarneni, Sridhar See Katsuki, Hiroaki; Ohgushi, Tatsuo
Komatsu, Takayuki See Miura, Tadashi
Komeya, Katsutoshi See Shirakami, Tatsuya
Kominami, Hiroshi; Kohno, Masaaki; Matsunaga, Yukino; and Kera, Yoshiya
Thermal Decomposition of Titanium Alkoxide and Silicate Ester in Organic Solvent: A New Method for Synthesizing Large-Surface-Area, Silica-Modified Titanium(IV) Oxide of High Thermal Stability. (5) 1178
Kondo, Masao and Kurihara, Kazuaki
Sintering Behavior and Surface Microstructure of PbO-Rich $PbNi_{1/3}Nb_{2/3}O_3$–$PbTiO_3$–$PbZrO_3$ Ceramics. (11) 2469
Kondo, Naoki; Inagaki, Yoshiaki; Suzuki, Yoshikazu; and Ohji, Tatsuki
High-Temperature Fracture Energy of Superplastically Forged Silicon Nitride. (8) 1791
Kondo, Naoki See Suzuki, Yoshikazu
Koo, Junmo; Jang, Jae Hyeok; and Bae, Byeong-Soo
Crystallization Behavior of Sol–Gel-Derived Strontium Barium Niobate Thin Films. (1) 193
Kosacki, Igor See Suzuki, Toshio
Koumoulidis, George C.; Vaimakis, Tiberius C.; Sdoukos, Antonios T.; Boukos, Nikos K.; and Trapalis, Christos C.
Preparation of Hydroxyapatite Lathlike Particles Using High-Speed Dispersing Equipment. (6) 1203
Koutzaki, Sirma H. See Krzanowski, James E.
Kovar, Desiderio See Hall, Peyton W.
Krause, Ralph See Skirl, Siegfried
Krause, Ralph F., Jr.; Wiederhorn, Sheldon M.; and Kübler, Jakob J.
Misalignment-Induced Bending in Pin-Loaded Tensile-Creep Specimens. (1) 145

Krause, Ralph F., Jr.; Wiederhorn, Sheldon M.; and Li, Chien-Wei
Tensile Creep Behavior of a Gas-Pressure-Sintered Silicon Nitride Containing Silicon Carbide. (10) 2394
Krishnamurthy, Ramanthan and Sheldon, Brian W.
Experimental Observations of High Fracture Resistance in Silicon Carbide/Alumina Laminated Composites. (10) 2451
Kristofferson, Annika See Vandeperre, Luc J.
Kriven, Waltraud M. See Lee, Sang-Jin
Kroeger, Donald M. See Paranthaman, M. Parans
Kroke, Edwin See Iwamoto, Yuji
Krueger, Daniel S. See Shende, Rajesh V.
Krug, Steffen; Evans, Julian R. G.; and ter Maat, Johan H. H.
Effect of Polymer Crystallinity on Morphology in Ceramic Injection Molding. (12) 2750
Kruidhof, Henk See Nijmeijer, Arian
Krzanowski, James E. and Koutzaki, Sirma H.
Mechanical Properties of Sputter-Deposited Titanium-Silicon-Carbon Films. (3) 672
Kübler, Jakob J. See Krause, Ralph F., Jr.
Kucheiko, Sergey See Choi, Ji-Won
Kucuk, Ahmet; Lima, Rogerio S.; and Berndt, Christopher C.
Influence of Plasma Spray Parameters on In-Flight Characteristics of ZrO_2–8 wt% Y_2O_3 Ceramic Particles. (4) 685; Influence of Plasma Spray Parameters on Formation and Morphology of ZrO_2–8 wt% Y_2O_3 Deposits. (4) 693
Kuhn, Gabe See Soundararajan, Raji
Kulik, Dmitrii A. and Kersten, Michael
Aqueous Solubility Diagrams for Cementitious Waste Stabilization Systems: II. End-Member Stoichiometries of Ideal Calcium Silicate Hydrate Solid Solutions. (12) 3017
Kumazawa, Hidehiro See Um, Myeong-Heon
Kungl, Hans See Glazounov, Alexandre E.
Kunisada, Taichi See Ohtaka, Osamu
Kuraoka, Koji See Su, Caili
Kurihara, Kazuaki See Kondo, Masao
Kuroda, Koji See Ohtaka, Osamu
Kuroda, Seiji See Blazdell, Philip
Kuščer, Danjela; Hanžel, Darko; Holc, Janez; Hrovat, Marko; and Kolar, Drago
Defect Structure and Electrical Properties of $La_{1-x}Sr_xFe_{1-y}Al_yO_{3-\delta}$. (5) 1148
Kuwabara, Makoto See Miyazawa, Kun'ichi
Kwon, Seongtae; Sabolsky, Edward M.; and Messing, Gary L.
Low-Temperature Reactive Sintering of 0.65PMN-0.35PT. (3) 648
Laarz, Eric; Meurk, Anders; Yanez, Joseph A.; and Bergström, Lennart
Silicon Nitride Colloidal Probe Measurements: Interparticle Forces and the Role of Surface-Segment Interactions in Poly(acrylic acid) Adsorption from Aqueous Solution. (8) 1675
Labbe, Jean Claude See Djemai, Amédée
Labropoulos, Kyriakos C.; Rangarajan, Sriram; Niesz, Dale E.; and Danforth, Stephen C.
Dynamic Rheology of Agar Gel Based Aqueous Binders. (6) 1217
Laine, Richard M. See Baranwal, Rita
Lalithambika, Malathi See Yamuna, Ammini
Lamon, Jacques See Bertrand, Sebastien
Lanagan, Michael T. See Youn, Hyuk-Joon
Lance, Michael J.; Vogel, Eva M.; Reith, Leslie A.; and Cannon, W. Roger
Low-Temperature Aging of Zirconia Ferrules for Optical Connectors. (11) 2731
Lancellotti, Isabella See Barbieri, Luisa
Lange, Fred F. See Fisher, Matthew L.; Klein, Sascha; Rao, Masa P.
Langer, Stephen A. See Vedula, Venkata R.
Langjahr, Petra A.; Oberacker, Rainer; and Hoffmann, Michael J.
Long-Term Behavior and Application Limits of Plasma-Sprayed Zirconia Thermal Barrier Coatings. (6) 1301
Lantto, Vilho See Solis, Jose L.
Larentis, Luca See Sglavo, Vincenzo M.
Larrea, Angel See Pérez-Arantegui, Josefina
Latella, Bruno A. and Liu, Tianshun
High-Temperature Strength Behavior of Synroc-C. (1) 117
Laval, Jean-Paul See Raynaud, Sylvie
Lawn, Brian R. See Kim, Hae-Won; Lee, Chul-Seung; Rhee, Young-Woo
Lecerf, Nicolas See Mathur, Sanjay
Ledbetter, Hassel See Hildmann, Bernd
Lee, Chul-Seung; Lawn, Brian R.; and Kim, Do Kyung
Effect of Tangential Loading on Critical Conditions for Radial Cracking in Brittle Coatings. (11) 2719
Lee, Chul-Tae See Um, Myeong-Heon
Lee, Dominic F. See Paranthaman, M. Parans
Lee, Dong-Ha See Suh, Dong-Hwan
Lee, Hwack Joo; Park, Hyun Min; Cho, Yang Koo; Song, Yong Won; Nahm, Sahn; and Byun, Jae-Dong
Microstructure Characterizations in Calcium Magnesium Niobate. (7) 1632; Microstructural Characteristics of Strontium Magnesium Niobate. (12) 3032
Lee, Hwack Joo; Park, Hyun Min; Song, Yong Won; Cho, Yang Koo; and Nahm, Sahn
High-Resolution Transmission Electron Microscopy Observations on Antiphase Boundaries in Barium Lanthanum Magnesium Niobate. (8) 1909
Lee, Hwack Joo; Park, Hyun Min; Song, Yong Won; Cho, Yang Koo; Nahm, Sahn; and Byun, Jae-Dong
Microstructure and Dielectric Properties of Barium Strontium Magnesium Niobate. (9) 2105
Lee, Hwack Joo See Lee, Sujeong
Lee, Hyo-Jong See Cho, Seo-Yong
Lee, Jae Do See Rhee, Sang-Hoon
Lee, Jaeryeong; Zhang, Qiwu; and Saito, Fumio
Mechanochemical Synthesis of Lanthanum Oxyfluoride from Lanthanum Oxide and Lanthanum Fluoride. (4) 863
Lee, Jae Won; Munir, Zuhair A.; Shibuya, Masachika; and Ohyanagi, Manshi
Synthesis of Dense TiB_2–TiN Nanocrystalline Composites through Mechanical and Field Activation. (6) 1209
Lee, Jong-Heun; Mori, Toshiyuki; Li, Ji-Guang; Ikegami, Takayasu; Drennan, John; and Kim, Doh-Yeon
Scavenging of Siliceous Grain-Boundary Phase of 8-mol%-Ytterbia-Stabilized Zirconia without Additive. (11) 2735
Lee, Jong-Heun See Park, Bo-Kyung
Lee, Jong-Sook See Chung, Tai-Joo
Lee, Joyce See Corbin, Stephen F.
Lee, June-Gunn See Choi, Heon-Jin
Lee, Jung-Kun; Hong, Kug-Sun; and Chung, Jang-Hoon
Revisit to the Origin of Grain Growth Anomaly in Yttria-Doped Barium Titanate. (8) 1745
Lee, Jung-Kun; Hong, Kug-Sun; and Jang, Jin-Wook
Roles of Ba/Ti Ratios in the Dielectric Properties of $BaTiO_3$ Ceramics. (9) 2001
Lee, Ki-Min See Choi, Heon-Jin
Lee, Sang-Jin and Kriven, Waltraud M.
Toughened Oxide Composites Based on Porous Alumina-Platelet Interphases. (4) 767
Lee, Seog-Young See Kim, Yong-Seog
Lee, Seung-Yong See Koh, Young-Hag
Lee, Sujeong; Kim, Youn Joong; Lee, Hwack Joo; and Moon, Hi-Soo
Electron-Beam-Induced Phase Transformations from Metakaolinite to Mullite Investigated by EF-TEM and HRTEM. (9) 2096
Lee, Sung-Gu; Kim, Young-Wook; and Mitomo, Mamoru
Relationship between Microstructure and Fracture Toughness of Toughened Silicon Carbide Ceramics. (6) 1347
Lee, William Edward See Sarpoolaky, Hossain
Lee, Yong Su; Kang, Won Ho; Kim, Byeoung Il; and Song, Sun Dal
Effect of Neodymium:Yttrium Aluminum Garnet Laser Irradiation on Crystallization in Li_2O–Al_2O_3–SiO_2 Glass. (10) 2433
Lee, Young Jin See Oh, Byung Jun
Lee, Yun-Cheol See Cho, Seong-Jai
Lehman, Richard L. See Toffoli, Samuel M.
Lei, Ting Chuan See Ye, Feng
Lejeune, Martine See Winter, Michael R.
Lenggoro, I. Wuled See Xia, Bin
Leo, Gabriella See Epifani, Mauro
Leonelli, Cristina See Bondioli, Federica
Leoni, Matteo See Scardi, Paolo
Lequeux, Nicolas See Nonnet, Emmanuel
Levi, Carlos G. See Lu, Tian Jian; Mattoni, Michael A.
Lewinsohn, Charles A.; Colombo, Paolo; Reimanis, Ivar; and Ünal, Özer
Stresses Occurring during Joining of Ceramics Using Preceramic Polymers. (10) 2240
Lewinsohn, Charles A.; Jr., Charles H. Henager; Jones, Russell H.; and Eldridge, Jeffrey I.
Measuring Interphase Recession by Fiber Push-In Testing. (4) 866
Lewis, Daniel J.; Gupta, Devendra; Notis, Michael R.; and Imanaka, Yoshihiko
Diffusion of ^{110m}Ag Tracer in Polycrystalline and Single-Crystal Lead-Containing Piezoelectric Ceramics. (8) 1777
Lewis, Jennifer A. See Tuttle, Bruce A.; Morissette, Sherry L.; Smay, James E.; Blackman, Kim
Li, Chien-Wei See Krause, Ralph F., Jr.
Li, Hong See Jeoung, Jun-Sik
Li, Ji-Guang See Lee, Jong-Heun
Li, Jingguo; Gao, Lian; Sun, Jing; Zhang, Qinghong; and Guo, Jingkun
Synthesis of Nanocrystalline Titanium Nitride Powders by Direct Nitridation of Titanium Oxide. (12) 3045
Li, Keqin; Shimizu, Tadao; and Igarashi, Kaoru
Preparation of Short Mullite Fibers from Kaolin via the Addition of Foaming Agents. (3) 497
Li, Longtu See Zhang, Hongguo
Li, Xiaoping; Vartuli, James S.; Milius, David L.; Aksay, Ilhan A.; Shih, Wan Y.; and Shih, Wei-Heng
Electromechanical Properties of a Ceramic d_{31}-Gradient Flextensional Actuator. (5) 996
Li, Ya-Li and Ishigaki, Takamasa
Spheroidization of Titanium Carbide Powders by Induction Thermal Plasma Processing. (9) 1929
Li, Ya-Li; Zheng, Fen; Liang, Yong; Ma, Xian-Feng; Cui, Suo-Jing; and Ishigaki, Takamasa
Reaction and Formation of Crystalline Silicon Oxynitride in Si–O–N Systems under Solid High Pressure. (4) 875
Li, Ying Hai; Damay, Françoise; Cohen, Lesley F.; Thomas, Kodenkandath A.; Hossain, Akther K. M.; and MacManus-Driscoll, Judith L.
Structure and Magnetic Properties of $La_{0.7}Ca_{0.3}MnO_{3-\delta}$ for $(3 - \delta) < 3.0$. (4) 747
Li, Zongjin and Mu, Bin
Rheological Properties of Cement-Based Extrudates with Fibers. (10) 2343
Liang, Kai-Ming See Wang, Shuang-Xi
Liang, Yong See Li, Ya-Li
Lim, Jong Mook See Viskanta, Raymond
Lima, Rogerio S. See Kucuk, Ahmet
Limmer, Steven J. See Wu, Yun
Lin, Guang-Yong and Virkar, Anil V.
Development of Surface Compressive Stresses in Zirconia–Alumina Composites by an Ion-Exchange Process. (6) 1321
Lin, Hua-Tay See de Arellano-López, Antonio R.
Lin, Yung-Jen and Chen, Yi-Chi
Cyclic Infiltration of Porous Zirconia Preforms with a Liquid Solution of Mullite Precursor. (1) 71
Linderoth, Søren; Bonanos, Nikolaos; Jensen, Karin V.; and Bilde-Sørensen, Jørgen B.
Effect of NiO-to-Ni Transformation on Conductivity and Structure of Yttria-Stabilized ZrO_2. (11) 2652
Lis, Jerzy See Łopaciński, Michał
List, Fred A. See Paranthaman, M. Parans
Liu, Chin-Lin and Wu, Tai-Bor
Effects of Calcium Substitution on the Structural and Microwave Dielectric Characteristics of $[(Pb_{1-x}Ca_x)_{1/2}La_{1/2}][(Mg_{1/2}Nb_{1/2})O_3$ Ceramics. (6) 1291
Liu, Haiming See Parukuttyamma, Sujatha D.
Liu, Meilin See Peng, Zuoyan; Xia, Changrong
Liu, Tianshun See Latella, Bruno A.
Livingston, Richard A. See Thomas, Jefirey J.
Lloyd, Isabel K. See Pert, Evan
Lombardo, Stephen J. See Shende, Rajesh V.; Yates, John D.
Łopaciński, Michał; Puszynski, Jan; and Lis, Jerzy
Synthesis of Ternary Titanium Aluminum Carbides Using Self-Propagating High-Temperature Synthesis Technique. (12) 3051
Lopato, Lidiya M. See Andrievskaya, Elena R.
López, Tessy See Muñoz, Eduardo
López-Esteban, Sonia See Pecharromán, Carlos
Lu, Horng-Hwa and Huang, Jow-Lay
Microstructure in Silicon Nitride Containing β-Phase Seeding: III. Grain Growth and Coalescence. (8) 1891
Lu, Sheng-Guo; Mak, Chee-Leung; and Wong, Kin-Hung
Low-Temperature Preparation and Size Effect of Strontium Barium Niobate Ultrafine Powder. (1) 79
Lu, Tian Jian; Levi, Carlos G.; Wadley, Haydn N. G.; and Evans, Anthony G.
Distributed Porosity as a Control Parameter for Oxide Thermal Barriers Made by Physical Vapor Deposition. (12) 2937
Lucas, Pierre and Petuskey, William T.
Phase Equilibria in the Lead–Magnesium–Niobium–Oxygen System at 1000°C. (9) 2150
Luecke, William E. See Jin, Qiang
Lundtoft, Britta See Christensen, Axel Nørlund
Luo, Chongyang See Heydt, Paul
Lupascu, Doru C. See Chen, Wei
Lynch, Christopher S. See Chen, Wei
Ma, Xian-Feng See Li, Ya-Li
Ma, Yuxiang; Kisi, Erich H.; and Kennedy, Shane J.
Neutron Diffraction Study of Ferroelasticity in a 3 mol% Y_2O_3–ZrO_2. (2) 399
MacKenzie, Kenneth J. D. See Okada, Kiyoshi
MacLaren, Ian; Falk, Lena K. L.; Díaz, Aranzazu; and Hampshire, Stuart
Effect of Composition and Crystallization Temperature on Microstructure of Y- and Er-SiAlON I_a-Phase Glass-Ceramics. (7) 1601
MacManus-Driscoll, Judith L. See Li, Ying Hai
Maddrell, Ewan R.
Generalized Titanate Ceramic Waste Form for Advanced Purex Reprocessing. (5) 1187
Mader, Werner See Rečnik, Aleksander
Madsen, Ian C. See Christensen, Axel Nørlund
Maeda, Kunihiro See Moon, Jooho
Maeder, Marlyse Demartin See Robert, Gilles
Maenami, Hiroki See Watanabe, Osamu
Maier, Joachim See Rodewald, Stefan
Majewski, Peter J.; Jalowicki, Arthur; Kaesche, Stefanie; and Aldinger, Fritz
Phase Diagram Studies in the System Tl_2O_3–BaO–CaO–CuO–Ag. (1) 183
Majewski, Peter J.; Rozumek, Michael; Schluckwerder, Heike; and Aldinger, Fritz
Phase Diagram Studies in the Systems La_2O_3–SrO–Ga_2O_3, La_2O_3–MgO–Ga_2O_3, and SrO–MgO–Ga_2O_3 at 1400°C in Air. (5) 1093
Mak, Chee-Leung See Lu, Sheng-Guo

Makovec, Darko; Pribošic, Irena; Samardžija, Zoran; and Drofenik, Miha
Incorporation of Aliovalent Dopants into the Bismuth-Layered Perovskite-Like Structure of $BaBi_4Ti_4O_{15}$. (11) 2702
Makovec, Darko; Ule, Nina; and Drofenik, Miha
Positive Temperature Coefficient of Resistivity Effect in Highly Donor-Doped Barium Titanate. (6) 1273
Malachevsky, Maria Teresa; Fiscina, Jorge Eduardo; and Esparza, Daniel Antonio
Preparation of Synthetic Cordierite by Solid-State Reaction via Bismuth Oxide Flux. (7) 1575
Málek, Jiri See Gotor, Francisco J.
Manfredini, Tiziano See Barbieri, Luisa
Mantas, Pedro Q. See Zhu, Weizhong
Margolis, Joshua See Paruku ttyamma, Sujatha D.
Maria, Jon-Paul; Cheek, Kevin; Streiffer, Stephen; Kim, Seung-Hyun; Dunn, Greg; and Kingon, Angus
Lead Zirconate Titanate Thin Films on Base-Metal Foils: An Approach for Embedded High-Permittivity Passive Components. (10) 2436
Marinenko, Ryna See Kanematsu, Wataru
Marshall, David B. See Berbon, Min Z.
Martin, Patrick M. See Paranthaman, M. Parans
Martucci, Alessandro See Colombo, Paolo
Mason, Thomas O. See Kammler, Daniel R.; Torrents, Josep M.
Mathur, Sanjay; Veith, Michael; Haas, Michel; Shen, Hao; Lecerf, Nicolas; Huch, Volker; Hüfner, Stefan; Haberkorn, Robert; Beck, Horst P.; and Jilavi, Mohammad
Single-Source Sol–Gel Synthesis of Nanocrystalline $ZnAl_2O_4$: Structural and Optical Properties. (9) 1921
Matsuda, Atsunori; Sasaki, Teruyuki; Hasegawa, Koichi; Tatsumisago, Masahiro; and Minami, Tsutomu
Thermal Softening Behavior and Application to Transparent Thick Films of Poly(benzylsilsesquioxane) Particles Prepared by the Sol–Gel Process. (4) 775
Matsui, Koji and Ohgai, Michiharu
Formation Mechanism of Hydrous Zirconia Particles Produced by the Hydrolysis of $ZrOCl_2$ Solutions: III. Kinetics Study for the Nucleation and Crystal-Growth Processes of Primary Particles. (10) 2303
Matsumoto, Takahiro; Nose, Tetsuro; Nagata, Yasuaki; Kawashima, Katsuhiro; Yamada, Tastuya; Nakano, Hidetoshi; and Nagai, Satoshi
Measurement of High-Temperature Elastic Properties of Ceramics Using a Laser Ultrasonic Method. (7) 1521
Matsunaga, Katsuyuki and Iwamoto, Yuji
Molecular Dynamics Study of Atomic Structure and Diffusion Behavior in Amorphous Silicon Nitride Containing Boron. (10) 2213
Matsunaga, Katsuyuki See Iwamoto, Yuji
Matsunaga, Yukino See Kominami, Hiroshi
Matsuoka, Jun See Yoshida, Satoshi
Mattoni, Michael A.; Yang, James Y.; Levi, Carlos G.; and Zok, Frank W.
Effects of Matrix Porosity on the Mechanical Properties of a Porous-Matrix, All-Oxide Ceramic Composite. (11) 2594
Mayo, Merrilea J. See Basu, Rajendra N.
McCormick, Alon V. See Yan, Bingwen
McCormick, Paul G. See Tsuzuki, Takuya
McCready, David See Balmer, Mari Lou
McDonald, Kathleen R.; Dryden, John R.; and Zok, Frank W.
Effects of Matrix Cracks on the Thermal Diffusivity of a Fiber-Reinforced Ceramic Composite. (9) 2015
McLachlan, David S. See Gerhardt, Rosario A.
McNeff, Clayton V. See Yan, Bingwen
McNulty, John C.; Begley, Matthew R.; and Zok, Frank W.
In-Plane Fracture Resistance of a Crossply Fibrous Monolith. (2) 367
Mecartney, Martha L. See Gust, Maria C.
Medri, Valentina See Bellosi, Alida
Meguro, Takeshi See Shirakami, Tatsuya
Mei, Sen See Yang, Juan
Meléndez-Martínez, Juan J. See de Arellano-López, Antonio R.
Mellini, Marcello See Pérez-Arantegui, Josefina
Menegazzo, Bruno A. See Innocentini, Murilo D. M.
Meng, Xiang-Jian See Cheng, Jian-Gong
Mercer, Christopher See Soboyejo, Winston O.
Merlani, Enrico; Schmid, Chiara; and Sergo, Valter
Residual Stresses in Alumina/Zirconia Composites: Effect of Cooling Rate and Grain Size. (12) 2962
Messerschmidt, Ulrich See Baither, Dietmar
Messing, Gary L. See Kwon, Seongtae; Sabolsky, Edward M.; Suvaci, Ender
Metselaar, Rudi See Fang, Chang Ming
Metwalli, EzzEldin; Brow, Richard K.; and Stover, Frederick S.
Cation Effects on Anion Distributions in Aluminophosphate Glasses. (5) 1025
Metzmacher, Christof and Albertsen, Knuth
Microstructural Investigations of Barium Titanate-Based Material for Base Metal Electrode Ceramic Multilayer Capacitor. (4) 821
Metzmacher, Christoph See Hennings, Detlev F. K.
Meuffels, Paul See Schober, Tilman
Meurk, Anders See Laarz, Eric
Miao, Hezhuo See Cheng, Jihong
Miao, Shu; Zhang, Xiaowen; and Zhu, Jing
Direct Compositional Analysis of Ordered Domains in Pure and La-Doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ by Analytical Electron Microscopy Techniques. (9) 2091
Midgley, Paul A. See Hng, Huey-Hoon
Miehe, G. See Srdić, Vladimir V.
Milius, David L. See Li, Xiaoping
Millán, Arnaldo J.; Nieto, M. Isabel; and Moreno, Rodrigo
Aqueous Gel-Forming of Silicon Nitride Using Carrageenans. (1) 62
Miller, Robert A. See Eldridge, Jeffrey I.
Milliken, Christopher E.; Guruswamy, Sivaraman; and Khandkar, Ashok C.
Electrochemical Stability of Strontium-Doped Ceria Electrolyte in Solid-Oxide Fuel Cell Applications. (7) 1533
Mills, Michael J. See Gouma, Pelagia I.
Mimurada, Junpei; Nakano, Manabu; Sasaki, Kazutaka; Ikuhara, Yuichi; and Sakuma, Taketo
Effect of Cation Doping on the Superplastic Flow in Yttria-Stabilized Tetragonal Zirconia Polycrystals. (8) 1817
Mimurada, Junpei See Sasaki, Kazutaka
Min, Guanghui See Zheng, Shuqi
Minami, Tsutomu See Hayashi, Akitoshi; Matsuda, Atsunori
Mintzer, Sergio R. See Rodríguez, Agustín M.
Miodownik, Mark A. See Tikare, Veena
Miranda, Pedro See Kim, Hae-Won
Mirenghi, Luciana See Epifani, Mauro
Mitomo, Mamoru See Kim, Young-Wook; Lee, Sung-Gu; Nagano, Takayuki; Wang, Chang-Meng; Xie, Rong-Jun; Zhan, Guo-Dong
Mitra, Manoj K. See Goswami, Amiya P.
Miura, Tadashi; Watanabe, Toshio; Benino, Yasuhiko; Komatsu, Takayuki; and Sato, Ryuji
Unusual Elastic and Mechanical Behaviors of Copper Phosphate Glasses with Different Copper Valence States. (10) 2401
Miwa, Toshio See Hirano, Masanori
Miyaji, Fumiaki See Uchida, Masaki
Miyajima, Tatsuya See Kanematsu, Wataru
Miyamoto, Shinichi See Takeuchi, Tomonari
Miyazawa, Kun'ichi; Obayashi, Akio; and Kuwabara, Makoto
C_{60} Nanowhiskers in a Mixture of Lead Zirconate Titanate Sol–C_{60} Toluene Solution. (12) 3037
Mizoguchi, Yoshihito; Kagawa, Masahiro; Syono, Yasuhiko; and Hirai, Toshio
Film Synthesis of $Y_3Al_5O_{12}$ and $Y_3Fe_5O_{12}$ by the Spray–Inductively Coupled Plasma Technique. (3) 651
Moe, Anne Marie Mardal See Kleveland, Kjersti
Mogilevsky, Pavel See Boakye, Emmanuel E.
Mohan, Dhirendra; Prasad, Ram; and Banerjee, Srikumar
Dielectric Properties of Lead Magnesium Niobate and Lead Iron Niobate Prepared by the Semiwet Hydroxide Route. (9) 2126
Mohanan, Pezholil See Sebastian, Mailadil T.
Molera, Judit; Pradell, Trinitat; Salvadó, Nati; and Vendrell-Saz, Màrius
Interactions between Clay Bodies and Lead Glazes. (5) 1120
Molera, Judit See Pérez-Arantegui, Josefina
Möller, Andreas See Srdić, Vladimir V.
Momoda, Leslie A. See Gust, Maria C.
Monteverde, Frédéric See Bellosi, Alida
Moon, Hi-Soo See Lee, Sujeong
Moon, Jooho; Awano, Masanobu; and Maeda, Kunihiro
Hydrothermal Synthesis and Formation Mechanisms of Lanthanum Tin Pyrochlore Oxide. (11) 2531
Moreno, Rodrigo See Ferrari, Begoña; Millán, Arnaldo J.
Mori, Masashi and Hiei, Yoshiko
Thermal Expansion Behavior of Titanium-Doped La(Sr)CrO_3 Solid Oxide Fuel Cell Interconnects. (11) 2573
Mori, Masashi; Hiei, Yoshiko; and Yamamoto, Tohru
Control of the Thermal Expansion of Strontium-Doped Lanthanum Chromite Perovskites by B-site Doping for High-Temperature Solid Oxide Fuel Cell Separators. (4) 781
Mori, Toshiyuki See Lee, Jong-Heun
Morimoto, Hideyuki See Hayashi, Akitoshi
Morin, Guillaume See Djemai, Amédée
Morissette, Sherry L.; Lewis, Jennifer A.; Clem, Paul G.; Cesarano, Joseph, III; and Dimos, Duane B.
Direct-Write Fabrication of $Pb(Nb,Zr,Ti)O_3$ Devices: Influence of Paste Rheology on Print Morphology and Component Properties. (11) 2462
Morisette, Sherry L. See Uhland, Scott A.
Morita, Takehiro See Shimoo, Toshio
Morrell, Jonathan S. See Paranthaman, M. Parans
Morrison, Finlay D.; Sinclair, Derek C.; and West, Anthony R.
An Alternative Explanation for the Origin of the Resistivity Anomaly in La-Doped $BaTiO_3$. (2) 474; Characterization of Lanthanum-Doped Barium Titanate Ceramics Using Impedance Spectroscopy. (3) 531
Mott, Matthew and Evans, Julian R. G.
Solid Freeforming of Silicon Carbide by Inkjet Printing Using a Polymeric Precursor. (2) 307
Moure, Carlos See Durán, Pedro
Moya, José S. See Pecharromán, Carlos
Mu, Bin See Li, Zongjin
Mukerji, Joydeb See Vogli, Evelina
Mukherjee, Amiya K. See Wan, Julin; Zhan, Guo-Dong
Müller, Anita See Butchereit, Elke
Muller, Jean Pierre See Djemai, Amédée
Mullins, William W. See Rohrer, Gregory S.
Mulvihill, Maureen L. See Ernst, Frank
Munir, Zuhair A. See Bernard, Frédéric; Carrillo-Heian, Ellen M.; Kaga, Hisashi; Kata, Dariusz; Lee, Jae Won
Muñoz, Eduardo; Boldú, José L.; Andrade, Eduardo; Novaro, Octavio; Bokhimi, Xi.; López, Tessy; and Gómez, Ricardo
Intrinsically Formed Trivalent Titanium Ions in Sol–Gel Titania. (2) 392
Munro, Ronald G.
Effective Medium Theory of the Porosity Dependence of Bulk Moduli. (5) 1190
Murase, Norio and Yazawa, Tetsuo
Partially Reduced Cuprous Oxide Nanoparticles Formed in Porous Glass Reaction Fields. (10) 2269
Murase, Yoshio and Kato, Etsuro
Preparation of Zirconia Whiskers from Zirconium Hydroxide in Sulfuric Acid Solutions under Hydrothermal Conditions at 200°C. (11) 2705
Nagae, Masahiro; Yoshio, Tetsuo; Takemoto, Yoshito; and Takada, Jun
Microstructure of a Molybdenum Nitride Layer Formed by Nitriding Molybdenum Metal. (5) 1175
Nagai, Satoshi See Matsumoto, Takahiro
Nagano, Takayuki; Gu, Hui; Kaneko, Kenji; Zhan, Guo-Dong; and Mitomo, Mamoru
Effect of Dynamic Microstructural Change on Deformation Behavior in Liquid-Phase-Sintered Silicon Carbide with Al_2O_3–Y_2O_3–CaO Additions. (9) 2045
Nagarajan, Nandakumar See Yu, Feng
Nagata, Yasuaki See Matsumoto, Takahiro
Nahm, Sahn See Lee, Hwack Joo
Nair, Balakrishnan G.; Cooper, Reid F.; Bruhn, David; and Kohlstedt, David L.
High-Temperature Rheology of Calcium Aluminosilicate (Anorthite) Glass-Ceramics under Uniaxial and Triaxial Loading. (11) 2617
Nair, Balakrishnan G. See Singh, Jitendra P.
Naito, Makio See Fukui, Takehisa; Uematsu, Keizo
Nakamura, Masateru; Hirao, Kiyoshi; Yamauchi, Yukihiko; and Kanzaki, Shuzo
Tribological Properties of Unidirectionally Aligned Silicon Nitride. (11) 2579
Nakamura, Takashi See Uchida, Masaki
Nakamura, Yoshinori See Ikeda, Ko
Nakanishi, Kazuki See Takahashi, Ryoji
Nakano, Hidetoshi See Matsumoto, Takahiro
Nakano, Hiromi and Kamegashira, Naoki
Microstructure of a Complex Oxide, $Er_2Mn_{2/5}Mo_{4/3}O_7$, with a Pyrochlore-Related Structure. (6) 1374
Nakano, Hiromi See Shirakami, Tatsuya
Nakano, Keishi See Suzuki, Tohru S.
Nakano, Manabu See Mimurada, Junpei; Sasaki, Kazutaka
Nanni, Paolo See Buscaglia, Maria Teresa
Narazaki, Aiko; Tanaka, Katsuhisa; Hirao, Kazuyuki; Hashimoto, Tadanori; Nasu, Hiroyuki; and Kamiya, Kanichi
IR and XPS Studies on the Surface Structure of Poled ZnO–TeO_2 Glasses with Second-Order Nonlinearity. (1) 214
Narushima, Takayuki and Glaeser, Andreas M.
High-Temperature Morphological Evolution of Lithographically Introduced Cavities in Silicon Carbide. (5) 921
Nasu, Hiroyuki See Narazaki, Aiko
Navarro, Hugo See Balderas, Antonio
Navrotsky, Alexandra See Balmer, Mari Lou; Xu, Hongwu
Neubrand, Achim See Dietrich, Astrid
Neumann, Dan A. See Thomas, Jeffrey J.
Nguyen, Chau See Wu, Yun
Nicholson, Patrick S. See Hatton, Benjamin; Wang, Gonghou
Nickel, Klaus G. See Butchereit, Elke
Nicolich, Jeffrey P.; Hofer, Ferdinand; Brey, Gerhard; and Riedel, Ralf
Synthesis and Structure of Three-Dimensionally Ordered Graphitelike BC_2N Ternary Crystals. (2) 279
Nied, Herman F. See DiGiovanni, Anthony A.
Niesz, Dale E. See Labropoulos, Kyriakos C.
Nieto, M. Isabel See Millán, Arnaldo J.
Niihara, Koichi See Yang, Jian-Feng
Niinomi, Mitsuo See Kasuga, Toshihiro
Nijmeijer, Arian; Kruidhof, Henk; Bredesen, Rune; and Verweij, Henk
Preparation and Properties of Hydrothermally Stable γ-Alumina Membranes. (1) 136
Nishi, Yasuo See Ono, Satomi
Nishi, Yuji See Suzuki, Toshimasa
Nishimura, Hitoshi See Pezzotti, Giuseppe
Nishimura, Toshiyuki See Kim, Young-Wook
Noda, Naotake See Fujimoto, Takao

Nogami, Masayuki; Goto, Yoichi; Tsurita, Yasushi; and Kasuga, Toshihiro
Effect of Phosphorus Ions on the Proton Conductivity in the Sol–Gel-Derived Porous Glasses. (11) 2553
Nogami, Masayuki See Kasuga, Toshihiro
Nonaka, Kazuhiro See Akiyama, Morito
Nonnet, Emmanuel; Lequeux, Nicolas; Boch, Philippe; Colston, Sally L.; and Barnes, Paul
In Situ X-ray Diffraction and Young's Modulus Measurement during Heat Treatment of High-Alumina Cement Castables. (3) 583
Nose, Tetsuro See Matsumoto, Takahiro
Notis, Michael R. See Lewis, Daniel J.
Novaro, Octavio See Muñoz, Eduardo
Nozawa, Hoshiteru See Jiménez-Melendo, Manuel
Obayashi, Akio See Miyazawa, Kun'ichi
Oberacker, Rainer See Langjahr, Petra A.
Ogasawara, Toshio and Ishikawa, Takashi
Oxidation Behavior of Silicon-Infiltrated Carbon/Carbon Composites in High-Enthalpy Convective Environment. (7) 1559
Ogasawara, Toshio; Ishikawa, Takashi; Ito, Hiroshi; Watanabe, Naoyuki; and Davies, Ian J.
Multiple Cracking and Tensile Behavior for an Orthogonal 3-D Woven Si-Ti-C-O Fiber/Si-Ti-C-O Matrix Composite. (7) 1565
Oh, Byung Jun; Lee, Young Jin; Choi, Doo Jin; Hong, Gye Won; Park, Ji Yeon; and Kim, Won Ju
Fabrication of Carbon/Silicon Carbide Composites by Isothermal Chemical Vapor Infiltration, Using the *In Situ* Whisker-Growing and Matrix-Filling Process. (1) 245
Ohgai, Michiharu See Matsui, Koji
Ohgushi, Tatsuo; Ishimaru, Kazushi; and Komarneni, Sridhar
Nepheline and Carnegieite Ceramics from A-Type Zeolites by Microwave Heating. (2) 321
Ohji, Tatsuki See Deng, Zhen-Yan; Fukasawa, Takayuki; Kondo, Naoki; Suzuki, Yoshikazu; Yang, Jian-Feng
Ohtaka, Osamu; Fukui, Hiroshi; Kunisada, Taichi; Fujisawa, Tomoyuki; Funakoshi, Kenichi; Utsumi, Wataru; Irifune, Tetsuo; Kuroda, Koji; and Kikegawa, Takumi
Phase Relations and Volume Changes of Hafnia under High Pressure and High Temperature. (6) 1369
Ohya, Yutaka See Tahar, Radhouane Bel Hadj
Ohyanagi, Manshi See Kata, Dariusz; Lee, Jae Won
Okada, Kiyoshi; Yamamoto, Nobuo; Kameshima, Yoshikazu; Yasumori, Atsuo; and MacKenzie, Kenneth J. D.
Effect of Silica Additive on the Anatase-to-Rutile Phase Transition. (7) 1591
Okamoto, Kazuhiro See Pezzotti, Giuseppe
Okamura, Kiyohito See Shimoo, Toshio
Okawa, Hajime See Fukui, Takehisa
Okuyama, Kikuo See Xia, Bin
Olesen, John F. See Bentz, Dale P.
Olhero, Susana M.; Tari, Giuliano; and Ferreira, José M. F.
Feedstock Formulations for Direct Consolidation of Porcelains with Polysaccharides. (4) 719
Olorunyolemi, Tayo See Birnboim, Amikam; Pert, Evan
Olson, Walter R. See Tuttle, Bruce A.
Onikura, Kyoichi See Ikeda, Ko
Ono, Satomi; Nishi, Yasuo; and Hirano, Shin-ichi
Chromium-Free Corrosion Resistance of Metals by Ceramic Coating. (12) 3054
Ono, Satomi; Yamada, Noriaki; and Hirano, Shin-ichi
Potassium Lithium Niobate Films Derived from Aqueous Precursor Solution. (7) 1415
Orlovskaya, Nina See Kleveland, Kjersti
Ortiz, Angel L. See Deshpande, Swarnima A.; Xu, Huiwen
Osendi, Maria Isabel See De Pablos, Angel
Ota, Ken'ichi See Pezzotti, Giuseppe
Ottenbrite, Raphael M.; Wall, Jason S.; and Siddiqui, Junaid A.
Self-Catalyzed Synthesis of Organo-Silica Nanoparticles. (2) 480
Ouyang, Lizhi and Ching, Wai-Yim
Geometry Optimization and Ground-State Properties of Complex Ceramic Oxides. (4) 801
Ozawa, Kiyoshi See Sakka, Yoshio
Padture, Nitin P. See Deshpande, Swarnima A.; Xu, Huiwen
Pailler, Rene See Bertrand, Sebastien
Paine, Robert T. See Hill, Richard F.
Pajares, Antonia See Kim, Hae-Won
Pandolfelli, Victor C. See Innocentini, Murilo D. M.; Ribeiro, Caue
Paranthaman, M. Parans; Chirayil, Thomas G.; List, Fred A.; Cui, Xingtian; Goyal, Amit; Lee, Dominic F.; Specht, Eliot D.; Martin, Patrick M.; Williams, Robert K.; Kroeger, Donald M.; Morrell, Jonathan S.; Beach, David B.; Feenstra, Ron; and Christen, David K.
Fabrication of Long Lengths of Epitaxial Buffer Layers on Biaxially Textured Nickel Substrates Using a Continuous Reel-to-Reel Dip-Coating Unit. (2) 273
Parise, John B. See Parukuttyamma, Sujatha D.
Park, Bo-Kyung; Lee, Jong-Heun; Kim, Doh-Yeon; and Hwang, Nong-Moon
Positive Temperature Coefficient of Resistance Effect in Heavily Niobium-Doped Barium Titanate by the Growth of the Double-Twinned Seeds. (11) 2707
Park, Chan Woo and Yoon, Duk Yong
Effect of Magnesium Oxide on Faceted Vicinal (0001) Surface of Aluminum Oxide. (2) 456
Park, Deok-Yong; Yang, Jenn-Ming; and Collins, Joseph M.
Coarsening of Lamellar Microstructures in Directionally Solidified Yttrium Aluminate/Alumina Eutectic Fiber. (12) 2991
Park, Heung Soo; Yoon, Ki Hyun; and Kim, Eung Soo
Relationship between the Bond Valence and the Temperature Coefficient of the Resonant Frequency in the Complex Perovskite $(Pb_{1-x}Ca_x)[Fe_{0.5}(Nb_{1-y}Ta_y)_{0.5}]O_3$. (1) 99
Park, Hong Sik and Kim, Do Kyung
Effect of Silica Surface Dopants on the Formation of Alumina/Aluminum Composites by the Directed Metal Oxidation of an Aluminum Alloy. (11) 2526
Park, Hyun-Min See Cho, Seong-Jai; Lee, Hwack Joo
Park, Hyung H. See Kim, Gun S.
Park, Ji Yeon See Oh, Byung Jun
Park, Jong-Keuk; Chung, Ui-Jin; Hwang, Nong M.; and Kim, Doh-Yeon
Preparation of Dense Lead Magnesium Niobate–Lead Titanate $(Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3)$ Ceramics by Spark Plasma Sintering. (12) 3057
Park, Jong-Keuk; Kim, Doh-Yeon; and Yoon, Duk Yong
Discontinuous Dissolution of a Liquid Phase in $Ba(Ni_{1/3}Nb_{2/3})O_3$ Ceramics. (1) 218
Park, Jong-Kil See Kim, Cheon-Woo
Park, Myung-Beom and Cho, Nam-Hee
Grain Boundaries of Semiconducting $SrTiO_3$ and $BaTiO_3$ Ceramics Synthesized from Surface-Coated Powders. (9) 1937
Park, Seung Bin See Kang, Yun Chan
Park, Yong Hwan; Ryu, Ji Man; Shin, Moo Young; Ko, Kyung Hyun; Kim, Dong Wan; and Hong, Kug-Sun
Effect of Nb_2O_5/ZnO Addition on Microwave Properties of $(Zr_{0.8}Sn_{0.2})TiO_4$ Ceramics. (11) 2542
Parker, Stephen C. See Fang, Chang Ming
Parthasarathy, Triplicane A.
Extraction of Weibull Parameters of Fiber Strength from Means and Standard Deviations of Failure Loads and Fiber Diameters. (3) 588
Parthasarathy, Triplicane A.; Boakye, Emmanuel E.; Keller, Kristin A.; and Hay, Randall S.
Evaluation of Porous ZrO_2–SiO_2 and Monazite Coatings Using Nextel™ 720-Fiber-Reinforced Blackglas™ Minicomposites. (7) 1526
Parthasarathy, Triplicane A. See Cinibulk, Michael K.
Parukuttyamma, Sujatha D.; Margolis, Joshua; Liu, Haiming; Grey, Clare P.; Sampath, Sanjay; Herman, Herbert; and Parise, John B.
Yttrium Aluminum Garnet (YAG) Films through a Precursor Plasma Spraying Technique. (8) 1906
Pasquevich, Alberto F. See Rodríguez, Agustín M.
Pathak, Lokesh Chandra; Bandyopadhyay, Debajyoti; Srikanth, Srinivasan; Das, Swapan Kumar; and Ramachandrarao, P.
Effect of Heating Rates on the Synthesis of Al_2O_3–SiC Composites by the Self-Propagating High-Temperature Synthesis (SHS) Technique. (5) 915
Pati, Ranjan K.; Ray, Jagadish C.; and Pramanik, Panchanan
Synthesis of Nanocrystalline α-Alumina Powder Using Triethanolamine. (12) 2849
Patra, Amitava See Chatterjee, Minati
Paulino, Glaucio H. See Carrillo-Heian, Ellen M.
Pavarajarn, Varong and Kimura, Shoichi
Catalytic Effects of Metals on Direct Nitridation of Silicon. (8) 1669
Pavlik, Robert S., Jr.; Holland, Hans J.; and Payzant, E. Andrew
Thermal Decomposition of Zircon Refractories. (12) 2930
Payzant, E. Andrew See Pavlik, Robert S., Jr.
Pecharromán, Carlos; López-Esteban, Sonia; Bartolomé, José F.; and Moya, José S.
Evidence of Nearest-Neighbor Ordering in Wet-Processed Zirconia–Nickel Composites. (10) 2439
Pelino, Mario and Karamanov, Alexander
Reply to "Comment on 'Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes'". (11) 2745
Pellacani, Gian Carlo See Barbieri, Luisa; Bondioli, Federica
Peng, Zuoyan and Liu, Meilin
Preparation of Dense Platinum-Yttria Stabilized Zirconia; Yttria Stabilized Zirconia Films on Porous $La_{0.9}Sr_{0.1}MnO_3$ (LSM) Substrates. (2) 283
Pennycook, Stephen J. See Dickey, Elizabeth C.
Pérez-Arantegui, Josefina; Molera, Judit; Larrea, Angel; Pradell, Trinitat; Vendrell-Saz, Marius; Borgia, Ilaria; Brunetti, Brunetto G.; Cariati, Franco; Fermo, Paola; Mellini, Marcello; Sgamellotti, Antonio; and Viti, Cecilia
Luster Pottery from the Thirteenth Century to the Sixteenth Century: A Nanostructured Thin Metallic Film. (2) 442
Perng, Huann-Guang See Hsieh, Ming-Fa
Perng, Li-Hsiang See Hsieh, Ming-Fa
Perrotta, Anthony J. See Smith, Richard L.
Pert, Evan; Carmel, Yuval; Birnboim, Amikam; Olorunyolemi, Tayo; Gershon, David; Calame, Jeff; Lloyd, Isabel K.; and Wilson, Otto C., Jr.
Temperature Measurements during Microwave Processing: The Significance of Thermocouple Effects. (9) 1981
Petuskey, William T. See Lucas, Pierre
Pezzotti, Giuseppe
Local Viscosity of Si-O-C-N Nanoscale Amorphous Phases at Ceramic Grain Boundaries. (10) 2225; Low-Frequency Measurements on the Grain-Boundary Internal Friction Peak in Chlorine-Doped Silicon Nitride. (10) 2366
Pezzotti, Giuseppe; Ichimaru, Hiroyuki; Ferroni, Luca Paolo; Hirao, Kiyoshi; and Sbaizero, Orfeo
Raman Microprobe Evaluation of Bridging Stresses in Highly Anisotropic Silicon Nitride. (8) 1785
Pezzotti, Giuseppe; Kleebe, Hans-Joachim; Nishimura, Hitoshi; and Ota, Ken'ichi
Grain-Boundary Viscosity of Preoxidized and Nitrogen-Annealed Silicon Carbides. (10) 2371
Pezzotti, Giuseppe; Okamoto, Kazuhiro; and Ota, Ken'ichi
Rheological Behavior of Dilute SiAlON with or without Intergranular X-Phase. (3) 598
Phillpot, Simon R. See Schelling, Patrick K.
Pilgrim, Steven M. See DiAntonio, Christopher B.; Winter, Michael R.
Pitchford, James E.; Stearn, Robert J.; Kelly, Anthony; and Clegg, William J.
Effect of Oxygen Vacancies on the Hot Hardness of Mullite. (5) 1167
Platzer, Roland See Karapetrova, Evguenia
Plucknett, Kevin P. and Becher, Paul F.
Processing and Microstructure Development of Titanium Carbide–Nickel Aluminide Composites Prepared by Melt Infiltration/Sintering (MIS). (1) 55
Poeppelmeier, Kenneth R. See Kammler, Daniel R.
Poignet, Jean Claude See Dable, Pierre
Poisl, W. Howard See Jeoung, Jun-Sik
Pradell, Trinitat See Molera, Judit; Pérez-Arantegui, Josefina
Pramanik, Panchanan See Pati, Ranjan K.
Prasad, Ram See Mohan, Dhirendra
Pratsinis, Sotiris E. See Kim, Jinsoo; Song, Ki Chang
Pribošic, Irena See Makovec, Darko
Priya, Shashank See Ryu, Jungho
Pujar, Vijay V. and Cawley, James D.
Computer Simulations of Diffraction Effects due to Stacking Faults in β-SiC: II. Experimental Verification. (11) 2645
Puszynski, Jan See Łopaciński, Michał
Qiao, Xin See Corbin, Stephen F.
Quasso, Fiorenza See Consolati, Giovanni
Quinn, George D. See Kanematsu, Wataru
Raj, Rishi; An, Linan; Shah, Sandeep; Riedel, Ralf; Fasel, Claudia; and Kleebe, Hans-Joachim
Oxidation Kinetics of an Amorphous Silicon Carbonitride Ceramic. (8) 1803
Raj, Rishi See Shah, Sandeep R.
Rak, Zbigniew S.
A Process for C_f/SiC Composites Using Liquid Polymer Infiltration. (10) 2235
Ramachandrarao, P. See Pathak, Lokesh Chandra
Ramakrishnan, Padmanabhan A. See Hermann, Allen M.
Ramberg, C. Eric and Worrell, Wayne L.
Oxygen Transport in Silica at High Temperatures: Implications of Oxidation Kinetics. (11) 2607
Randall, Clive A. See Basu, Rajendra N.; Tsur, Yoed; Youn, Hyuk-Joon
Rane, Manisha See Biedenkopf, Peter
Rangarajan, Sriram See Labropoulos, Kyriakos C.
Rao, Masa P.; Rödel, Jürgen; and Lange, Fred F.
Residual Stress Induced *R*-Curves in Laminar Ceramics That Exhibit a Threshold Strength. (11) 2722
Rao, Masa P. See Fisher, Matthew L.
Rao, R. Ramachandra and Kannan, Thandali S.
Dispersion and Slip Casting of Hydroxyapatite. (8) 1710
Rao, Tripti M. See Xue, Junmin
Ratheesh, Ravindran See Sebastian, Mailadil T.
Ravishankar, N. and Carter, C. Barry
Exuding Liquid from Grain Boundaries in Alumina. (4) 859
Ray, Chandra S.
Comment on "Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes". (11) 2743
Ray, Jagadish C. See Pati, Ranjan K.
Raynaud, Sylvie; Champion, Eric; Bernache-Assollant, Didier; and Laval, Jean-Paul
Determination of Calcium/Phosphorus Atomic Ratio of Calcium Phosphate Apatites Using X-ray Diffractometry. (2) 359
Rečnik, Aleksander; Daneu, Nina; Walther, Thomas; and Mader, Werner
Structure and Chemistry of Basal-Plane Inversion Boundaries in Antimony Oxide-Doped Zinc Oxide. (11) 2657
Reed, James S. See Sawyer, Constance B.

Reimanis, Ivar See Lewinsohn, Charles A.
Reis, Nuno See Seerden, Kitty A. M.
Reith, Leslie A. See Lance, Michael J.
Renusch, Daniel P. See Singh, Jitendra P.
Reszat, Jan-Thorsten See Glazounov, Alexandre E.
Rhede, Dieter See Fielitz, Peter
Rhee, Sang-Hoon; Lee, Jae Do; and Kim, Doh-Yeon
Effect of β-Seed Addition on the Microstructural Evolution of Silicon Nitride Ceramics. (12) 3040
Rhee, Sang-Hoon and Tanaka, Junzo
Synthesis of a Hydroxyapatite/Collagen/Chondroitin Sulfate Nanocomposite by a Novel Precipitation Method. (2) 459
Rhee, Young-Woo; Kim, Hae-Won; Deng, Yan; and Lawn, Brian R.
Brittle Fracture versus Quasi Plasticity in Ceramics: A Simple Predictive Index. (3) 561; Contact-induced Damage in Ceramic Coatings on Compliant Substrates: Fracture Mechanics and Design. (5) 1066
Ribeiro, Caue; Innocentini, Murilo D. M.; and Pandolfelli, Victor C.
Dynamic Permeability Behavior during Drying of Refractory Castables Based on Calcium-Free Alumina Binders. (1) 248
Ribeiro, Caue See Innocentini, Murilo D. M.
Riccucci, Cristina See Ingo, Gabriel Maria
Rickman, Jeffrey M. See Wang, Chong-Min
Riedel, Ralf See Galusek, Dusan; Hermann, Allen M.; Iwamoto, Yuji; Nicolich, Jeffrey P.; Raj, Rishi; Wang, Zhi-Chang
Riess, Ilan; Rutman, Jeremy; and Rosenstock, Zvi
Conductivity Measurement Using Four Linear Electrodes Embedded Inside a Rectangular Sample. (12) 2895
Rigsbee, J. M. See Ji, Zhiqiang
Riley, Frank L. See Galusek, Dušan
Rincòn, Jesus Ma. See Barbieri, Luisa
Ritchie, Robert O. See Chen, Da; Han, Yoon Soo
Rivas, Patricia C. See Rodríguez, Agustín M.
Robert, Gilles; Maeder, Marlyse Demartin; Damjanovic, Dragan; and Setter, Nava
Synthesis of Lead Nickel Niobate–Lead Zirconate Titanate Solid Solutions by a B-site Precursor Method. (12) 2869
Rödel, Jürgen See Chen, Wei; Kanters, Johannes; Rao, Masa P.; Skirl, Siegfried
Rodewald, Stefan; Fleig, Jürgen; and Maier, Joachim
Microcontact Impedance Spectroscopy at Single Grain Boundaries in Fe-Doped $SrTiO_3$ Polycrystals. (3) 521
Rodríguez, Agustín M.; Caracoche, María C.; Rivas, Patricia C.; Pasquevich, Alberto F.; and Mintzer, Sergio R.
PAC Characterization of Nontransformable Tetragonal t' Phase in Arc-Melted Zirconia–2.8 mol% Yttria Ceramics. (1) 188
Roh, Hyun Sook See Kang, Yun Chan
Rohrer, C. Lane See Rohrer, Gregory S.
Rohrer, Gregory S.; Rohrer, C. Lane; and Mullins, William W.
Nucleation Energy Barriers for Volume-Conserving Shape Changes of Crystals with Nonequilibrium Morphologies. (9) 2099
Rohrer, Gregory S. See Smith, Richard L.; Vedula, Venkata R.
Rokicki, Gabriel See Szafran, Mikołaj
Romero, Maximina See Barbieri, Luisa
Rosenstock, Zvi See Riess, Ilan
Rossetti, George A., Jr. See Shende, Rajesh V.
Routbort, Jules L. See de Arellano-López, Antonio R.
Rouxel, Tanguy; Sangleboeuf, Jean-Christophe; Guin, Jean-Pierre; Keryvin, Vincent; and Soraru, Gian-Domenico
Surface Damage Resistance of Gel-Derived Oxycarbide Glasses: Hardness, Toughness, and Scratchability. (10) 2220
Rouxel, Tanguy; Soraru, Gian-Domenico; and Vicens, Jean
Creep Viscosity and Stress Relaxation of Gel-Derived Silicon Oxycarbide Glasses. (5) 1052
Rowcliffe, David J. See Collin, Marianne I. K.
Roy, Rustum See Vaidhyanathan, Balasubramaniam
Roy, Sukumar See Goswami, Amiya P.
Rozumek, Michael See Majewski, Peter J.
Ruan, Mei-Ling See Zhang, Jing-Xian
Ruh, Robert See Gerhardt, Rosario A.; Runyan, Julie
Rühle, Manfred See Baither, Dietmar; Brunner, Dieter; Ernst, Frank
Runyan, Julie; Gerhardt, Rosario A.; and Ruh, Robert
Electrical Properties of Boron Nitride Matrix Composites: I, Analysis of McLachlan Equation and Modeling of the Conductivity of Boron Nitride–Boron Carbide and Boron Nitride–Silicon Carbide Composites. (7) 1490; Electrical Properties of Boron Nitride Matrix Composites: II, Dielectric Relaxations in Boron Nitride–Silicon Carbide Composites. (7) 1497
Runyan, Julie See Gerhardt, Rosario A.
Rutman, Jeremy See Riess, Ilan
Ruud, James A.; Bartz, Andi; Borom, Marcus P.; and Johnson, Curtis A.
Strength Degradation and Failure Mechanisms of Electron-Beam Physical-Vapor-Deposited Thermal Barrier Coatings. (7) 1545
Ryu, Ji Man See Park, Yong Hwan
Ryu, Jungho; Choi, Jong-Jin; and Kim, Hyoun-Ee
Effect of Heating Rate on the Sintering Behavior and the Piezoelectric Properties of Lead Zirconate Titanate Ceramics. (4) 902
Ryu, Jungho; Priya, Shashank; Carazo, Alfredo Vázquez; Uchino, Kenji; and Kim, Hyoun-Ee
Effect of the Magnetostrictive Layer on Magnetoelectric Properties in Lead Zirconate Titanate/Terfenol-D Laminate Composites. (12) 2905
Ryu, Jungho See Choi, Jong-Jin
Sabolsky, Edward M.; Messing, Gary L.; and Trolier-McKinstry, Susan
Kinetics of Templated Grain Growth of $0.65Pb(Mg_{1/3}Nb_{2/3})O_3$-$0.35PbTiO_3$. (11) 2507
Sabolsky, Edward M. See Kwon, Seongtae
Sachs, Emanuel M. See Uhland, Scott A.
Sadaoka, Yoshihiko See Aono, Hiromichi
Saito, Fumio See Lee, Jaeryeong
Saito, Yutaka; Tanaka, Satoshi; Uchida, Nozomu; and Uematsu, Keizo
Direct Evidence for Low-Density Regions in Compacted Spray-Dried Powders. (10) 2454
Saitou, Tomohiro See Iwamoto, Yuji
Sakaguchi, Shuji See Satoh, Takeshi
Sakamoto, Masatomi See Aono, Hiromichi
Sakamoto, Wataru See Yamaguchi, Toshiaki
Sakida, Shinichi; Hayakawa, Satoshi; and Yoko, Toshinobu
^{125}Te, ^{27}Al, and ^{71}Ga NMR Study of M_2O_3–TeO_2 (M = Al and Ga) Glasses. (4) 836
Sakka, Yoshio; Ozawa, Kiyoshi; Uchikoshi, Tetsuo; and Hiraga, Keijiro
Colloidal Processing and Ionic Conductivity of Fine-Grained Cupric-Oxide-Doped Tetragonal Zirconia. (9) 2129
Sakka, Yoshio See Hatton, Benjamin D.; Suzuki, Tohru S.; Vasylkiv, Oleg
Sakuma, Taketo See Mimurada, Junpei; Sasaki, Kazutaka
Salvadó, Nati See Molera, Judit
Samardžija, Zoran See Makovec, Darko
Sampath, Sanjay See Parukuttyamma, Sujatha D.
Sana, Catherine See Gerhardt, Rosario A.
Sanders, Thomas H., Jr. See Kim, Sung S.
Sando, Mutsuo See Kanematsu, Wataru
Sangleboeuf, Jean-Christophe See Rouxel, Tanguy
Sarpoolaky, Hossain; Zhang, Shaowei; Argent, Bernard Barry; and Lee, William Edward
Influence of Grain Phase on Slag Corrosion of Low-Cement Castable Refractories. (2) 426
Sasaki, Kazutaka; Nakano, Manabu; Mimurada, Junpei; Ikuhara, Yiichi; and Sakuma, Taketo
Strain Hardening in Superplastic Codoped Yttria-Stabilized Tetragonal-Zirconia Polycrystals. (12) 2981
Sasaki, Kazutaka See Mimurada, Junpei
Sasaki, Teruyuki See Matsuda, Atsunori
Sato, Masaki See Aono, Hiromichi
Sato, Ryuji See Miura, Tadashi
Sato, Satoshi See Takahashi, Ryoji
Sato, Shigemi See Ando, Kotoji
Satoh, Takeshi; Sakaguchi, Shuji; Hirao, Kiyoshi; Toriyama, Motohiro; and Kanzaki, Shuzo
Influence of Aluminum–Oxygen–Yttrium Solid Solution on the Aqueous Tribological Behavior of Silicon Nitride. (2) 462
Saukko, Sami See Solis, Jose L.
Sawyer, Constance B. and Reed, James S.
Adsorption of Hydroxypropyl Methyl Cellulose in an Aqueous System Containing Multicomponent Oxide Particles. (6) 1241
Saylor, David M. See Vedula, Venkata R.
Sbaizero, Orfeo See Pezzotti, Giuseppe
Scardi, Paolo; Leoni, Matteo; Cernuschi, Federico; and Figari, Angelamaria
Microstructure and Heat Transfer Phenomena in Ceramic Thermal Barrier Coatings. (4) 827
Scheffler, Michael See Colombo, Paolo
Schelling, Patrick K. and Phillpot, Simon R.
Mechanism of Thermal Transport in Zirconia and Yttria-Stabilized Zirconia by Molecular-Dynamics Simulation. (12) 2997
Schelling, Patrick K.; Phillpot, Simon R.; and Wolf, Dieter
Mechanism of the Cubic-to-Tetragonal Phase Transition in Zirconia and Yttria-Stabilized Zirconia by Molecular-Dynamics Simulation. (7) 1609
Scherer, George W. See Ai, Hua
Scherrer, Stanislas See Fielitz, Peter
Scheu, Christina; Dehm, Gerhard; and Kaplan, Wayne D.
Equilibrium Amorphous Silicon–Calcium–Oxygen Films at Interfaces in Copper–Alumina Composites Prepared by Melt Infiltration. (3) 623
Schluckwerder, Heike See Majewski, Peter J.
Schmalzried, Clemens See Kaga, Hisashi
Schmid, Chiara See Merlani, Enrico
Schmidt, Harald; Koch, Dietmar; Grathwohl, Georg; and Colombo, Paolo
Micro-/Macroporous Ceramics from Preceramic Precursors. (10) 2252
Schmücker, Martin See Fielitz, Peter
Schneider, Gerold A. See Glazounov, Alexandre E.
Schneider, Hartmut See Fielitz, Peter; Hildmann, Bernd
Schober, Tilman and Meuffels, Paul
High-Temperature Proton Conductors for the Injection of Hydrogen into a Vacuum. (9) 1996
Schreinemacher, B. Seriyati See Hennings, Detlev F. K.
Schreinemacher, Herbert See Hennings, Detlev F. K.
Schubert, Christian See Klemm, Hagen
Schwartz, Robert W.; Cross, L. Eric; and Wang, Qing Ming
Estimation of the Effective d_{31} Coefficients of the Piezoelectric Layer in Rainbow Actuators. (11) 2563
Schwartz, S. See Cao, X. Q.
Schymanski, Jason See Soboyejo, Winston O.
Scofield, Timothy W. See Tuttle, Bruce A.
Sdoukos, Antonios T. See Koumoulidis, George C.
Sebastian, Mailadil T.; Solomon, Sam; Ratheesh, Ravindran; George, Jacob; and Mohanan, Pezholil
Preparation,: Characterization, and Microwave Properties of $RETiNbO_6$ (RE = Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Y, and Yb) Dielectric Ceramics. (7) 1487
Seerden, Kitty A. M.; Reis, Nuno; Evans, Julian R. G.; Grant, Patrick S.; Halloran, John W.; and Derby, Brian
Ink-Jet Printing of Wax-Based Alumina Suspensions. (11) 2514
Sekino, Tohru See Yang, Jian-Feng
Seraji, Seana See Wu, Yun
Sergo, Valter See Merlani, Enrico
Setter, Nava See Robert, Gilles; Thiele, Erik S.
Sgamellotti, Antonio See Pérez-Arantegui, Josefina
Sglavo, Vincenzo M. and Green, David J.
Flaw-Insensitive Ion-Exchanged Glass: II, Production and Mechanical Performance. (8) 1832
Sglavo, Vincenzo M.; Larentis, Luca; and Green, David J.
Flaw-Insensitive Ion-Exchanged Glass: I, Theoretical Aspects. (8) 1827
Shah, Sandeep R. and Raj, Rishi
Nanoscale Densification Creep in Polymer-Derived Silicon Carbonitrides at 1350°C. (10) 2208
Shah, Sandeep R. See Raj, Rishi
Shah, Surendra P. See Torrents, Josep M.
Sharp, John H See Yang, Renhe
Shashkin, Victor S. See Chmel, Alexandre E.
Sheedy, Paul M.; Caram, Hugo S.; Chan, Helen M.; and Harmer, Martin P.
Effects of Zirconium Oxide on the Reaction Bonding of Aluminum Oxide. (5) 986
Sheldon, Brian W. See Krishnamurthy, Ramanthan
Shelleman, David L. See Colombo, Paolo
Shen, Hao See Mathur, Sanjay
Shende, Rajesh V.; Krueger, Daniel S.; Rossetti, George A., Jr.; and Lombardo, Stephen J.
Strontium Zirconate and Strontium Titanate Ceramics for High-Voltage Applications: Synthesis, Processing, and Dielectric Properties. (7) 1648
Sherman, Dov
Alumina/NiCu Laminate under Thermal Shock up to 1000°C: I, Experimental. (12) 2819; Alumina/NiCu Laminate under Thermal Shock up to 1000°C: II, Prediction of the Laminate Behavior. (12) 2827
Shibuya, Masachika See Lee, Jae Won
Shih, Wan Y. See Li, Xiaoping; Yang, Chia-Yi
Shih, Wei-Heng See Li, Xiaoping; Yang, Chia-Yi
Shimada, Shiro and Kataoka, Tomoyuki
Separate Growth of α- and β-Si_3N_4 Whiskers on or near a Carbon Substrate by Carbothermal Reduction. (10) 2442
Shimizu, Tadao See Li, Kequn
Shimizu, Yasuhiro; Kawanabe, Kazuyuki; Takao, Yuji; and Egashira, Makoto
Monolayer Packing of Submicrometer Ceramic Spheres by Employing a Langmuir–Blodgett Film of Dicarboxylic Acid. (2) 301
Shimoo, Toshio; Ito, Masahiro; Okamura, Kiyohito; and Takeda, Michio
Effect of Vacuum Heat Treatment on Electron-Beam-Irradiation-Cured Polycarbosilane Fibers. (1) 111
Shimoo, Toshio; Morita, Takehiro; and Okamura, Kiyohito
Oxidation of Low-Oxygen Silicon Carbide Fibers (Hi-Nicalon) in Carbon Dioxide. (12) 2975
Shimoo, Toshio; Takeuchi, Hiroshi; and Okamura, Kiyohito
Thermal Stability of Polycarbosilane-Derived Silicon Carbide Fibers under Reduced Pressures. (3) 566
Shin, Moo Young See Park, Yong Hwan
Shin, Sang-Woon See Kim, Cheon-Woo
Shinohara, Nobuo See Kitaoka, Satoshi
Shirai, Kenshiro See Kata, Dariusz
Shirakami, Tatsuya; Urabe, Kazuyori; Nakano, Hiromi; Meguro, Takeshi; Komeya, Katsutoshi; and Kim, Nam Heun
Microstructural Evolution during Sintering of Aluminum Nitride Ceramics Doped with Alumina and Yttria. (3) 631
Shirato, Kiroshi See Chen, Da
Shobu, Kazuhisa See Zhu, Qingshan
Shrout, Thomas R. See Vaidhyanathan, Balasubramaniam; Youn, Hyuk-Joon
Shuba, Roman See Zenotchkine, Misha
Siciliano, Pietro See Epifani, Mauro
Siddiqui, Junaid A. See Ottenbrite, Raphael M.

Sieber, Heino See Vogli, Evelina
Sigle, Wilfried See Brunner, Dieter
Sigmund, Wolfgang M. See Yang, Yunpeng
Siligardi, Cristina See Bondioli, Federica
Silva, Mauricio G. See Innocentini, Murilo D. M.
Sinclair, Derek C. See Morrison, Finlay D.
Singh, Anirudh P. See Vaidhyanathan, Balasubramaniam
Singh, Jitendra P.; Nair, Balakrishnan G.; Renusch, Daniel P.; Sutaria, Manish P.; and Grimsditch, Marcus H.
Damage Evolution and Stress Analysis in Zirconia Thermal Barrier Coatings during Cyclic and Isothermal Oxidation. (10) 2385
Singh, Raj N. See Yu, Yongjian
Singheiser, Lorenz See Biedenkopf, Peter
Sivakumar, Ramasamy See Awaji, Hideo
Sixta, Mark E.; Zhang, Xiao Feng; and De Jonghe, Lutgard C.
Flexural Creep of an *in Situ*-Toughened Silicon Carbide. (9) 2022
Sixta, Mark E. See Gopal, Mani; Zhang, Xiao Feng
Skirl, Siegfried; Krause, Ralph; Wiederhorn, Sheldon M.; and Rödel, Jürgen
Processing and Mechanical Properties of Al_2O_3/Ni_3Al Composites with Interpenetrating Network Microstructure. (9) 2034
Slilaty, Rita M. See Blackman, Kim
Smay, James E. and Lewis, Jennifer A.
Structural and Property Evolution of Aqueous-Based Lead Zirconate Titanate Tape-Cast Layers. (11) 2495
Smay, James E. See Tuttle, Bruce A.
Smirnov, Andrej N. See Chmel, Alexandre E.
Smith, Gary L. See Jeoung, Jun-Sik
Smith, Jackson; French, Roger H.; Duscher, Gerd; and Bonnell, Dawn
Consequence of Nanometer-Scale Property Variations to Macroscopic Properties of CrOCN Thin Films. (12) 2873
Smith, Richard L.; Rohrer, Gregory S.; and Perrotta, Anthony J.
Influence of Diaspore Seeding and Chloride Concentration on the Transformation of "Diasporic" Precursors to Corundum. (8) 1896
Soboyejo, Winston O.; Mercer, Christopher; Schymanski, Jason; and van der Laan, Sieger R.
Investigation of Thermal Shock in a High-Temperature Refractory Ceramic: A Fracture Mechanics Approach. (6) 1309
Sodesawa, Toshiaki See Takahashi, Ryoji
Sofie, Stephen W. and Dogan, Fatih
Freeze Casting of Aqueous Alumina Slurries with Glycerol. (7) 1459
Soga, Naohiro See Takahashi, Ryoji; Yoshida, Satoshi
Sogabe, Tomohiro See Youn, Hyuk-Joon
Solis, Jose L.; Hoel, Anders; Kish, Laszlo B.; Granqvist, Claes G.; Saukko, Sami; and Lantto, Vilho
Gas-Sensing Properties of Nanocrystalline WO_3 Films Made by Advanced Reactive Gas Deposition. (7) 1504
Solomon, Sam See Sebastian, Maitadil T.
Sommers, James A. See Karapetrova, Evguenia
Sone, Tae-Wook; Han, Joo-Hwan; Hong, Seong-Hyeon; and Kim, Doh-Yeon
Effect of Surface Impurities on the Microstructure Development during Sintering of Alumina. (6) 1386
Song, Huesup See Chung, Tai-Joo
Song, Ki Chang and Pratsinis, Sotiris E.
Control of Phase and Pore Structure of Titania Powders Using HCl and NH_4OH Catalysts. (1) 92
Song, Myung-Jae See Kim, Cheon-Woo
Song, Sun Dal See Lee, Yong Su
Song, Yong Won See Lee, Hwack Joo
Soraru, Gian-Domenico See Gervais, Christel; Kleebe, Hans-Joachim; Rouxel, Tanguy; Turquat, Christian
Sørensen, Bent F. and Horsewell, Andy
Crack Growth along Interfaces in Porous Ceramic Layers. (9) 2051
Soundararajan, Raji; Kuhn, Gabe; Atisivan, Raj; Bose, Susmita; and Bandyopadhyay, Amit
Processing of Mullite–Aluminum Composites. (3) 509
Specht, Eliot D. See Paranthaman, M. Parans
Srdić, Vladimir V.; Winterer, Markus; Möller, Andreas; Miehe, G.; and Hahn, Horst
Nanocrystalline Zirconia Surface-Doped with Alumina: Chemical Vapor Synthesis, Characterization, and Properties. (12) 2771
Srikanth, Srinivasan See Pathak, Lokesh Chandra
Stanciu, Lia A.; Groza, Joanna R.; Kodash, Vladimir Y.; Crisan, Maria; and Zaharescu, Maria
Electric-Field Effects on Sintering and Reaction to Form Aluminum Titanate from Binary Alumina–Titania Sol–Gel Powders. (5) 983
Stang, Henrik See Bentz, Dale P.
Stearn, Robert J. See Pitchford, James E.
Stöver, D. See Cao, X. Q.
Stover, Frederick S. See Metwalli, EzzEldin
Streiffer, Stephen See Maria, Jon-Paul
Studer, Andrew J. See Wu, Erdong
Su, Caili; Kuraoka, Koji; and Yazawa, Tetsuo
Ethene/Ethane (C_2H_4/C_2H_6) Separation through an Inorganic–Organic Hybrid Membrane Containing Silver(I) Ions as Olefin Carriers, Using Poly(*N*-vinylpyrrolidone) as a Mediation Agent. (3) 654
Su, Yali See Balmer, Mari Lou; Xu, Hongwu
Sudhir, B. and Chokshi, Atul H.
Compression Creep Characteristics of 8-mol%-Yttria-Stabilized Cubic-Zirconia. (11) 2625
Sugita, Yuji See Kitaoka, Satoshi
Sugiyama, Shin and Togaya, Motohiro
Phase Relationship between 3C- and 6H-Silicon Carbide at High Pressure and High Temperature. (12) 3013
Suh, Dong-Hwan; Lee, Dong-Ha; and Kim, Nam-Kyoung
Dielectric Properties of the Perovskite System $Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$ Modified by $Pb(Mg_{1/3}Ta_{2/3})O_3$ and $Pb(Zn_{1/3}Nb_{2/3})O_3$. (6) 1281
Sun, Jing; Bergström, Lennart; and Gao, Lian
Effect of Magnesium Ions on the Adsorption of Poly(acrylic acid) onto Alumina. (11) 2710
Sun, Jing See Li, Jingguo
Sunagawa, Ichiro See Kawamura, Fumio
Suppakarn, Nitinat; Ishida, Hatsuo; and Cawley, James D.
Roles of Poly(propylene glycol) during Solvent-Based Lamination of Ceramic Green Tapes. (2) 289
Sutaria, Manish P. See Singh, Jitendra P.
Suvaci, Ender and Messing, Gary L.
Seeding of the Reaction-Bonded Aluminum Oxide Process. (3) 657
Suvorov, Danilo See Kim, Hyo Tae; Valant, Matjaz
Suzuki, Kei See Takahashi, Ryoji
Suzuki, Tohru S.; Sakka, Yoshio; Nakano, Keishi; and Hiraga, Keijiro
Effect of Ultrasonication on the Microstructure and Tensile Elongation of Zirconia-Dispersed Alumina Ceramics Prepared by Colloidal Processing. (9) 2132
Suzuki, Toshimasa; Ueno, Mitsuo; Nishi, Yuji; and Fujimoto, Masayuki
Dislocation Loop Formation in Nonstoichiometric $(Ba,Ca)TiO_3$ and $BaTiO_3$ Ceramics. (1) 200
Suzuki, Toshio; Kosacki, Igor; Anderson, Harlan U.; and Colomban, Philippe
Electrical Conductivity and Lattice Defects in Nanocrystalline Cerium Oxide Thin Films. (9) 2007
Suzuki, Toshiyuki See Kitaoka, Satoshi
Suzuki, Tsuneo See Kinemuchi, Yoshiaki
Suzuki, Yoshikazu; Hwang, Hae Jin; Kondo, Naoki; and Ohji, Tatsuki
In Situ Processing of a Porous Calcium Zirconate/Magnesia Composite with Platinum Nanodispersion and Its Influence on Nitric Oxide Decomposition. (11) 2713
Suzuki, Yoshikazu See Kondo, Naoki
Swinnea, J. Steven See Hall, Peyton W.
Syono, Yasuhiko See Mizoguchi, Yoshihito
Szafran, Mikolaj and Rokicki, Gabriel
Effect of Acrylic–Styrene Copolymer Chemical Structure on the Properties of Ceramic Tapes Obtained by Tape Casting. (6) 1231
Tabuchi, Mitsuharu See Takeuchi, Tomonari
Taeri-Baghbadrani, Shahram See Brunner, Dieter
Tafu, Masamoto See Takahashi, Ryoji
Tahar, Radhouane Bel Hadj; Ban, Takayuki; Ohya, Yutaka; and Takahashi, Yasutaka
Effect of Processing Parameters on Physical Properties of Cadmium Stannate Thin Films Prepared by a Dip-Coating Technique. (1) 85
Tai, Nyan-Hwa and Chen, Che-Fu
Nanofiber Formation in the Fabrication of Carbon/Silicon Carbide Ceramic Matrix Nanocomposites by Slurry Impregnation and Pulse Chemical Vapor Infiltration. (8) 1683
Takada, Jun See Nagae, Masahiro
Takahashi, Hirotsugu See Goto, Ken
Takahashi, Masao See Takeuchi, Tomonari
Takahashi, Ryoji; Sato, Satoshi; Sodesawa, Toshiaki; Suzuki, Kei; Tafu, Masamoto; Nakanishi, Kazuki; and Soga, Naohiro
Phase Separation in Sol–Gel Process of Alkoxide-Derived Silica–Zirconia in the Presence of Polyethylene Oxide. (9) 1968
Takahashi, Yasutaka See Tahar, Radhouane Bel Hadj
Takano, Yoshihiko; Yoshinaka, Masaru; Hirota, Ken; and Yamaguchi, Osamu
Mechanical Properties of CoAl Materials with the Combined Additions of ZrO_2(3Y) and Al_2O_3. (10) 2445
Takano, Yoshihiko See Hirota, Ken
Takao, Yuji See Shimizu, Yasuhiro
Takeda, Ayari See Fukuda, Koichiro
Takeda, Hiromitsu See Yasuda, Kazuhiro
Takeda, Michio See Shimoo, Toshio
Takemoto, Yoshito See Nagae, Masahiro
Takeuchi, Hiroshi See Shimoo, Toshio
Takeuchi, Tomonari; Takahashi, Masao; Ado, Kazuaki; Tamari, Nobuyuki; Ichikawa, Kiyoshi; Miyamoto, Shinichi; Kawahara, Masakazu; Tabuchi, Mitsuharu; and Kageyama, Hiroyuki
Rapid Preparation of Lead Titanate Sputtering Target Using Spark-Plasma Sintering. (11) 2521
Tamari, Nobuyuki See Takeuchi, Tomonari
Tan, Shouhong See Zhang, Jing-Xian; Zhu, Xinwen
Tanabe, Setsuhisa See Feng, Xian
Tanaka, Junzo See Rhee, Sang-Hoon
Tanaka, Katsuhisa See Narazaki, Aiko
Tanaka, Satoshi See Saito, Yutaka; Uematsu, Keizo
Tang, Jun See Cheng, Jian-Gong
Tang, Qiang See Huang, Yong
Tang, Zilong See Huang, Chuanyong
Tari, Giuliano See Olhero, Susana M.
Tartaj, Jesús See Durán, Pedro
Taş, A. Cüneyt
Molten Salt Synthesis of Calcium Hydroxyapatite Whiskers. (2) 295
Tatsumisago, Masahiro See Hayashi, Akitoshi; Matsuda, Atsunori
Telle, Rainer See Kaga, Hisashi
ter Maat, Johan H. H. See Krug, Steffen
Tervoort, Elena See Hesselbarth, Daniels
Thiele, Erik S.; Damjanovic, Dragan; and Setter, Nava
Processing and Properties of Screen-Printed Lead Zirconate Titanate Piezoelectric Thick Films on Electroded Silicon. (12) 2863
Thomas, Gareth See Gopal, Mani
Thomas, Jeffrey J.; FitzGerald, Stephen A.; Neumann, Dan A.; and Livingston, Richard A.
State of Water in Hydrating Tricalcium Silicate and Portland Cement Pastes as Measured by Quasi-Elastic Neutron Scattering. (8) 1811
Thomas, Kodenkandath A. See Li, Ying Hai
Thornton, John See Vogt, Tom
Tietz, F. See Cao, X. Q.
Tikare, Veena; Miodownik, Mark A.; and Holm, Elizabeth A.
Three-Dimensional Simulation of Grain Growth in the Presence of Mobile Pores. (6) 1379
Tikhonovsky, Aleksander See Baither, Dietmar
Toffoli, Samuel M. and Lehman, Richard L.
Determination of Individual Fiber Failure in Fiber Bundles. (1) 123
Togaya, Motohiro See Sugiyama, Shin
Tomozawa, Minoru See Kato, Yoshinari
Toraya, Hideo See Yamazaki, Satoru
Toriyama, Motohiro See Hayashi, Hiroyuki; Jones, Mark I.; Kitayama, Mikito; Satoh, Takeshi; Yoshizawa, Yu-ichi; Zhou, You
Torne, Erwin See Karapetrova, Evguenia
Torrents, Josep M.; Easley, Thomas C.; Faber, K. T.; Mason, Thomas O.; and Shah, Surendra P.
Evolution of Impedance Spectra during Debonding and Pullout of Single Steel Fibers from Cement. (4) 740
Towata, Atsuya See Hwang, Hae Jin
Trapalis, Christos C. See Koumoulidis, George C.
Traversa, Enrico See Aono, Hiromichi
Trolier-McKinstry, Susan See Sabolsky, Edward M.
Trunec, Martin and Cihlář, Jaroslav
Effect of Activated Carbon Bed on Binder Removal from Ceramic Injection Moldings. (3) 675
Tsay, Jenq-Dar See Fang, Tsang-Tse
Tsukuma, Koji; Akiyama, Tomoyuki; and Imai, Hiroaki
Hydrolysis Deposition of Thin Films of Antimony-Doped Tin Oxide. (4) 869
Tsur, Yoed and Randall, Clive A.
Point Defect Concentrations in Barium Titanate Revisited. (9) 2147
Tsurita, Yasushi See Nogami, Masayuki
Tsuzaki, Mioko See Aono, Hiromichi
Tsuzuki, Takuya and McCormick, Paul G.
Synthesis of Ultrafine Ceria Powders by Mechanochemical Processing. (7) 1453
Tu, Jinbiao See Yu, Yongjian
Tuji, Kiichi See Ando, Kotoji
Turquat, Christian; Kleebe, Hans-Joachim; Gregori, G.; Walter, Steffen; and Sorarù, Gian D.
Transmission Electron Microscopy and Electron Energy-Loss Spectroscopy Study of Nonstoichiometric Silicon-Carbon-Oxygen Glasses. (10) 2189
Turquat, Christian See Kleebe, Hans-Joachim
Tuttle, Bruce A.; Smay, James E.; Cesarano, Joseph, III; Voigt, James A.; Scofield, Timothy W.; Olson, Walter R.; and Lewis, Jennifer A.
Robocast $Pb(Zr_{0.95}Ti_{0.05})O_3$ Ceramic Monoliths and Composites. (4) 872
Tuttle, Bruce A.; Yang, Pin; Gieske, John H.; Voigt, James A.; Scofield, Timothy W.; Zeuch, David H.; and Olson, Walter R.
Pressure-Induced Phase Transformation of Controlled-Porosity $Pb(Zr_{0.95}Ti_{0.05})O_3$ Ceramics. (6) 1260
Twigg, Peter C. See Galusek, Dušan
Uchida, Masaki; Kim, Hyun-Min; Kokubo, Tadashi; Miyaji, Fumiaki; and Nakamura, Takashi
Bonelike Apatite Formation Induced on Zirconia Gel in a Simulated Body Fluid and Its Modified Solutions. (9) 2041
Uchida, Masaki; Kim, Hyun-Min; Kokubo, Tadashi; and Nakamura, Takashi
Apatite-Forming Ability of Sodium-Containing Titania Gels in a Simulated Body Fluid. (12) 2969
Uchida, Nozomu See Saito, Yutaka; Uematsu, Keizo
Uchikoshi, Tetsuo See Sakka, Yoshio
Uchino, Kenji See Ryu, Jungho
Udawatte, Chandana P. and Yanagisawa, Kazumichi
Fabrication of Low-Porosity Indium Tin Oxide Ceramics in Air from Hydrothermally Prepared Powder. (1) 251
Uematsu, Keizo; Uchida, Nozomu; Kato, Zenji; Tanaka, Satoshi; Hotta, Tadashi; and Naito, Makio
Infrared Microscopy for Examination of Structure in Spray-Dried Granules and Compacts. (1) 254
Uematsu, Keizo See Saito, Yutaka
Ueno, Mitsuo See Suzuki, Toshimasa

Uhland, Scott A.; Holman, Richard K.; Morissette, Sherry; Cima, Michael J.; and Sachs, Emanuel M.
Strength of Green Ceramics with Low Binder Content. (12) 2809
Ule, Nina See Makovec, Darko
Um, Myeong-Heon; Lee, Chul-Tae; and Kumazawa, Hidehiro
Thermal Treatment of Titanate Derivatives Synthesized by Ion-Exchange Reaction. (5) 1181
Ünal, Özer See Lewinsohn, Charles A.
Urabe, Kazuyori See Shirakami, Tatsuya
Urban, C. See Hesselbarth, Daniels
Usui, Ichiro See Akiyama, Morito
Utsumi, Wataru See Ohtaka, Osamu
Vaidhyanathan, Balasubramaniam; Singh, Anirudh P.; Agrawal, Dinesh K.; Shrout, Thomas R.; Roy, Rustum; and Ganguly, Suman
Microwave Effects in Lead Zirconium Titanate Synthesis: Enhanced Kinetics and Changed Mechanisms. (6) 1197
Vaimakis, Tiberius C. See Koumoulidis, George C.
Valant, Matjaz and Suvorov, Danilo
Processing and Dielectric Properties of Sillenite Compounds $Bi_{12}MO_{20-\delta}$ (M = Si, Ge, Ti, Pb, Mn, $B_{1/2}P_{1/2}$). (12) 2900
Valant, Matjaz See Kim, Hyo Tae
Valecillos, Maria-Cecilia See Jones, Mark I.
Vance, E. R.; Watson, J. N.; Carter, M. L.; Day, R. A.; and Begg, B. D.
Crystal Chemistry and Stabilization in Air of Brannerite, UTi_2O_6. (1) 141
Vandeperre, Luc J.; Kristofferson, Annika; Carlström, Elis; and Clegg, William J.
Thermal Shock of Layered Ceramic Structures with Crack-Deflecting Interfaces. (1) 104
van der Laan, Sieger R. See Soboyejo, Winston O.
Vartuli, James S. See Li, Xiaoping
Vasanelli, Lorenzo See Epifani, Mauro
Vassen, R. See Cao, X. Q.
Vasylkiv, Oleg and Sakka, Yoshio
Synthesis and Colloidal Processing of Zirconia Nanopowder. (11) 2489
Vasylkiv, Oleg; Sakka, Yoshio; and Borodians'ka, Hanna
Nonisothermal Synthesis of Yttria-Stabilized Zirconia Nanopowder through Oxalate Processing: II. Morphology Manipulation. (11) 2484
Vatanatham, Minkmas and Kimura, Shoichi
Hydroxyapatite Coating on Thermally Oxidized Titanium Substrates. (9) 2135
Vedanand, Swaroop See Ikeda, Ko
Vedula, Venkata R.; Glass, S. Jill; Saylor, David M.; Rohrer, Gregory S.; Carter, W. Craig; Langer, Stephen A.; and Jr., Edwin R. Fuller
Residual-Stress Predictions in Polycrystalline Alumina. (12) 2947
Veith, Michael See Mathur, Sanjay
Vendrell-Saz, Marius See Pérez-Arantegui, Josefina; Molera, Judit
Vernoux, Philippe; Djurado, Elisabeth; and Guillodo, Michael
Catalytic and Electrochemical Properties of Doped Lanthanum Chromites as New Anode Materials for Solid Oxide Fuel Cells. (10) 2289
Verweij, Henk See Nijmeijer, Arian
Vicens, Jean See Rouxel, Tanguy
Villar, Maria P. See Baranwal, Rita
Villoresi, Paolo See Colombo, Paolo
Virkar, Anil V. See Lin, Guang-Yong
Viskanta, Raymond and Lim, Jong Mook
Theoretical Investigation of Heat Transfer in Glass Forming. (10) 2296
Viti, Cecilia See Pérez-Arantegui, Josefina
Viviani, Massimo See Buscaglia, Maria Teresa
Voelkl, Edgar See Ji, Zhiqiang
Vogel, Eva M. See Lance, Michael J.
Vogli, Evelina; Mukerji, Joydeb; Hoffman, Christiane; Kladny, Ralf; Sieber, Heino; and Greil, Peter
Conversion of Oak to Cellular Silicon Carbide Ceramic by Gas-Phase Reaction with Silicon Monoxide. (6) 1236
Vogt, Tom; Hunter, Brett A.; and Thornton, John
Structural Evolution of Thermal-Sprayed Yttria-Stabilized ZrO_2 Thermal Barrier Coatings with Annealing—A Neutron Diffraction Study. (3) 678
Voigt, James A. See Tuttle, Bruce A.
Völger, Wolfgang See Iwamoto, Yuji
Wadley, Haydn N. G. See Lu, Tian Jian
Wakamatsu, Norihiko See Fukuda, Koichiro
Wall, Jason S. See Ottenbrite, Raphael M.
Walter, Steffen See Turquat, Christian
Walther, Thomas See Rečnik, Aleksander
Wan, Julin; Gasch, Matthew J.; and Mukherjee, Amiya K.
In Situ Densification Behavior in the Pyrolysis Consolidation of Amorphous Si-N-C Bulk Ceramics from Polymer Precursors. (10) 2165
Wang, Chae Hyun and Choi, Doo Jin
Effect of the Pb/Ti Source Ratio on the Crystallization of $PbTiO_3$ Thin Films Grown by Metalorganic Chemical Vapor Deposition at Low Temperature of 400°C. (1) 207
Wang, Chang-an; Huang, Yong; and Xie, Zhipeng
Improved Resistance to Damage of Silicon Carbide-Whisker-Reinforced Silicon Nitride-Matrix Composites by Whisker-Oriented Alignment. (1) 161
Wang, Chang-Meng; Mitomo, Mamoru; Xu, Fan-Fang; Hirosaki, Naoto; and Bando, Yoshio
Synthesis of Cerium α-SiAlON with Nuclei Addition. (6) 1389
Wang, Chong-Min; Cho, Junghyun; Chan, Helen M.; Harmer, Martin P.; and Rickman, Jeffrey M.
Influence of Dopant Concentration on Creep Properties of Nd_2O_3-Doped Alumina. (5) 1010
Wang, Gonghou and Nicholson, Patrick S.
Heterocoagulation in Ionically Stabilized Mixed-Oxide Colloidal Dispersions in Ethanol. (6) 1250; Influence of Acidity on the Stability and Rheological Properties of Ionically Stabilized Alumina Suspensions in Ethanol. (9) 1977
Wang, Hong See Cheng, Jian-Gong
Wang, Hong-Ren See Jean, Jau-Ho
Wang, John See Xue, Junmin; Yeong, Bernard; Yong, Chiang Chye
Wang, Liangbin See Xu, Yebin
Wang, Min See Cheng, Jian-Gong
Wang, Qing Ming See Schwartz, Robert W.
Wang, Sheng-Chang and Wei, Wen-Cheng J.
Electrokinetic Properties of Nanosized SiC Particles in Highly Concentrated Electrolyte Solutions. (7) 1411
Wang, Shuang-Xi; Liang, Kai-Ming; Gu, Shou-Ren; and Zhang, Xian-Hui
Hercynite-Free Ceramic Liner for Composite Steel Pipe Made Using a Self-Propagating High-Temperature Synthesis Gravitational-Thermite Process. (12) 3043
Wang, Tianming and Yamaguchi, Akira
Oxidation Protection of MgO–C Refractories by Means of $Al_8B_4C_7$. (3) 577
Wang, Yao-Te See Hermann, Allen M.
Wang, Zhi-Chang; Aldinger, Fritz; and Riedel, Ralf
Novel Silicon-Boron-Carbon-Nitrogen Materials Thermally Stable up to 2200°C. (10) 2179
Wang, Zhuo See Cheng, Jian-Gong
Warschkow, Oliver See Guo, Chang-Xin
Waser, Rainer See Weber, Ulrich
Watanabe, Naoyuki See Ogasawara, Toshio
Watanabe, Osamu; Kitamura, Kazuko; Maenami, Hiroki; and Ishida, Hideki
Hydrothermal Treatment of a Silica Sand Complex with Lime. (10) 2318
Watanabe, Tadahiko See Akiyama, Morito
Watanabe, Toshio See Miura, Tadashi
Watari, Koji See Kitayama, Mikito
Watson, J. N. See Vance, E. R.
Weatherly, George C. See Jin, Qiang
Weber, Sophie See Weber, Ulrich
Weber, Sylvian See Fielitz, Peter
Weber, Ulrich; Greuel, Georg; Boettger, Ulrich; Weber, Sophie; Hennings, Detlev; and Waser, Rainer
Dielectric Properties of $Ba(Zr,Ti)O_3$-Based Ferroelectrics for Capacitor Applications. (4) 759
Wei, George C.; Hecker, Arlene; and Goodman, David A.
Translucent Polycrystalline Alumina with Improved Resistance to Sodium Attack. (12) 2853
Wei, Wen-Cheng J. See Wang, Sheng-Chang
Weinberg, Michael C. See Jeoung, Jun-Sik
Wereszczak, Andrew See Kleveland, Kjersti
Wessel, Egbert See Biedenkopf, Peter
West, Anthony R. See Morrison, Finlay D.
White, Kenneth W. See Yu, Feng
Whittle, Ben R. and Hand, Russell J.
Morphology of Vickers Indent Flaws in Soda–Lime–Silica Glass. (10) 2361
Wiedenbeck, Michael See Fielitz, Peter
Wiederhorn, Sheldon M. See Jin, Qiang; Krause, Ralph F., Jr.; Skirl, Siegfried
Wilcox, David L., Sr. See Jean, Jau-Ho
Wilhelm, Oliver See Kim, Jinsoo
Wilkinson, David S. See Jin, Qiang; Yaroshenko, Viktor
Will, Julia; Hruschka, Martin K. M.; Gubler, Lorenz; and Gauckler, Ludwig J.
Electrophoretic Deposition of Zirconia on Porous Anodic Substrates. (2) 328
Williams, Robert K. See Paranthaman, M. Parans
Wilson, Otto C., Jr. See Pert, Evan
Winter, Michael R.; Pilgrim, Steven M.; and Lejeune, Martine
Study on the Effects of Lanthanum Doping on the Microstructure and Dielectric Properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$. (2) 314
Winterer, Markus See Srdić, Vladimir V.
Wolf, Dieter See Schelling, Patrick K.
Wong, Kin-Hung See Lu, Sheng-Guo
Wooldridge, Margaret S. See Kim, Troy
Worrell, Wayne L. See Ramberg, C. Eric
Wroblewski, Thomas See Glazounov, Alexandre E.
Wu, Chongjun See Cheng, Jihong
Wu, Erdong; Kisi, Erich H.; Kennedy, Shane J.; and Studer, Andrew J.
***In Situ* Neutron Powder Diffraction Study of Ti_3SiC_2 Synthesis. (10) 2281**
Wu, Jenn-Ming See Hwang, Shiang-Po
Wu, Tai-Bor See Liu, Chin-Lin
Wu, Yun; Nguyen, Chau; Seraji, Seana; Forbess, Mike J.; Limmer, Steven J.; Chou, Tammy; and Cao, Guozhong
Processing and Properties of Strontium Bismuth Vanadate Niobate Ferroelectric Ceramics. (12) 2882
Xia, Bin; Lenggoro, I. Wuled; and Okuyama, Kikuo
Preparation of Nickel Powders by Spray Pyrolysis of Nickel Formate. (7) 1425
Xia, Changrong and Liu, Meilin
A Simple and Cost-Effective Approach to Fabrication of Dense Ceramic Membranes on Porous Substrates. (8) 1903
Xie, Rong-Jun; Mitomo, Mamoru; Zhan, Guo-Dong; Huang, Li-Ping; and Fu, Xi-Ren
Diffusion Bonding of Silicon Nitride Using a Superplastic β-SiAlON Interlayer. (2) 471
Xie, Rong-Jun See Zhan, Guo-Dong
Xie, Zhipeng See Huang, Yong; Wang, Chang-an
Xu, Chao-Nan See Akiyama, Morito
Xu, Fan-Fang See Wang, Chang-Meng
Xu, Hongwu; Navrotsky, Alexandra; Balmer, Mari Lou; Su, Yali; and Bitten, Eric R.
Energetics of Substituted Pollucites Along the $CsAlSi_2O_6$–$CsTiSi_2O_{6.5}$ Join: A High-Temperature Calorimetric Study. (3) 555
Xu, Hongwu See Balmer, Mari Lou
Xu, Huiwen; Bhatia, Tania; Deshpande, Swarnima A.; Padture, Nitin P.; Ortiz, Angel L.; and Cumbrera, Francisco L.
Microstructural Evolution in Liquid-Phase-Sintered SiC: Part I. Effect of Starting Powder. (7) 1578
Xu, Huiwen See Deshpande, Swarnima A.
Xu, Yebin; Chen, Xiang Ming; and Wang, Liangbin
Sol–Gel Preparation of $BaTi_4O_9$ and $Ba_2Ti_9O_{20}$. (3) 669
Xue, Junmin and Wang, John
Crystallization of Lead Niobate Glass by Mechanical Activation. (11) 2691
Xue, Junmin; Wang, John; and Rao, Tripti M.
Synthesis of $Pb(Mg_{1/3}Nb_{2/3})O_3$ in Excess Lead Oxide by Mechanical Activation. (3) 660
Yamada, Noriaki See Ono, Satomi
Yamada, Tastuya See Matsumoto, Takahiro
Yamaguchi, Akira See Fukuda, Koichiro; Wang, Tianming
Yamaguchi, Osamu See Hirota, Ken; Takano, Yoshihiko
Yamaguchi, Toshiaki; Sakamoto, Wataru; Yogo, Toshinobu; and Hirano, Shin-ichi
Synthesis and Processing of Barium Hexaaluminogallates. (7) 1433
Yamamoto, Nobuo See Okada, Kiyoshi
Yamamoto, Tohru See Mori, Masashi
Yamauchi, Yukihiko See Nakamura, Masateru; Zhou, You
Yamazaki, Hiroki See Kato, Yoshinari
Yamazaki, Satoru and Toraya, Hideo
Determination of Positions of Zeolitic Calcium Atoms and Water Molecules in Hydrothermally Formed Aluminum-Substituted Tobermorite-1.1nm Using Synchrotron Radiation Powder Diffraction Data. (11) 2685
Yamuna, Ammini; Devanarayanan, Sankaranarayanan; and Lalithambika, Malathi
Mullite–β-Spodumene Composites from Aluminosilicates. (8) 1703
Yan, Bingwen; McNeff, Clayton V.; Chen, Fang; Carr, Peter W.; and McCormick, Alon V.
Control of Synthesis Conditions to Improve Zirconia Microspheres for Ultrafast Chromatography. (8) 1721
Yanagisawa, Kazumichi See Udawatte, Chandana P.
Yanagisawa, Masaaki See Cho, Seong-Jai
Yanez, Joseph A. See Laarz, Eric
Yang, Chia-Yi; Shih, Wan Y.; and Shih, Wei-Heng
Effects of Boehmite-Coating Thickness on the Consolidation and Rheological Properties of Boehmite-Coated SiC Suspensions. (12) 2834
Yang, James Y. See Mattoni, Michael A.
Yang, Jenn-Ming See Park, Deok-Yong
Yang, Jian-Feng; Sekino, Tohro; Choa, Yong-Ho; Niihara, Koichi; and Ohji, Tatsuki
Microstructure and Mechanical Properties of Sinter–Post-HIPed Si_3N_4–SiC Composites. (2) 406
Yang, Jian-Feng; Zhang, Guo-Jun; and Ohji, Tatsuki
Fabrication of Low-Shrinkage, Porous Silicon Nitride Ceramics by Addition of a Small Amount of Carbon. (7) 1639
Yang, Jian-Feng See Zhang, Guo-Jun
Yang, Jinglong See Huang, Yong
Yang, Juan; Mei, Sen; and Ferreira, José M. F.
Hydrothermal Synthesis of Nanosized Titania Powders: Influence of Tetraalkyl Ammonium Hydroxides on Particle Characteristics. (8) 1696
Yang, Jue Ming See Ye, Feng
Yang, Pin See Tuttle, Bruce A.
Yang, Renhe and Sharp, John H
Hydration Characteristics of Portland Cement after Heat Curing: I. Degree of Hydration of the Anhydrous Cement Phases. (3) 608; Hydration Characteristics of Portland Cement after Heat Curing: II. Evolution of Crystalline Aluminate-Bearing Hydrates. (5) 1113
Yang, Yunpeng and Sigmund, Wolfgang M.
Effect of Particle Volume Fraction on the Gelation Behavior of the Temperature Induced Forming (TIF) Aqueous Alumina Suspensions. (9) 2138
Yaroshenko, Viktor and Wilkinson, David S.
Sintering and Microstructure Modification of Mullite/Zirconia Composites Derived from Silica-Coated Alumina Powders. (4) 850
Yashima, Masatomo See Ali, Roushown; Fujimori, Hirotaka

Yasuda, Kazuhiro; Goto, Yasuhiro; and Takeda, Hiromitsu
Influence of Tetragonality on Tetragonal-to-Monoclinic Phase Transformation during Hydrothermal Aging in Plasma-Sprayed Yttria-Stabilized Zirconia Coatings. (5) 1037
Yasui, Itaru See Kawamura, Fumio
Yasumori, Atsuo See Okada, Kiyoshi
Yates, John D. and Lombardo, Stephen J.
Effect of Solids Loading and Dispersant Concentration on Strain Mismatch and Deformation of Slip-Cast Green Bodies. (10) 2274
Yatsui, Kiyoshi See Kinemuchi, Yoshiaki
Yazawa, Tetsuo See Murase, Norio; Su, Caili
Ye, Feng; Yang, Jue Ming; Zhang, Li Tong; Zhou, Wan Cheng; Zhou, Yu; and Lei, Ting Chuan
Fracture Behavior of SiC-Whisker-Reinforced Barium Aluminosilicate Glass-Ceramic Matrix Composites. (4) 881
Yener, Doruk O. and Giesche, Herbert
Synthesis of Pure and Manganese-, Nickel-, and Zinc-Doped Ferrite Particles in Water-in-Oil Microemulsions. (9) 1987
Yeomans, Julie A See Aldridge, Matthew
Yeong, Bernard; Junmin, Xue; and Wang, John
Mechanochemical Synthesis of Hydroxyapatite from Calcium Oxide and Brushite. (2) 465
Yogo, Toshinobu See Yamaguchi, Toshiaki
Yoko, Toshinobu See Sakida, Shinichi
Yokoyama, Toyokazu See Fukui, Takehisa
Yong, Chiang Chye and Wang, John
Mechanical-Activation-Triggered Gibbsite-to-Boehmite Transition and Activation-Derived Alumina Powders. (6) 1225
Yoo, Han-Ill See Cao, Xueqiang
Yoon, Duk Yong See Park, Chan Woo; Park, Jong-Keuk
Yoon, Ki Hyun See Choi, Ji-Won; Park, Heung Soo
Yoon, Kyung-Jin See Cho, Seong-Jai
Yoon, Seok-Jin See Choi, Ji-Won
Yoshida, Hideto See Fukuda, Koichiro
Yoshida, Satoshi; Isono, Shigemi; Matsuoka, Jun; and Soga, Naohiro
Shrinkage Behavior of Knoop Indentations in Silica and Soda–Lime–Silica Glasses. (9) 2141
Yoshimura, Masahiro See Ali, Roushown; Fujimori, Hirotaka
Yoshinaka, Masaru See Hirota, Ken; Takano, Yoshihiko
Yoshio, Tetsuo See Nagae, Masahiro
Yoshioka, Hideki See Ali, Roushown
Yoshizawa, Yu-ichi; Toriyama, Motohiro; and Kanzaki, Shuzo
Fabrication of Textured Alumina by High-Temperature Deformation. (6) 1392
Youn, Hyuk-Joon; Sogabe, Tomohiro; Randall, Clive A.; Shrout, Tom R.; and Lanagan, Michael T.
Phase Relations and Dielectric Properties in the Bi_2O_3–ZnO–Ta_2O_5 System. (11) 2557
Youn, Hyuk-Joon See Cho, Seo-Yong
Young, J. Francis See Ai, Hua
Yu, Ai-Bing See Zou, Rui-Ping
Yu, Feng; Nagarajan, Nandakumar; Fang, Yi; and White, Kenneth W.
Microstructural Control of a 70% Silicon Nitride–30% Barium Aluminum Silicate Self-Reinforced Composite. (1) 13
Yu, Feng and White, Kenneth W.
Relationship between Microstructure and Mechanical Performance of a 70% Silicon Nitride–30% Barium Aluminum Silicate Self-Reinforced Ceramic Composite. (1) 5
Yu, Huashun See Zheng, Shuqi
Yu, Yongjian; Tu, Jinbiao; and Singh, Raj N.
Phase Stability and Ferroelectric Properties of Lead Strontium Zirconate Titanate Ceramics. (2) 333
Yue, Zhenxing See Zhang, Hongguo
Zaharescu, Maria See Stanciu, Lia A.
Zakery, Abdolnaser See Hosseinpour, Ardeshir
Zeng, Zhaoqiang See Cheng, Jihong
Zenotchkine, Misha; Shuba, Roman; Kim, Joo Sun; and Chen, I-Wei
R-Curve Behavior of *In Situ* Toughened α-SiAlON Ceramics. (4) 884; Synthesis of α-SiAlON Seed Crystals. (7) 1651
Zeuch, David H. See Tuttle, Bruce A.
Zhan, Guo-Dong; Mitomo, Mamoru; Xie, Rong-Jun; and Mukherjee, Amiya K.
Thermal and Electrical Properties in Plasma-Activation-Sintered Silicon Carbide with Rare-Earth-Oxide Additives. (10) 2448
Zhan, Guo-Dong; Xie, Rong-Jun; Mitomo, Mamoru; and Kim, Young-Wook
Effect of β-to-α Phase Transformation on the Microstructural Development and Mechanical Properties of Fine-Grained Silicon Carbide Ceramics. (5) 945
Zhan, Guo-Dong See Nagano, Takayuki; Xie, Rong-Jun
Zhang, Guo-Jun and Ohji, Tatsuki
In Situ Reaction Synthesis of Silicon Carbide–Boron Nitride Composites. (7) 1475
Zhang, Guo-Jun; Yang, Jian-Feng; and Ohji, Tatsuki
Fabrication of Porous Ceramics with Unidirectionally Aligned Continuous Pores. (6) 1395
Zhang, Guo-Jun See Deng, Zhen-Yan; Yang, Jian-Feng
Zhang, Hongguo; Li, Longtu; Zhou, Ji; Yue, Zhenxing; and Gui, Zhilun
Low-Temperature Sintering, Densification, and Properties of Z-type Hexaferrite with Bi_2O_3 Additives. (12) 2889
Zhang, Jing-Xian; Jiang, Dong-Liang; Tan, Shou-Hong; Gui, Lin-Hua; and Ruan, Mei-Ling
Aqueous Processing of Titanium Carbide Green Sheets. (11) 2537
Zhang, Li Tong See Ye, Feng
Zhang, Qinghong See Li, Jingguo
Zhang, Qiwu See Lee, Jaeryeong
Zhang, Shaowei See Sarpoolaky, Hossain
Zhang, Xian-Hui See Wang, Shuang-Xi
Zhang, Xiao Feng; Sixta, Mark E.; and De Jonghe, Lutgard C.
Secondary Phases in Hot-Pressed Aluminum-Boron-Carbon–Silicon Carbide. (4) 813
Zhang, Xiao Feng See Sixta, Mark E.
Zhang, Xiaowen See Miao, Shu
Zhang, Yan-Hui See Galusek, Dušan
Zhang, Zhaoquan See Zhu, Xinwen
Zhang, Zhongtai See Huang, Chuanyong
Zhao, Hong; Hu, Xiao-Zhi; and Bush, Mark B.
Grain Growth Phenomena in the Interface Region of α-Alumina Bilayer Composites. (8) 1865
Zheng, Fen See Li, Ya-Li
Zheng, Jing and Akinc, Mufit
Green State Joining of SiC without Applied Pressure. (11) 2479
Zheng, Jing; Beckman, Scott P.; Gray, Joe N.; and Akinc, Mufit
X-ray Tomography Study on Green State Joining of Silicon Carbide Using Polymer Precursors. (9) 1961
Zheng, Shuqi; Min, Guanghui; Zou, Zengda; Yu, Huashun; and Han, Jiande
Synthesis of Calcium Hexaboride Powder via the Reaction of Calcium Carbonate with Boron Carbide and Carbon. (11) 2725
Zhou, Ji See Zhang, Hongguo
Zhou, Longjie See Huang, Yong
Zhou, Wan Cheng See Ye, Feng
Zhou, You; Hirao, Kiyoshi; Toriyama, Motohiro; Yamauchi, Yukihiko; and Kanzaki, Shuzo
Effects of Intergranular Phase Chemistry on the Microstructure and Mechanical Properties of Silicon Carbide Ceramics Densified with Rare-Earth Oxide and Alumina Additions. (7) 1642
Zhou, Yu See Ye, Feng
Zhu, Dongming See Eldridge, Jeffrey I.
Zhu, Jing See Miao, Shu
Zhu, Qingshan and Shobu, Kazuhisa
High-Temperature Mechanical Properties of SiC–$Mo_4(Si,Al)_3C$ Composites. (2) 413
Zhu, Weizhong; Kholkin, Andrei L.; Mantas, Pedro Q.; and Baptista, Joao L.
Morphotropic Phase Boundary in the $Pb(Zn_{1/3}Nb_{2/3})O_3$–$BaTiO_3$–$PbTiO_3$ System. (8) 1740
Zhu, Xinwen; Jiang, Dongliang; Tan, Shouhong; and Zhang, Zhaoquan
Improvement in the Strut Thickness of Reticulated Porous Ceramics. (7) 1654
Zimmermann, Andre See Bauer, Arndt
Zok, Frank W. See Mattoni, Michael A.; McDonald, Kathleen R.; McNulty, John C.
Zou, Rui-Ping; Feng, Chang-Lin; and Yu, Ai-Bing
Packing Density of Binary Mixtures of Wet Spheres. (3) 504
Zou, Zengda See Zheng, Shuqi

Subject Index

Numbers in parentheses refer to month of issue, following numbers are page numbers.

absorption/absorbents
Energy Transfer Process for the Blue Up-Conversion in Calcium Aluminate Glasses Doped with Tm^{3+} and Nd^{3+}. (2) 348
acids
Monolayer Packing of Submicrometer Ceramic Spheres by Employing a Langmuir–Blodgett Film of Dicarboxylic Acid. (2) 301
additives
Effect of Lead Content on the Structure and Electrical Properties of $Pb((Zn_{1/3}Nb_{2/3})_{0.5}(Zr_{0.47}Ti_{0.53})_{0.5})O_3$ Ceramics. (3) 636
Habit Modifications of SnO_2 Crystals in SnO_2–Cu_2O Flux System in the Presence of Trivalent Impurity Cations. (6) 1341
Pore–Boundary Separation Behavior during Sintering of Pure and Bi_2O_3-Doped ZnO Ceramics. (6) 1398
Preparation of Short Mullite Fibers from Kaolin via the Addition of Foaming Agents. (3) 497
Preparation of Synthetic Cordierite by Solid-State Reaction via Bismuth Oxide Flux. (7) 1575
Thermal and Electrical Properties in Plasma-Activation-Sintered Silicon Carbide with Rare-Earth-Oxide Additives. (10) 2448
Wet Erosive Wear of Alumina Densified with Magnesium Silicate Additions. (8) 1767
adsorption/adsorbents
Adsorption of Hydroxypropyl Methyl Cellulose in an Aqueous System Containing Multicomponent Oxide Particles. (6) 1241
Competitive Adsorption Phenomena in Nonaqueous Tape Casting Suspensions. (11) 2501
Computer Simulation of Dissociative Adsorption of Water on the Surfaces of Spinel $MgAl_2O_4$. (7) 1553
Effect of Magnesium Ions on the Adsorption of Poly(acrylic acid) onto Alumina. (11) 2710
Silicon Nitride Colloidal Probe Measurements: Interparticle Forces and the Role of Surface-Segment Interactions in Poly(acrylic acid) Adsorption from Aqueous Solution. (8) 1675
aerogel/aerosol
Synthesis of Low-Dielectric Silica Aerogel Films by Ambient Drying. (2) 453
agglomeration/agglomerates
Heterocoagulation in Ionically Stabilized Mixed-Oxide Colloidal Dispersions in Ethanol. (6) 1250
aging
Influence of Tetragonality on Tetragonal-to-Monoclinic Phase Transformation during Hydrothermal Aging in Plasma-Sprayed Yttria-Stabilized Zirconia Coatings. (5) 1037
alkoxide
Fabrication of Lanthanum Manganese Oxide Thin Films on Yttria-Stabilized Zirconia Substrates by a Chemically Modified Alkoxide Method. (10) 2323
Single-Source Sol–Gel Synthesis of Nanocrystalline $ZnAl_2O_4$: Structural and Optical Properties. (9) 1921
alumina
In Situ Rheological Investigation of the Coagulation in Aqueous Alumina Suspensions. (8) 1733
Alumina/NiCu Laminate under Thermal Shock up to 1000°C: I. Experimental. (12) 2819
Alumina/NiCu Laminate under Thermal Shock up to 1000°C: II. Prediction of the Laminate Behavior. (12) 2827
Competitive Adsorption Phenomena in Nonaqueous Tape Casting Suspensions. (11) 2501
Design and Fracture of Layered Al_2O_3/TZ3Y Composites Produced by Electrophoretic Deposition. (3) 571
Determination and Control of Metallic Impurities in Alumina Deposits Obtained by Aqueous Electrophoretic Deposition. (4) 733
Development of Surface Compressive Stresses in Zirconia–Alumina Composites by an Ion-Exchange Process. (6) 1321
Dynamic Permeability Behavior during Drying of Refractory Castables Based on Calcium-Free Alumina Binders. (1) 248
Effect of Acrylic–Styrene Copolymer Chemical Structure on the Properties of Ceramic Tapes Obtained by Tape Casting. (6) 1231
Effect of Coarse-Powder Portion on Abnormal Grain Growth during Hot Pressing of Commercial-Purity Alumina Powder. (5) 1143
Effect of Heating Rates on the Synthesis of Al_2O_3–SiC Composites by the Self-Propagating High-Temperature Synthesis (SHS) Technique. (5) 915
Effect of Liquid Content on the Abnormal Grain Growth of Alumina. (7) 1597
Effect of Magnesium Ions on the Adsorption of Poly(acrylic acid) onto Alumina. (11) 2710
Effect of Magnesium Oxide on Faceted Vicinal (0001) Surface of Aluminum Oxide. (2) 456
Effect of Particle Volume Fraction on the Gelation Behavior of the Temperature Induced Forming (TIF) Aqueous Alumina Suspensions. (9) 2138
Effect of Silica Nanoparticle Size on the Stability of Alumina/Silica Suspensions. (4) 713
Effect of Surface Impurities on the Microstructure Development during Sintering of Alumina. (6) 1386
Effect of Ultrasonication on the Microstructure and Tensile Elongation of Zirconia-Dispersed Alumina Ceramics Prepared by Colloidal Processing. (9) 2132
Effects of Zirconium Oxide on the Reaction Bonding of Aluminum Oxide. (5) 986
Equilibrium Amorphous Silicon–Calcium–Oxygen Films at Interfaces in Copper–Alumina Composites Prepared by Melt Infiltration. (3) 623
Experimental Observations of High Fracture Resistance in Silicon Carbide/Alumina Laminated Composites. (10) 2451
Exuding Liquid from Grain Boundaries in Alumina. (4) 859
Fabrication of Porous Ceramics with Unidirectionally Aligned Continuous Pores. (6) 1395
Fabrication of Textured Alumina by High-Temperature Deformation. (6) 1392
Feedstock Formulations for Direct Consolidation of Porcelains with Polysaccharides. (4) 719
Fracture Resistance of Highly Textured Alumina. (7) 1514
Freeze Casting of Aqueous Alumina Slurries with Glycerol. (7) 1459
Grain Growth Phenomena in the Interface Region of α-Alumina Bilayer Composites. (8) 1865
Heterocoagulation in Ionically Stabilized Mixed-Oxide Colloidal Dispersions in Ethanol. (6) 1250
High-Strength Porous Alumina Ceramics by the Pulse Electric Current Sintering Technique. (12) 3050
High-Surface-Area Alumina Ceramics Fabricated by the Decomposition of $Al(OH)_3$. (3) 485
Impurity-Dependent Morphology and Grain Growth in Liquid-Phase-Sintered Alumina. (7) 1620
Influence of Acidity on the Stability and Rheological Properties of Ionically Stabilized Alumina Suspensions in Ethanol. (9) 1977
Influence of Dopant Concentration on Creep Properties of Nd_2O_3-Doped Alumina. (5) 1010
Influence of Grain Phase on Slag Corrosion of Low-Cement Castable Refractories. (2) 426
Ink-Jet Printing of Wax-Based Alumina Suspensions. (11) 2514
Mechanical Properties of Coagulated Wet Particle Networks with Alkali-Swellable Thickeners. (8) 1689
Mechanical Properties of Dry-Pressed Alumina Green Bodies. (7) 1405
Mechanical-Activation-Triggered Gibbsite-to-Boehmite Transition and Activation-Derived Alumina Powders. (6) 1225
Micromechanics of Deformation in Porous Liquid-Phase-Sintered Alumina under Hertzian Contact. (8) 1844
Microstructure and Mechanical Properties of Porous Alumina Ceramics Fabricated by the Decomposition of Aluminum Hydroxide. (11) 2638
Nanocrystalline Zirconia Surface-Doped with Alumina: Chemical Vapor Synthesis, Characterization, and Properties. (12) 2771
Nanocrystalline α-Al_2O_3 Using Sucrose. (10) 2421
Organic Distributions in Dried Alumina Green Tape. (2) 267
Permeability of Refractory Castables at High Temperatures. (3) 645
Preparation and Properties of Hydrothermally Stable γ-Alumina Membranes. (1) 136
Processing of Mullite–Aluminum Composites. (3) 509
Residual-Stress Predictions in Polycrystalline Alumina. (12) 2947
Roles of Poly(propylene glycol) during Solvent-Based Lamination of Ceramic Green Tapes. (2) 289
Sintering and Microstructure Modification of Mullite/Zirconia Composites Derived from Silica-Coated Alumina Powders. (4) 850
Solubility of Magnesia in Polycrystalline Alumina at High Temperatures. (2) 420
Structure Models for γ-Aluminum Oxynitride from *Ab Initio* Calculations. (11) 2633
Synthesis of Nanocrystalline α-Alumina Powder Using Triethanolamine. (12) 2849
Synthesis of Porous Ceramics with Complex Pore Structure by Freeze-Dry Processing. (1) 230
Thermal Shock Behavior of Iron-Particle-Toughened Alumina. (3) 603
Thermodynamic Modeling of the Isomorphous Phase Diagrams in the Al_2O_3–Cr_2O_3 and V_2O_3–Cr_2O_3 Systems. (8) 1881
Toughened Oxide Composites Based on Porous Alumina-Platelet Interphases. (4) 767
Translucent Polycrystalline Alumina with Improved Resistance to Sodium Attack. (12) 2853
Wet Erosive Wear of Alumina Densified with Magnesium Silicate Additions. (8) 1767
aluminates
Effect of Rapid Solidification on Microstructural Evolution in MgO–$MgAl_2O_4$. (8) 1873
aluminophosphate
Cation Effects on Anion Distributions in Aluminophosphate Glasses. (5) 1025
aluminosilicates
Fracture Behavior of SiC-Whisker-Reinforced Barium Aluminosilicate Glass-Ceramic Matrix Composites. (4) 881
Microstructural Control of a 70% Silicon Nitride– 30% Barium Aluminum Silicate Self-Reinforced Composite. (1) 13
Mullite–β-Spodumene Composites from Aluminosilicates. (8) 1703
Relationship between Microstructure and Mechanical Performance of a 70% Silicon Nitride–30% Barium Aluminum Silicate Self-Reinforced Ceramic Composite. (1) 5
Solubility of Platinum and Rhodium in Lime–Alumina–Silica Melts at 1700 K. (5) 1097
Structural Control of Elastic Constants of Mullite in Comparison to Sillimanite. (10) 2409
aluminum
Effect of Interfacial Reaction on the Thermal Conductivity of Al–SiC Composites with SiC Dispersions. (4) 896
Effect of Silica Surface Dopants on the Formation of Alumina/Aluminum Composites by the Directed Metal Oxidation of an Aluminum Alloy. (11) 2526
Influence of Aluminum–Oxygen–Yttrium Solid Solution on the Aqueous Tribological Behavior of Silicon Nitride. (2) 462
Processing of Mullite–Aluminum Composites. (3) 509
aluminum nitride
Boron Nitride–Aluminum Nitride Ceramic Composites Fabricated by Transient Plastic Phase Processing. (4) 887
Heat-Resistant Silicon Carbide with Aluminum Nitride and Erbium Oxide. (9) 2060
Microstructural Evolution during Sintering of Aluminum Nitride Ceramics Doped with Alumina and Yttria. (3) 631
Preparation of Highly Oriented Aluminum Nitride Thin Films on Polycrystalline Substrates by Helicon Plasma Sputtering and Annealing. (9) 1917
Structure Models for γ-Aluminum Oxynitride from *Ab Initio* Calculations. (11) 2633
aluminum oxide
Seeding of the Reaction-Bonded Aluminum Oxide Process. (3) 657
Synthesis of Aluminum Oxide Platelets. (3) 514
amorphous
In Situ Densification Behavior in the Pyrolysis Consolidation of Amorphous Si-N-C Bulk Ceramics from Polymer Precursors. (10) 2165
Local Viscosity of Si-O-C-N Nanoscale Amorphous Phases at Ceramic Grain Boundaries. (10) 2225
anisotropy
Grain Growth Phenomena in the Interface Region of α-Alumina Bilayer Composites. (8) 1865
Tribological Properties of Unidirectionally Aligned Silicon Nitride. (11) 2579

annealing
Coarsening of Lamellar Microstructures in Directionally Solidified Yttrium Aluminate/Alumina Eutectic Fiber. (12) 2991
Effect of β-to-α Phase Transformation on the Microstructural Development and Mechanical Properties of Fine-Grained Silicon Carbide Ceramics. (5) 945
Grain-Boundary Viscosity of Preoxidized and Nitrogen-Annealed Silicon Carbides. (10) 2371
Preparation of Highly Oriented Aluminum Nitride Thin Films on Polycrystalline Substrates by Helicon Plasma Sputtering and Annealing. (9) 1917
Shrinkage Behavior of Knoop Indentations in Silica and Soda–Lime–Silica Glasses. (9) 2141
Structural Evolution of Thermal-Sprayed Yttria-Stabilized ZrO_2 Thermal Barrier Coatings with Annealing—A Neutron Diffraction Study. (3) 678
anorthite
High-Temperature Rheology of Calcium Aluminosilicate (Anorthite) Glass-Ceramics under Uniaxial and Triaxial Loading. (11) 2617
antimony/antimony compounds
Structure and Chemistry of Basal-Plane Inversion Boundaries in Antimony Oxide-Doped Zinc Oxide. (11) 2657
apatite
Apatite Formation on Calcium Phosphate Invert Glasses in Simulated Body Fluid. (2) 450
Bonelike Apatite Formation Induced on Zirconia Gel in a Simulated Body Fluid and Its Modified Solutions. (9) 2041
Determination of Calcium/Phosphorus Atomic Ratio of Calcium Phosphate Apatites Using X-ray Diffractometry. (2) 359
barium
Discontinuous Dissolution of a Liquid Phase in $Ba(Ni_{1/3}Nb_{2/3})O_3$ Ceramics. (1) 218
Double Injection Synthesis and Dispersion of Submicrometer Barium Titanyl Oxalate Tetrahydrate. (5) 1172
Effect of pH on the Chemistry of the Barium Titanium Citrate Gel and Its Thermal Decomposition Behavior. (11) 2475
Synthesis and Processing of Barium Hexaaluminogallates. (7) 1433
barium oxide
Phase Diagram Studies in the System Tl_2O_3–BaO–CaO–CuO–Ag. (1) 183
barium titanate
An Alternative Explanation for the Origin of the Resistivity Anomaly in La-Doped $BaTiO_3$. (2) 474
Atomistic Simulation of Dopant Incorporation in Barium Titanate. (2) 376
Characterization of Lanthanum-Doped Barium Titanate Ceramics Using Impedance Spectroscopy. (3) 531
Defect Chemistry and Microstructure of Hydrothermal Barium Titanate. (1) 179
Dielectric Properties of $Ba(Zr,Ti)O_3$-Based Ferroelectrics for Capacitor Applications. (4) 759
Dislocation Loop Formation in Nonstoichiometric $(Ba,Ca)TiO_3$ and $BaTiO_3$ Ceramics. (1) 200
Electrical Properties of Cerium-Doped $BaTiO_3$. (8) 1750
Microstructural Investigations of Barium Titanate-Based Material for Base Metal Electrode Ceramic Multilayer Capacitor. (4) 821
Point Defect Concentrations in Barium Titanate Revisited. (9) 2147
Positive Temperature Coefficient of Resistance Effect in Heavily Niobium-Doped Barium Titanate by the Growth of the Double-Twinned Seeds. (11) 2707
Positive Temperature Coefficient of Resistivity Effect in Highly Donor-Doped Barium Titanate. (6) 1273
Revisit to the Origin of Grain Growth Anomaly in Yttria-Doped Barium Titanate. (8) 1745
Roles of Ba/Ti Ratios in the Dielectric Properties of $BaTiO_3$ Ceramics. (9) 2001
Solid-State Preparation of $BaTiO_3$-Based Dielectrics, Using Ultrafine Raw Materials. (12) 2777
Sol–Gel Preparation of $BaTi_4O_9$ and $Ba_2Ti_9O_{20}$. (3) 669
barriers
Mesoscopic Nonlinear Elastic Modulus of Thermal Barrier Coatings Determined by Cylindrical Punch Indentation. (11) 2739
bending
Misalignment-Induced Bending in Pin-Loaded Tensile-Creep Specimens. (1) 145
binders/binding
Adsorption of Hydroxypropyl Methyl Cellulose in an Aqueous System Containing Multicomponent Oxide Particles. (6) 1241
Direct Evidence for Low-Density Regions in Compacted Spray-Dried Powders. (10) 2454
Dynamic Rheology of Agar Gel Based Aqueous Binders. (6) 1217
Effect of Acrylic–Styrene Copolymer Chemical Structure on the Properties of Ceramic Tapes Obtained by Tape Casting. (6) 1231
Effect of Activated Carbon Bed on Binder Removal from Ceramic Injection Moldings. (3) 675
Egg White as an Environmentally Friendly Low-Cost Binder for Gelcasting of Ceramics. (12) 3047
Formation of Barrier Ribs for Plasma Display Panel via Roll Forming of Green Tapes. (7) 1470
Strength of Green Ceramics with Low Binder Content. (12) 2809
bioceramics
Apatite Formation on Calcium Phosphate Invert Glasses in Simulated Body Fluid. (2) 450
Bonelike Apatite Formation Induced on Zirconia Gel in a Simulated Body Fluid and Its Modified Solutions. (9) 2041
Determination of Calcium/Phosphorus Atomic Ratio of Calcium Phosphate Apatites Using X-ray Diffractometry. (2) 359
Synthesis of a Hydroxyapatite/Collagen/Chondroitin Sulfate Nanocomposite by a Novel Precipitation Method. (2) 459
bismuth oxide
Phase Relations and Dielectric Properties in the Bi_2O_3–ZnO–Ta_2O_5 System. (11) 2557
Preparation of Synthetic Cordierite by Solid-State Reaction via Bismuth Oxide Flux. (7) 1575
Processing and Dielectric Properties of Sillenite Compounds $Bi_{12}MO_{20-\delta}$ (M = Si, Ge, Ti, Pb, Mn, $B_{1/2}P_{1/2}$). (12) 2900
boehmite
Effects of Boehmite-Coating Thickness on the Consolidation and Rheological Properties of Boehmite-Coated SiC Suspensions. (12) 2834
Mechanical-Activation-Triggered Gibbsite-to-Boehmite Transition and Activation-Derived Alumina Powders. (6) 1225
borates
Interaction of Gamma Rays with Calcium Aluminoborate Glasses Containing Holmium or Erbium. (9) 2065
borides
Synthesis of Calcium Hexaboride Powder via the Reaction of Calcium Carbonate with Boron Carbide and Carbon. (11) 2725
boron
Sol–Gel-Derived Silicon-Boron Oxycarbide Glasses Containing Mixed Silicon Oxycarbide (SiC_xO_{4-x}) and Boron Oxycarbide (BC_xO_{3-x}) Units. (10) 2160
boron carbide
Boron Carbide–Zirconium Boride *In Situ* Composites by the Reactive Pressureless Sintering of Boron Carbide–Zirconia Mixtures. (3) 642
Synthesis of Calcium Hexaboride Powder via the Reaction of Calcium Carbonate with Boron Carbide and Carbon. (11) 2725
boron nitride
In Situ Reaction Synthesis of Silicon Carbide–Boron Nitride Composites. (7) 1475
Boron Nitride–Aluminum Nitride Ceramic Composites Fabricated by Transient Plastic Phase Processing. (4) 887
Electrical Properties of Boron Nitride Matrix Composites: I, Analysis of McLachlan Equation and Modeling of the Conductivity of Boron Nitride–Boron Carbide and Boron Nitride–Silicon Carbide Composites. (7) 1490
Electrical Properties of Boron Nitride Matrix Composites: II, Dielectric Relaxations in Boron Nitride–Silicon Carbide Composites. (7) 1497
Electrical Properties of Boron Nitride Matrix Composites: III, Observations near the Percolation Threshold in BN–B_4C Composites. (10) 2335
Synthesis and Structure of Three-Dimensionally Ordered Graphitelike BC_2N Ternary Crystals. (2) 279
borosilicate glass
Detection of Phase Separation by FTIR in a Liquid-Crystal-Display Substrate Aluminoborosilicate Glass. (9) 2111
brittle materials
Brittle Fracture versus Quasi Plasticity in Ceramics: A Simple Predictive Index. (3) 561
Effect of Tangential Loading on Critical Conditions for Radial Cracking in Brittle Coatings. (11) 2719
bulk modulus
Effective Medium Theory of the Porosity Dependence of Bulk Moduli. (5) 1190
cadmium sulfide
Cadmium Sulfide Aggregates through Reverse Micelles. (7) 1439
cadmium/cadmium compounds
Effect of Processing Parameters on Physical Properties of Cadmium Stannate Thin Films Prepared by a Dip-Coating Technique. (1) 85
calcium phosphate
Mechanochemical Synthesis of Hydroxyapatite from Calcium Oxide and Brushite. (2) 465
calcium silicate
Improvement in Hydration Reactivity of α-Phase Belite by Remelting Reaction. (3) 639
calcium silicate hydrate
Aqueous Solubility Diagrams for Cementitious Waste Stabilization Systems: II, End-Member Stoichiometries of Ideal Calcium Silicate Hydrate Solid Solutions. (12) 3017
Hydrothermal Treatment of a Silica Sand Complex with Lime. (10) 2318
carbides
Etching for Microstructural Observation of Cemented Submicrometer-Sized Carbides. (4) 899
Synthesis of Ternary Titanium Aluminum Carbides Using Self-Propagating High-Temperature Synthesis Technique. (12) 3053
carbon
Effect of Activated Carbon Bed on Binder Removal from Ceramic Injection Moldings. (3) 675
Effect of Shear Damage on the Fracture Behavior of Carbon–Carbon Composites. (6) 1327
Fabrication of Low-Shrinkage, Porous Silicon Nitride Ceramics by Addition of a Small Amount of Carbon. (7) 1639
Oxidation Behavior of Silicon-Infiltrated Carbon/Carbon Composites in High-Enthalpy Convective Environment. (7) 1559
carbonate
Sodium Carbonate Flux Effects on the Luminescence Characteristics of $(Y_{0.5}Gd_{0.5})_2O_3$:Eu Phosphor Particles Prepared by Spray Pyrolysis. (2) 447
catalysts/catalysis
In Situ Processing of a Porous Calcium Zirconate/Magnesia Composite with Platinum Nanodispersion and Its Influence on Nitric Oxide Decomposition. (11) 2713
Catalytic Effects of Metals on Direct Nitridation of Silicon. (8) 1669
Catalytically Assisted Self-Propagating High-Temperature Synthesis of Tantalum Carbide Powders. (5) 976
cation
Effect of Cation Doping on the Superplastic Flow in Yttria-Stabilized Tetragonal Zirconia Polycrystals. (8) 1817
cavities
High-Temperature Morphological Evolution of Lithographically Introduced Cavities in Silicon Carbide. (5) 921
celsian ceramics
Raman Study of Hi-Nicalon-Fiber-Reinforced Celsian Composites: I, Distribution and Nanostructure of Different Phases. (5) 1129
Raman Study of Hi-Nicalon-Fiber-Reinforced Celsian Composites: II, Residual Stress in Fibers. (5) 1136
cements
Aqueous Solubility Diagrams for Cementitious Waste Stabilization Systems: II, End-Member Stoichiometries of Ideal Calcium Silicate Hydrate Solid Solutions. (12) 3017
Characterization of Liquid Exsolved by Remelting Reaction of Belite. (5) 1155
Drying and Rewetting of Mature Cement Pastes Studied through Positron Annihilation Lifetime Spectroscopy. (1) 227
Evolution of Impedance Spectra during Debonding and Pullout of Single Steel Fibers from Cement. (4) 740
In Situ X-ray Diffraction and Young's Modulus Measurement during Heat Treatment of High-Alumina Cement Castables. (3) 583
Influence of Cement Particle-Size Distribution on Early Age Autogenous Strains and Stresses in Cement-Based Materials. (1) 129
Influence of Grain Phase on Slag Corrosion of Low-Cement Castable Refractories. (2) 426
Rheological Properties of Cement-Based Extrudates with Fibers. (10) 2343
Thermal Expansion Kinetics: Method to Measure Permeability of Cementitious Materials: II, Application to Hardened Cement Pastes. (2) 385
ceramic matrix composites
Electrical Properties of Boron Nitride Matrix Composites: I, Analysis of McLachlan Equation and Modeling of the Conductivity of Boron Nitride–Boron Carbide and Boron Nitride–Silicon Carbide Composites. (7) 1490
Electrical Properties of Boron Nitride Matrix Composites: II, Dielectric Relaxations in Boron Nitride–Silicon Carbide Composites. (7) 1497
Fabrication of Continuous-SiC-Fiber-Reinforced SiAlON-Based Ceramic Composites by Reactive Melt Infiltration. (9) 1945
Measuring Interphase Recession by Fiber Push-In Testing. (4) 866
Mechanical Properties of Two Plain-Woven Chemical Vapor Infiltrated Silicon Carbide-Matrix Composites. (5) 1043
ceramic-metal systems
Evidence of Nearest-Neighbor Ordering in Wet-Processed Zirconia–Nickel Composites. (10) 2439
Microstructure of Ti(CN)–WC–NbC–Ni Cermets. (4) 843
cerium/cerium compounds
Effect of the Presence of Ammonium Peroxodisulfate on the Direct Precipitation of Ceria and Ceria–Zirconia Solid Solutions from Acidic Aqueous Solutions. (8) 1728
Electrical Conductivity and Lattice Defects in Nanocrystalline Cerium Oxide Thin Films. (9) 2007
Electrical Properties of Cerium-Doped $BaTiO_3$. (8) 1750
Electrochemical Stability of Strontium-Doped Ceria Electrolyte in Solid-Oxide Fuel Cell Applications. (7) 1533
Synthesis of Cerium α-SiAlON with Nuclei Addition. (6) 1389

Synthesis of Ultrafine Ceria Powders by Mechanochemical Processing. (7) 1453
chemical durability
Synthesis, Structure Determination, and Aqueous Durability of $Cs_2ZrSi_3O_9$. (1) 153
chemical properties
Chemical Expansivity of Electrochemical Ceramics. (9) 2117
chemical vapor deposition
Effect of the Pb/Ti Source Ratio on the Crystallization of $PbTiO_3$ Thin Films Grown by Metalorganic Chemical Vapor Deposition at Low Temperature of 400°C. (1) 207
chemical vapor infiltration
Fabrication of Carbon/Silicon Carbide Composites by Isothermal Chemical Vapor Infiltration, Using the *In Situ* Whisker-Growing and Matrix-Filling Process. (1) 245
Mechanical Properties of Two Plain-Woven Chemical Vapor Infiltrated Silicon Carbide-Matrix Composites. (5) 1043
Nanofiber Formation in the Fabrication of Carbon/Silicon Carbide Ceramic Matrix Nanocomposites by Slurry Impregnation and Pulse Chemical Vapor Infiltration. (8) 1683
chromium
Pressureless Sintering and Properties of Titanium Diboride Ceramics Containing Chromium and Iron. (4) 893
chromium oxide
Chromium Oxycarbide Thin Films Prepared by Inductively Coupled Radio-Frequency Plasma-Assisted Magnetron Sputtering. (8) 1763
Enthalpies of Chromium Oxide Solution in Soda Lime Borosilicate Glass Systems. (12) 2987
coarsening
Coarsening of Lamellar Microstructures in Directionally Solidified Yttrium Aluminate/Alumina Eutectic Fiber. (12) 2991
coatings
Chromium-Free Corrosion Resistance of Metals by Ceramic Coating. (12) 3056
Damage Evolution and Stress Analysis in Zirconia Thermal Barrier Coatings during Cyclic and Isothermal Oxidation. (10) 2385
Distributed Porosity as a Control Parameter for Oxide Thermal Barriers Made by Physical Vapor Deposition. (12) 2937
Effect of Flaw State on the Strength of Brittle Coatings on Soft Substrates. (10) 2377
Effect of Tangential Loading on Critical Conditions for Radial Cracking in Brittle Coatings. (11) 2719
Fabrication of Long Lengths of Epitaxial Buffer Layers on Biaxially Textured Nickel Substrates Using a Continuous Reel-to-Reel Dip-Coating Unit. (2) 273
Growth of Tetragonal Zirconia Coatings by Reactive Sputter Deposition. (12) 2841
Hercynite-Free Ceramic Liner for Composite Steel Pipe Made Using a Self-Propagating High-Temperature Synthesis Gravitational-Thermite Process. (12) 3042
Hydroxyapatite Coating on Thermally Oxidized Titanium Substrates. (9) 2135
Long-Term Behavior and Application Limits of Plasma-Sprayed Zirconia Thermal Barrier Coatings. (6) 1301
Microstructure and Heat Transfer Phenomena in Ceramic Thermal Barrier Coatings. (4) 827
Monazite Coatings on Fibers: I. Effect of Temperature and Alumina Doping on Coated-Fiber Tensile Strength. (12) 2783
Monazite Coatings on Fibers: II. Coating without Strength Degradation. (12) 2793
Phase Formation and Stability in Reactively Sputter Deposited Yttria-Stabilized Zirconia Coatings. (5) 929
Strength Degradation and Failure Mechanisms of Electron-Beam Physical-Vapor-Deposited Thermal Barrier Coatings. (7) 1545
Structural Evolution of Thermal-Sprayed Yttria-Stabilized ZrO_2 Thermal Barrier Coatings with Annealing—A Neutron Diffraction Study. (3) 678
Synthesis of CoO/Ni Composite Powders for Molten Carbonate Fuel Cells. (1) 233
Thermal Stability of Lanthanum Zirconate Plasma-Sprayed Coating. (9) 2086
Water-Based Gelcasting of Surface-Coated Silicon Nitride Powder. (4) 701
cobalt/cobalt compounds
Ferroelastic Behavior of $LaCoO_3$-Based Ceramics. (9) 2029
Mechanical Properties of CoAl Materials with the Combined Additions of ZrO_2(3Y) and Al_2O_3. (10) 2445
colloids
Colloidal Processing and Ionic Conductivity of Fine-Grained Cupric-Oxide-Doped Tetragonal Zirconia. (9) 2129
Heterocoagulation in Ionically Stabilized Mixed-Oxide Colloidal Dispersions in Ethanol. (6) 1250
Influence of Acidity on the Stability and Rheological Properties of Ionically Stabilized Alumina Suspensions in Ethanol. (9) 1977
Silicon Nitride Colloidal Probe Measurements: Interparticle Forces and the Role of Surface-Segment Interactions in Poly(acrylic acid) Adsorption from Aqueous Solution. (8) 1675
combustion synthesis
Dense Layered Molybdenum Disilicide–Silicon Carbide Functionally Graded Composites Formed by Field-Activated Synthesis. (5) 962
Formation Mechanism of AlN–SiC Solid Solution by Combustion Nitridation in Si_3N_4–Si-Al-C System. (4) 726
composites
A Process for C_f/SiC Composites Using Liquid Polymer Infiltration. (10) 2235
Advanced Alumina Composites Reinforced with Titanium-Based Alloys. (7) 1509
Apatite-Forming Ability of Sodium-Containing Titania Gels in a Simulated Body Fluid. (12) 2969
Boron Nitride–Aluminum Nitride Ceramic Composites Fabricated by Transient Plastic Phase Processing. (4) 887
Crack-Healing Behavior Under Stress of Mullite/Silicon Carbide Ceramics and the Resultant Fatigue Strength. (9) 2073
Cyclic Infiltration of Porous Zirconia Preforms with a Liquid Solution of Mullite Precursor. (1) 71
Dense Layered Molybdenum Disilicide–Silicon Carbide Functionally Graded Composites Formed by Field-Activated Synthesis. (5) 962
Design and Fracture of Layered Al_2O_3/TZ3Y Composites Produced by Electrophoretic Deposition. (3) 571
Development of Surface Compressive Stresses in Zirconia–Alumina Composites by an Ion-Exchange Process. (6) 1321
Effect of Heating Rates on the Synthesis of Al_2O_3–SiC Composites by the Self-Propagating High-Temperature Synthesis (SHS) Technique. (5) 915
Effect of Shear Damage on the Fracture Behavior of Carbon–Carbon Composites. (6) 1327
Effect of Silica Surface Dopants on the Formation of Alumina/Aluminum Composites by the Directed Metal Oxidation of an Aluminum Alloy. (11) 2526
Effects of Matrix Cracks on the Thermal Diffusivity of a Fiber-Reinforced Ceramic Composite. (9) 2015
Effects of Matrix Porosity on the Mechanical Properties of a Porous-Matrix, All-Oxide Ceramic Composite. (11) 2594
Electrical Characterization of Polymethylsiloxane/$MoSi_2$-Derived Composite Ceramics. (10) 2256
Electrical Properties of Boron Nitride Matrix Composites: III. Observations near the Percolation Threshold in BN–B_4C Composites. (10) 2335
Evidence of Nearest-Neighbor Ordering in Wet-Processed Zirconia–Nickel Composites. (10) 2439
Experimental Observations of High Fracture Resistance in Silicon Carbide/Alumina Laminated Composites. (10) 2451
Fabrication of Carbon/Silicon Carbide Composites by Isothermal Chemical Vapor Infiltration, Using the *In Situ* Whisker-Growing and Matrix-Filling Process. (1) 245
Grain Growth Phenomena in the Interface Region of α-Alumina Bilayer Composites. (8) 1865
Grain-Size Effect on Compressive Creep of Silicon-Carbide-Whisker-Reinforced Aluminum Oxide. (7) 1645
High-Temperature Mechanical Properties of SiC–$Mo_5(Si,Al)_3C$ Composites. (2) 413
Improved Resistance to Damage of Silicon Carbide-Whisker-Reinforced Silicon Nitride-Matrix Composites by Whisker-Oriented Alignment. (1) 161
Influence of Strong Fiber/Coating Interfaces on the Mechanical Behavior and Lifetime of Hi-Nicalon/(PyC/SiC)$_n$/SiC Minicomposites. (4) 787
Influence of Thermal Conductivity and Fracture Toughness on the Thermal Shock Resistance of Alumina–Silicon-Carbide-Whisker Composites. (6) 1334
Microstructural Control of a 70% Silicon Nitride– 30% Barium Aluminum Silicate Self-Reinforced Composite. (1) 13
Multiple Cracking and Tensile Behavior for an Orthogonal 3-D Woven Si-Ti-C-O Fiber/Si-Ti-C-O Matrix Composite. (7) 1565
Oxidation Behavior of Silicon-Infiltrated Carbon/Carbon Composites in High-Enthalpy Convective Environment. (7) 1559
Processing and Mechanical Properties of Al_2O_3/Ni_3Al Composites with Interpenetrating Network Microstructure. (9) 2034
Relationship between Microstructure and Mechanical Performance of a 70% Silicon Nitride–30% Barium Aluminum Silicate Self-Reinforced Ceramic Composite. (1) 5
Sintering and Microstructure Modification of Mullite/Zirconia Composites Derived from Silica-Coated Alumina Powders. (4) 850
Synthesis of Hard Materials by Field Activation: The Synthesis of Solid Solutions and Composites in the TiB_2–WB_2–CrB_2 System. (12) 2764
Temperature Dependence of Tensile Strength for a Woven Boron-Nitride-Coated Hi-Nicalon™ SiC Fiber-Reinforced Silicon-Carbide-Matrix Composite. (9) 2079
Toughened Oxide Composites Based on Porous Alumina-Platelet Interphases. (4) 767
Transverse Thermal Conductivity of Thin C/SiC Composites Fabricated by Slurry Infiltration and Pyrolysis. (10) 2229
composition
Influence of the Compositional Profile of Functionally Graded Material on the Crack Path under Thermal Shock. (7) 1480
concrete
Measurements of Chloride Activity Coefficients in Real Portland Cement Paste Pore Solutions. (12) 3008
conductivity
Bulk Phase Relations, Conductivity, and Transparency in Novel Bixbyite Transparent Conducting Oxide Solution in the Cadmium-Indium-Tin Oxide System. (5) 1004
Colloidal Processing and Ionic Conductivity of Fine-Grained Cupric-Oxide-Doped Tetragonal Zirconia. (9) 2129
Conductive Ceramic Foams from Preceramic Polymers. (10) 2265
Conductivity Measurement Using Four Linear Electrodes Embedded Inside a Rectangular Sample. (12) 2895
Effect of NiO-to-Ni Transformation on Conductivity and Structure of Yttria-Stabilized ZrO_2. (11) 2652
Electrical Properties of Boron Nitride Matrix Composites: I. Analysis of McLachlan Equation and Modeling of the Conductivity of Boron Nitride–Boron Carbide and Boron Nitride–Silicon Carbide Composites. (7) 1490
copper oxides
Partially Reduced Cuprous Oxide Nanoparticles Formed in Porous Glass Reaction Fields. (10) 2269
copper/copper compounds
Equilibrium Amorphous Silicon–Calcium–Oxygen Films at Interfaces in Copper–Alumina Composites Prepared by Melt Infiltration. (3) 623
Unusual Elastic and Mechanical Behaviors of Copper Phosphate Glasses with Different Copper Valence States. (10) 2401
cordierite
Effect of Composition on Microstructural Development in MgO–Al_2O_3–SiO_2 Glass-Ceramics. (5) 1108
Preparation of Synthetic Cordierite by Solid-State Reaction via Bismuth Oxide Flux. (7) 1575
corrosion/corrosion resistance
Chromium-Free Corrosion Resistance of Metals by Ceramic Coating. (12) 3056
Hercynite-Free Ceramic Liner for Composite Steel Pipe Made Using a Self-Propagating High-Temperature Synthesis Gravitational-Thermite Process. (12) 3042
Influence of Grain Phase on Slag Corrosion of Low-Cement Castable Refractories. (2) 426
Translucent Polycrystalline Alumina with Improved Resistance to Sodium Attack. (12) 2853
Vaporization and Corrosion of Refractories in the Presence of Pressurized Pulverized Coal Combustion Slag. (7) 1445
corundum
Influence of Diaspore Seeding and Chloride Concentration on the Transformation of "Diasporic" Precursors to Corundum. (8) 1896
crack bridging
In-Plane Fracture Resistance of a Crossply Fibrous Monolith. (2) 367
crack growth
Crack Growth along Interfaces in Porous Ceramic Layers. (9) 2051
Measurement of Very Slow Crack Growth in Glass. (11) 2585
Morphology of Vickers Indent Flaws in Soda–Lime–Silica Glass. (10) 2361
crack growth resistance
Flaw-Insensitive Ion-Exchanged Glass: I. Theoretical Aspects. (8) 1827
Flaw-Insensitive Ion-Exchanged Glass: II. Production and Mechanical Performance. (8) 1832
cracks/cracking
Analyses of Multiple Film Cracking in Film/Substrate Systems. (12) 2955
Crack-Healing Behavior Under Stress of Mullite/Silicon Carbide Ceramics and the Resultant Fatigue Strength. (9) 2073
Cyclic Fatigue–Crack Propagation Behavior in Silicon Carbide: Long- and Small-Crack Behavior. (3) 551
Dye Impregnation Method for Revealing Machining Crack Geometry. (4) 795
Effect of Flaw State on the Strength of Brittle Coatings on Soft Substrates. (10) 2377
Effect of Tangential Loading on Critical Conditions for Radial Cracking in Brittle Coatings. (11) 2719
Effects of Matrix Cracks on the Thermal Diffusivity of a Fiber-Reinforced Ceramic Composite. (9) 2015
Influence of the Compositional Profile of Functionally Graded Material on the Crack Path under Thermal Shock. (7) 1480
Multiple Cracking and Tensile Behavior for an Orthogonal 3-D Woven Si-Ti-C-O Fiber/Si-Ti-C-O Matrix Composite. (7) 1565
Residual Stresses in Alumina/Zirconia Composites: Effect of Cooling Rate and Grain Size. (12) 2962

Short Crack *R*-Curves in Ferroelectric and Electrostrictive PLZT. (3) 593
Thermal Shock of Layered Ceramic Structures with Crack-Deflecting Interfaces. (1) 104

creep
Compression Creep Characteristics of 8-mol%-Yttria-Stabilized Cubic-Zirconia. (11) 2625
Compressive Creep Performance of $SrFeO_3$. (8) 1822
Flexural Creep of an *in Situ*-Toughened Silicon Carbide. (9) 2022
Grain-Boundary Viscosity of Preoxidized and Nitrogen-Annealed Silicon Carbides. (10) 2371
Grain-Size Effect on Compressive Creep of Silicon-Carbide-Whisker-Reinforced Aluminum Oxide. (7) 1645
High-Temperature Rheology of Calcium Aluminosilicate (Anorthite) Glass-Ceramics under Uniaxial and Triaxial Loading. (11) 2617
Influence of Dopant Concentration on Creep Properties of Nd_2O_3-Doped Alumina. (5) 1010
Misalignment-Induced Bending in Pin-Loaded Tensile-Creep Specimens. (1) 145
Nanoscale Densification Creep in Polymer-Derived Silicon Carbonitrides at 1350°C. (10) 2208
Tensile Creep Behavior of a Gas-Pressure-Sintered Silicon Nitride Containing Silicon Carbide. (10) 2394
Ytterbium Cation Diffusion in Yttrium Aluminum Garnet (YAG)—Implications for Creep Mechanisms. (10) 2356

cristobalite
Investigation of the Formation of Cristobalite from the Diatomaceous Clay *Moler* Using Powder X-ray Diffractometry Data and Profile Refinement Methods. (4) 878
Optical Spectra of Nickel-Bearing Silicate Gels Prepared by the Geopolymer Technique, with Special Reference to the Low-Temperature Formation of Liebenbergite (Ni_2SiO_4). (8) 1717

crystals/crystallization
Crystal Chemistry and Stabilization in Air of Brannerite, UTi_2O_6. (1) 141
Crystal Structure Refinement of $La_{0.683}(Ti_{0.95}Al_{0.05})O_3$ Perovskite by the Rietveld Method. (2) 468
Crystallization Behavior of Amorphous Silicon Carbonitride Ceramics Derived from Organometallic Precursors. (10) 2170
Crystallization Behavior of Sol–Gel-Derived Strontium Barium Niobate Thin Films. (1) 193
Crystallization of Lead Niobate Glass by Mechanical Activation. (11) 2691
Crystallization of Sol–Gel-Derived Barium Strontium Titanate Thin Films. (5) 1087
Crystallographic Texture and Thermal Conductivity of Zirconia Thermal Barrier Coatings Deposited on Different Substrates. (7) 1539
Effect of Neodymium:Yttrium Aluminum Garnet Laser Irradiation on Crystallization in Li_2O–Al_2O_3–SiO_2 Glass. (10) 2433
Effect of the Pb/Ti Source Ratio on the Crystallization of $PbTiO_3$ Thin Films Grown by Metalorganic Chemical Vapor Deposition at Low Temperature of 400°C. (1) 207
Formation Mechanism of Hydrous Zirconia Particles Produced by the Hydrolysis of $ZrOCl_2$ Solutions: III. Kinetics Study for the Nucleation and Crystal-Growth Processes of Primary Particles. (10) 2303
Geometry Optimization and Ground-State Properties of Complex Ceramic Oxides. (4) 801
Habit Modifications of SnO_2 Crystals in SnO_2–Cu_2O Flux System in the Presence of Trivalent Impurity Cations. (6) 1341
Kinetic Model for Crystallization in White Ceramic Glazes. (1) 23
Limitations of the Augis and Bennett Method for Kinetic Analysis of the Crystallization of Glasses and Conditions for Correct Use. (8) 1797
Microstructural Evolution during Sintering of Aluminum Nitride Ceramics Doped with Alumina and Yttria. (3) 631
Molten Salt Synthesis of Calcium Hydroxyapatite Whiskers. (2) 295
Nucleation and Crystallization of New Glasses from Fly Ash Originating from Thermal Power Plants. (8) 1851
Nucleation Energy Barriers for Volume-Conserving Shape Changes of Crystals with Nonequilibrium Morphologies. (9) 2099
Synthesis and Structure of Three-Dimensionally Ordered Graphitelike BC_2N Ternary Crystals. (2) 279
Synthesis of α-SiAlON Seed Crystals. (7) 1651

Curie temperature
Processing, Characterization, and Dielectric Studies on $K(Ta_{1-x}Nb_x)O_3$ for Use at Cryogenic Temperatures. (11) 2547

curing
Effect of Vacuum Heat Treatment on Electron-Beam-Irradiation-Cured Poiycarbosilane Fibers. (1) 111
Hydration Characteristics of Portland Cement after Heat Curing: I, Degree of Hydration of the Anhydrous Cement Phases. (3) 608
Hydration Characteristics of Portland Cement after Heat Curing: II, Evolution of Crystalline Aluminate-Bearing Hydrates. (5) 1113

cyclic fatigue
Cyclic Fatigue–Crack Propagation Behavior in Silicon Carbide: Long- and Small-Crack Behavior. (3) 551

damage
Strength-Limiting Surface Damage in Single-Crystal Sapphire Imaged by X-ray Topography. (10) 2351
Visualization of Knoop Indentation Damage of Silicon Nitride by Plasma Etching. (10) 2427

debonding
Preparation and Properties of Hydrothermally Stable γ-Alumina Membranes. (1) 136

decomposition
High-Surface-Area Alumina Ceramics Fabricated by the Decomposition of $Al(OH)_3$. (3) 485

defects
Defect Structure and Electrical Properties of $La_{1-x}Sr_xFe_{1-y}Al_yO_{3-\delta}$. (5) 1148
Interactions and Chemistry of Defects at the Grain Boundaries of Ceramics. (3) 539
Microstructural Evolution in Liquid-Phase-Sintered SiC: Part II, Effects of Planar Defects and Seeds in the Starting Powder. (7) 1585
Point Defect Concentrations in Barium Titanate Revisited. (9) 2147

deformation
Compression Creep Characteristics of 8-mol%-Yttria-Stabilized Cubic-Zirconia. (11) 2625
Creep Viscosity and Stress Relaxation of Gel-Derived Silicon Oxycarbide Glasses. (5) 1052
Effect of Dynamic Microstructural Change on Deformation Behavior in Liquid-Phase-Sintered Silicon Carbide with Al_2O_3–Y_2O_3–CaO Additions. (9) 2045
Effect of Solids Loading and Dispersant Concentration on Strain Mismatch and Deformation of Slip-Cast Green Bodies. (10) 2274
Fabrication of Textured Alumina by High-Temperature Deformation. (6) 1392
Ferroelastic and Plastic Deformation of *t'*-Zirconia Single Crystals. (8) 1755
Micromechanics of Deformation in Porous Liquid-Phase-Sintered Alumina under Hertzian Contact. (8) 1844

degradation
Monazite Coatings on Fibers: II, Coating without Strength Degradation. (12) 2793

densification
In Situ Densification Behavior in the Pyrolysis Consolidation of Amorphous Si-N-C Bulk Ceramics from Polymer Precursors. (10) 2165
Low-Temperature Sintering, Densification, and Properties of Z-type Hexaferrite with Bi_2O_3 Additives. (12) 2889
One-Step Synthesis and Consolidation of Nanophase Iron Aluminide. (5) 910
Packing Density of Binary Mixtures of Wet Spheres. (3) 504
Using Nanoscaled Powder as an Additive in Coarse-Grained Powder. (2) 261

deposition
Determination and Control of Metallic Impurities in Alumina Deposits Obtained by Aqueous Electrophoretic Deposition. (4) 733
Electrophoretic Deposition of Zirconia on Porous Anodic Substrates. (2) 328
Fabrication of Dense Zirconia Electrolyte Films for Tubular Solid Oxide Fuel Cells by Electrophoretic Deposition. (1) 33
Growth pf Tetragonal Zirconia Coatings by Reactive Sputter Deposition. (12) 2841
Influence of Plasma Spray Parameters on Formation and Morphology of ZrO_2–8 wt% Y_2O_3 Deposits. (4) 693
Influence of Washing on Zirconia Powder for Electrophoretic Deposition. (3) 666
Mechanical Properties of Sputter-Deposited Titanium-Silicon-Carbon Films. (3) 672
Microstructure and Heat Transfer Phenomena in Ceramic Thermal Barrier Coatings. (4) 827
Porous Mullite Preforms via Fused Deposition. (1) 221
Robocast $Pb(Zr_{0.95}Ti_{0.05})O_3$ Ceramic Monoliths and Composites. (4) 872

diaspore
Influence of Diaspore Seeding and Chloride Concentration on the Transformation of "Diasporic" Precursors to Corundum. (8) 1896

dielectric materials/properties
Contribution of Structure to Temperature Dependence of Resonant Frequency in the $(1-x)La(Zn_{1/2}Ti_{1/2})O_3$-$xATiO_3$ (A = Ca, Sr) System. (4) 753
Dielectric Properties of $Ba(Zr,Ti)O_3$-Based Ferroelectrics for Capacitor Applications. (4) 759
Dielectric Properties of Lead Magnesium Niobate and Lead Iron Niobate Prepared by the Semiwet Hydroxide Route. (9) 2126
Dielectric Properties of the Perovskite System $Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$ Modified by $Pb(Mg_{1/3}Ta_{2/3})O_3$ and $Pb(Zn_{1/3}Nb_{2/3})O_3$. (6) 1281
Effects of Calcium Substitution on the Structural and Microwave Dielectric Characteristics of $[(Pb_{1-x}Ca_x)_{1/2}La_{1/2}](Mg_{1/2}Nb_{1/2})O_3$ Ceramics. (6) 1291
Electrical Properties of Boron Nitride Matrix Composites: II, Dielectric Relaxations in Boron Nitride–Silicon Carbide Composites. (7) 1497
Influence of Copper(II) Oxide Additions to Zinc Niobate Microwave Ceramics on Sintering Temperature and Dielectric Properties. (6) 1286
Microstructure and Dielectric Properties of Barium Strontium Magnesium Niobate. (9) 2105
Microwave Dielectric Properties of $(1-x)(Al_{1/2}Ta_{1/2})O_2$–$x(Mg_{1/3}Ta_{2/3})O_2$ Ceramics. (11) 2570
Phase Relations and Dielectric Properties in the Bi_2O_3–ZnO–Ta_2O_5 System. (11) 2557
Preparation, Characterization, and Microwave Properties of $RETiNbO_6$ (RE = Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Y, and Yb) Dielectric Ceramics. (7) 1487
Processing and Dielectric Properties of Sillenite Compounds $Bi_{12}MO_{20-\delta}$ (M = Si, Ge, Ti, Pb, Mn, $B_{1/2}P_{1/2}$). (12) 2900
Processing and Properties of Screen-Printed Lead Zirconate Titanate Piezoelectric Thick Films on Electroded Silicon. (12) 2863
Processing and Properties of Strontium Bismuth Vanadate Niobate Ferroelectric Ceramics. (12) 2882
Relationship between the Bond Valence and the Temperature Coefficient of the Resonant Frequency in the Complex Perovskite $(Pb_{1-x}Ca_x)[Fe_{0.5}(Nb_{1-y}Ta_y)_{0.5}]O_3$. (1) 99
Roles of Ba/Ti Ratios in the Dielectric Properties of $BaTiO_3$ Ceramics. (9) 2001
Solid-State Preparation of $BaTiO_3$-Based Dielectrics, Using Ultrafine Raw Materials. (12) 2777
Strontium Zirconate and Strontium Titanate Ceramics for High-Voltage Applications: Synthesis, Processing, and Dielectric Properties. (7) 1648
Volume Fraction and Whisker Orientation Dependence of the Electrical Properties of SiC-Whisker-Reinforced Mullite Composites. (10) 2328

diffraction
Determination of Positions of Zeolitic Calcium Atoms and Water Molecules in Hydrothermally Formed Aluminum-Substituted Tobermorite-1.1nm Using Synchrotron Radiation Powder Diffraction Data. (11) 2685

diffusion/diffusivity
Diffusion Bonding of Silicon Nitride Using a Superplastic β-SiAlON Interlayer. (2) 471
Diffusion of ^{110m}Ag Tracer in Polycrystalline and Single-Crystal Lead-Containing Piezoelectric Ceramics. (8) 1777
Discontinuous Dissolution of a Liquid Phase in $Ba(Ni_{1/3}Nb_{2/3})O_3$ Ceramics. (1) 218
Flexural Creep of an *in Situ*-Toughened Silicon Carbide. (9) 2022
Interactions between Clay Bodies and Lead Glazes. (5) 1120
Molecular Dynamics Study of Atomic Structure and Diffusion Behavior in Amorphous Silicon Nitride Containing Boron. (10) 2213
Secondary Ion Mass Spectroscopy Study of Oxygen-18 Tracer Diffusion in 2/1-Mullite Single Crystals. (12) 2845
Ytterbium Cation Diffusion in Yttrium Aluminum Garnet (YAG)—Implications for Creep Mechanisms. (10) 2356

dislocations
Dislocation Loop Formation in Nonstoichiometric $(Ba,Ca)TiO_3$ and $BaTiO_3$ Ceramics. (1) 200

dispersants/dispersion
Dispersion and Slip Casting of Hydroxyapatite. (8) 1710
Double Injection Synthesis and Dispersion of Submicrometer Barium Titanyl Oxalate Tetrahydrate. (5) 1172
Effect of Magnesium Ions on the Adsorption of Poly(acrylic acid) onto Alumina. (11) 2710
Preparation of Hydroxyapatite Lathlike Particles Using High-Speed Dispersing Equipment. (6) 1203

dolomite
In Situ Processing of a Porous Calcium Zirconate/Magnesia Composite with Platinum Nanodispersion and Its Influence on Nitric Oxide Decomposition. (11) 2713

domains
Contribution from Ferroelastic Domain Switching Detected Using X-ray Diffraction to *R*-Curves in Lead Zirconate Titanate Ceramics. (12) 2921
Direct Compositional Analysis of Ordered Domains in Pure and La-Doped $Pb(Mg_{1/3}Nb_{2/3})O_3$ by Analytical Electron Microscopy Techniques. (9) 2091
Ferroelastic and Plastic Deformation of *t'*-Zirconia Single Crystals. (8) 1755
Investigation of Magnetic Force for Barium and Strontium Ferrites. (5) 1184
Microstructure Characterizations in Calcium Magnesium Niobate. (7) 1632

dopants/doping
Atomistic Simulation of Dopant Incorporation in Barium Titanate. (2) 376

Effect of Cation Doping on the Superplastic Flow in Yttria-Stabilized Tetragonal Zirconia Polycrystals. (8) 1817
Effect of Silica Surface Dopants on the Formation of Alumina/Aluminum Composites by the Directed Metal Oxidation of an Aluminum Alloy. (11) 2526
Incorporation of Aliovalent Dopants into the Bismuth-Layered Perovskite-Like Structure of $BaBi_4Ti_4O_{15}$. (11) 2702
Influence of Dopant Concentration on Creep Properties of Nd_2O_3-Doped Alumina. (5) 1010
Interaction of Gamma Rays with Calcium Aluminoborate Glasses Containing Holmium or Erbium. (9) 2065
Monazite Coatings on Fibers: I, Effect of Temperature and Alumina Doping on Coated-Fiber Tensile Strength. (12) 2783
Nanocrystalline Zirconia Surface-Doped with Alumina: Chemical Vapor Synthesis, Characterization, and Properties. (12) 2771
Positive Temperature Coefficient of Resistivity Effect in Highly Donor-Doped Barium Titanate. (6) 1273
Revisit to the Origin of Grain Growth Anomaly in Yttria-Doped Barium Titanate. (8) 1745
Solubility of Magnesia in Polycrystalline Alumina at High Temperatures. (2) 420
Sol–Gel Processing and Characterization of Pure and Metal-Doped SnO_2 Thin Films. (1) 48
Strain Hardening in Superplastic Codoped Yttria-Stabilized Tetragonal-Zirconia Polycrystals. (12) 2981
Study on the Effects of Lanthanum Doping on the Microstructure and Dielectric Properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$. (2) 314
Synthesis of Pure and Manganese-, Nickel-, and Zinc-Doped Ferrite Particles in Water-in-Oil Microemulsions. (9) 1987

drying
Drying and Rewetting of Mature Cement Pastes Studied through Positron Annihilation Lifetime Spectroscopy. (1) 227
Organic Distributions in Dried Alumina Green Tape. (2) 267

ductility
Surprising Results of a Study on the Plasticity in Strontium Titanate. (5) 1161

elastic constants
Brittle Fracture versus Quasi Plasticity in Ceramics: A Simple Predictive Index. (3) 561
Mesoscopic Nonlinear Elastic Modulus of Thermal Barrier Coatings Determined by Cylindrical Punch Indentation. (11) 2739
Structural Control of Elastic Constants of Mullite in Comparison to Sillimanite. (10) 2409

elastic materials/properties
Measurement of High-Temperature Elastic Properties of Ceramics Using a Laser Ultrasonic Method. (7) 1521
Mechanical Properties of Two Plain-Woven Chemical Vapor Infiltrated Silicon Carbide-Matrix Composites. (5) 1043

electrical conductivity
Advanced Alumina Composites Reinforced with Titanium-Based Alloys. (7) 1509
Design of Ceramic Materials for Chemical Sensors: Effect of $SmFeO_3$ Processing on Surface and Electrical Properties. (2) 341
Effect of Phosphorus Ions on the Proton Conductivity in the Sol–Gel-Derived Porous Glasses. (11) 2553
Electrical Conductivity and Lattice Defects in Nanocrystalline Cerium Oxide Thin Films. (9) 2007
Preparation of Li_2S–P_2S_5 Amorphous Solid Electrolytes by Mechanical Milling. (2) 477

electrical properties
Characterization of Lanthanum-Doped Barium Titanate Ceramics Using Impedance Spectroscopy. (3) 531
Defect Structure and Electrical Properties of $La_{1-x}Sr_xFe_{1-y}Al_yO_{3-\delta}$. (5) 1148
Electrical Characterization of Polymethylsiloxane/$MoSi_2$-Derived Composite Ceramics. (10) 2256
Electrical Properties of Boron Nitride Matrix Composites: I, Analysis of McLachlan Equation and Modeling of the Conductivity of Boron Nitride–Boron Carbide and Boron Nitride–Silicon Carbide Composites. (7) 1490
Electrical Properties of Boron Nitride Matrix Composites: II, Dielectric Relaxations in Boron Nitride–Silicon Carbide Composites. (7) 1497
Electrical Properties of Boron Nitride Matrix Composites: III, Observations near the Percolation Threshold in BN–B_4C Composites. (10) 2335
Electrical Properties of Cerium-Doped $BaTiO_3$. (8) 1750
Structure and Electronic Transport Properties of Si-(B)-C-N Ceramics. (10) 2260
Thermal and Electrical Properties in Plasma-Activation-Sintered Silicon Carbide with Rare-Earth-Oxide Additives. (10) 2448

electroceramics
Conductivity Measurement Using Four Linear Electrodes Embedded Inside a Rectangular Sample. (12) 2895

electrochemistry
Catalytic and Electrochemical Properties of Doped Lanthanum Chromites as New Anode Materials for Solid Oxide Fuel Cells. (10) 2289
Mechanochemical Synthesis and Electrochemical Properties of $LiMn_2O_4$. (1) 242

electromagnetic properties
Low-Temperature Sintering, Densification, and Properties of Z-type Hexaferrite with Bi_2O_3 Additives. (12) 2889

electromechanical properties
Processing, Characterization, and Dielectric Studies on $K(Ta_{1-x}Nb_x)O_3$ for Use at Cryogenic Temperatures. (11) 2547

environment
Chromium-Free Corrosion Resistance of Metals by Ceramic Coating. (12) 3056

erbium/erbium compounds
Effect of Composition and Crystallization Temperature on Microstructure of Y- and Er-SiAlON I_w-Phase Glass-Ceramics. (7) 1601
Heat-Resistant Silicon Carbide with Aluminum Nitride and Erbium Oxide. (9) 2060
Spectroscopic Properties and Thermal Stability of Er^{3+}-Doped Germanotellurite Glasses for Broadband Fiber Amplifiers. (1) 165

etchants/etching
Etching for Microstructural Observation of Cemented Submicrometer-Sized Carbides. (4) 899

ettringite
Hydration Characteristics of Portland Cement after Heat Curing: II, Evolution of Crystalline Aluminate-Bearing Hydrates. (5) 1113

europium
Sol–Gel Synthesis of Silica-Based Oxyfluoride Glass-Ceramic Thin Films: Incorporation of Eu^{3+} Activators into Crystallites. (11) 2716

extrusion
Rheological Properties of Cement-Based Extrudates with Fibers. (10) 2343

fabrication
A Simple and Cost-Effective Approach to Fabrication of Dense Ceramic Membranes on Porous Substrates. (8) 1903
Fabrication of Carbon/Silicon Carbide Composites by Isothermal Chemical Vapor Infiltration, Using the *In Situ* Whisker-Growing and Matrix-Filling Process. (1) 245
Fabrication of Low-Porosity Indium Tin Oxide Ceramics in Air from Hydrothermally Prepared Powder. (1) 251

failure
Determination of Individual Fiber Failure in Fiber Bundles. (1) 123
Strength Degradation and Failure Mechanisms of Electron-Beam Physical-Vapor-Deposited Thermal Barrier Coatings. (7) 1545

ferrites
Chemical Expansivity of Electrochemical Ceramics. (9) 2117
Compressive Creep Performance of $SrFeO_3$. (8) 1822
Investigation of Magnetic Force for Barium and Strontium Ferrites. (5) 1184
Low-Temperature Sintering, Densification, and Properties of Z-type Hexaferrite with Bi_2O_3 Additives. (12) 2889
Synthesis of Pure and Manganese-, Nickel-, and Zinc-Doped Ferrite Particles in Water-in-Oil Microemulsions. (9) 1987

ferroelastic materials
Contribution from Ferroelastic Domain Switching Detected Using X-ray Diffraction to *R*-Curves in Lead Zirconate Titanate Ceramics. (12) 2921
Ferroelastic Behavior of $LaCoO_3$-Based Ceramics. (9) 2029
Microstructural Characteristics of Strontium Magnesium Niobate. (12) 3031
Microstructure Characterizations in Calcium Magnesium Niobate. (7) 1632
Neutron Diffraction Study of Ferroelasticity in a 3 mol% Y_2O_3–ZrO_2. (2) 399

ferroelectricity/ferroelectric materials
Dielectric Properties of $Ba(Zr,Ti)O_3$-Based Ferroelectrics for Capacitor Applications. (4) 759
Direct Compositional Analysis of Ordered Domains in Pure and La-Doped $Pb(Mg_{1/3}Nb_{2/3}O_3$ by Analytical Electron Microscopy Techniques. (9) 2091
Effect of Lead Content on the Structure and Electrical Properties of $Pb(Zn_{1/3}Nb_{2/3})_{0.5}(Zr_{0.47}Ti_{0.53})_{0.5})O_3$ Ceramics. (3) 636
Incorporation of Aliovalent Dopants into the Bismuth-Layered Perovskite-Like Structure of $BaBi_4Ti_4O_{15}$. (11) 2702
Low-Temperature Preparation and Size Effect of Strontium Barium Niobate Ultrafine Powder. (1) 79
Low-Temperature Reactive Sintering of 0.65PMN-0.35PT. (3) 648
Morphotropic Phase Boundary in the $Pb(Zn_{1/3}Nb_{2/3}O_3)$–$BaTiO_3$–$PbTiO_3$ System. (8) 1740
Phase Stability and Ferroelectric Properties of Lead Strontium Zirconate Titanate Ceramics. (2) 333
Processing, Characterization, and Dielectric Studies on $K(Ta_{1-x}Nb_x)O_3$ for Use at Cryogenic Temperatures. (11) 2547

fibers
Characterization of Oxidized Polymer-Derived SiBCN Fibers. (10) 2197
Coarsening of Lamellar Microstructures in Directionally Solidified Yttrium Aluminate/Alumina Eutectic Fiber. (12) 2991
Determination of Individual Fiber Failure in Fiber Bundles. (1) 123
Effects of Matrix Cracks on the Thermal Diffusivity of a Fiber-Reinforced Ceramic Composite. (9) 2015
Evolution of Impedance Spectra during Debonding and Pullout of Single Steel Fibers from Cement. (4) 740
Extraction of Weibull Parameters of Fiber Strength from Means and Standard Deviations of Failure Loads and Fiber Diameters. (3) 588
In-Plane Fracture Resistance of a Crossply Fibrous Monolith. (2) 367
Measuring Interphase Recession by Fiber Push-In Testing. (4) 866
Monazite Coatings on Fibers: I, Effect of Temperature and Alumina Doping on Coated-Fiber Tensile Strength. (12) 2783
Monazite Coatings on Fibers: II, Coating without Strength Degradation. (12) 2793
Oxidation of Low-Oxygen Silicon Carbide Fibers (Hi-Nicalon) in Carbon Dioxide. (12) 2975
Thermal Stability of Polycarbosilane-Derived Silicon Carbide Fibers under Reduced Pressures. (3) 566
Thermal Treatment of Titanate Derivatives Synthesized by Ion-Exchange Reaction. (5) 1181

films
Analyses of Multiple Film Cracking in Film/Substrate Systems. (12) 2955
Equilibrium Amorphous Silicon–Calcium–Oxygen Films at Interfaces in Copper–Alumina Composites Prepared by Melt Infiltration. (3) 623
Gas-Sensing Properties of Nanocrystalline WO_3 Films Made by Advanced Reactive Gas Deposition. (7) 1504
Mechanical Properties of Sputter-Deposited Titanium-Silicon-Carbon Films. (3) 672
Monolayer Packing of Submicrometer Ceramic Spheres by Employing a Langmuir–Blodgett Film of Dicarboxylic Acid. (2) 301
Potassium Lithium Niobate Films Derived from Aqueous Precursor Solution. (7) 1415
Preparation of Dense Platinum-Yttria Stabilized Zirconia; Yttria Stabilized Zirconia Films on Porous $La_{0.9}Sr_{0.1}MnO_3$ (LSM) Substrates. (2) 283
Residual Stresses in Alumina/Zirconia Composites: Effect of Cooling Rate and Grain Size. (12) 2962
Thickness Alteration of Grain-Boundary Amorphous Films during Creep of a Multiphase Silicon Nitride Ceramic. (6) 1296
Yttrium Aluminum Garnet (YAG) Films through a Precursor Plasma Spraying Technique. (8) 1906

finite element analysis
Residual-Stress Predictions in Polycrystalline Alumina. (12) 2947

fly ash
Nucleation and Crystallization of New Glasses from Fly Ash Originating from Thermal Power Plants. (8) 1851

foams
Conductive Ceramic Foams from Preceramic Polymers. (10) 2265
Mechanical Properties of Silicon Oxycarbide Ceramic Foams. (10) 2245

formation
Effect of Activated Carbon Bed on Binder Removal from Ceramic Injection Moldings. (3) 675
Effect of Polymer Crystallinity on Morphology in Ceramic Injection Molding. (12) 2750
Theoretical Investigation of Heat Transfer in Glass Forming. (10) 2296

fracture
Design and Fracture of Layered Al_2O_3/TZ3Y Composites Produced by Electrophoretic Deposition. (3) 571
Fracture Behavior of SiC-Whisker-Reinforced Barium Aluminosilicate Glass-Ceramic Matrix Composites. (4) 881

fracture mechanics/toughness
Crack Growth along Interfaces in Porous Ceramic Layers. (9) 2051
Fracture Resistance of Highly Textured Alumina. (7) 1514
Fracture Toughness of Amorphous Precursor-Derived Ceramics in the Silicon–Carbon–Nitrogen System. (10) 2203
High-Temperature Fracture Energy of Superplastically Forged Silicon Nitride. (8) 1791
In-Plane Fracture Resistance of a Crossply Fibrous Monolith. (2) 367
Investigation of Thermal Shock in a High-Temperature Refractory Ceramic: A Fracture Mechanics Approach. (6) 1309
Relationship between Microstructure and Fracture Toughness of Toughened Silicon Carbide Ceramics. (6) 1347

friction
Role of Internal Friction in Indentation Damage in a Mica-Containing Glass-Ceramic. (11) 2603

fuel cells
Effect of Phosphorus Ions on the Proton Conductivity in the Sol–Gel-Derived Porous Glasses. (11) 2553

Fabrication and Characterization of γ-$LiAlO_2$ Matrices Using an Aqueous Tape-Casting Process. (5) 937
Synthesis of CoO/Ni Composite Powders for Molten Carbonate Fuel Cells. (1) 233

functionally gradient materials
Dense Layered Molybdenum Disilicide–Silicon Carbide Functionally Graded Composites Formed by Field-Activated Synthesis. (5) 962
Temperature and Stress Distributions in a Hollow Cylinder of Functionally Graded Material: The Case of Temperature-Independent Material Properties. (5) 1059

gallium/gallium compounds
Phase Diagram Studies in the Systems La_2O_3–SrO–Ga_2O_3, La_2O_3–MgO–Ga_2O_3, and SrO–MgO–Ga_2O_3 at 1400°C in Air. (5) 1093

gelcasting
Egg White as an Environmentally Friendly Low-Cost Binder for Gelcasting of Ceramics. (12) 3047
Water-Based Gelcasting of Surface-Coated Silicon Nitride Powder. (4) 701

gels
Aqueous Gel-Forming of Silicon Nitride Using Carrageenans. (1) 62
Dynamic Rheology of Agar Gel Based Aqueous Binders. (6) 1217
Optical Spectra of Nickel-Bearing Silicate Gels Prepared by the Geopolymer Technique, with Special Reference to the Low-Temperature Formation of Liebenbergite (Ni_2SiO_4). (8) 1717

glass
^{125}Te, ^{27}Al, and ^{71}Ga NMR Study of M_2O_3–TeO_2 (M = Al and Ga) Glasses. (4) 836
Apatite Formation on Calcium Phosphate Invert Glasses in Simulated Body Fluid. (2) 450
Cation Effects on Anion Distributions in Aluminophosphate Glasses. (5) 1025
Comment on "Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes". (11) 2743
Effect of Neodymium:Yttrium Aluminum Garnet Laser Irradiation on Crystallization in Li_2O–Al_2O_3–SiO_2 Glass. (10) 2433
Effect of Oxidation State of Iron on Phase Separation in Sodium Silicate Glasses. (8) 1859
Energy Transfer Process for the Blue Up-Conversion in Calcium Aluminate Glasses Doped with Tm^{3+} and Nd^{3+}. (2) 348
Enthalpies of Chromium Oxide Solution in Soda Lime Borosilicate Glass Systems. (12) 2987
Flaw-Insensitive Ion-Exchanged Glass: I, Theoretical Aspects. (8) 1827
Flaw-Insensitive Ion-Exchanged Glass: II, Production and Mechanical Performance. (8) 1832
Interaction of Gamma Rays with Calcium Aluminoborate Glasses Containing Holmium or Erbium. (9) 2065
IR and XPS Studies on the Surface Structure of Poled ZnO–TeO_2 Glasses with Second-Order Nonlinearity. (1) 214
Kinetic Model for Crystallization in White Ceramic Glazes. (1) 23
Limitations of the Augis and Bennett Method for Kinetic Analysis of the Crystallization of Glasses and Conditions for Correct Use. (8) 1797
Measurement of Very Slow Crack Growth in Glass. (11) 2585
Morphology of Vickers Indent Flaws in Soda–Lime–Silica Glass. (10) 2361
Nucleation and Crystallization of New Glasses from Fly Ash Originating from Thermal Power Plants. (8) 1851
Partially Reduced Cuprous Oxide Nanoparticles Formed in Porous Glass Reaction Fields. (10) 2269
Reply to "Comment on 'Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes'". (11) 2745
Shrinkage Behavior of Knoop Indentations in Silica and Soda–Lime–Silica Glasses. (9) 2141
Solubility of Gases in Vitreous Silica Described by a Distribution of Dissolution Energies. (11) 2699
Sol–Gel-Derived Silicon-Boron Oxycarbide Glasses Containing Mixed Silicon Oxycarbide (SiC_xO_{4-x}) and Boron Oxycarbide (BC_xO_{3-x}) Units. (10) 2160
Spectroscopic Properties and Thermal Stability of Er^{3+}-Doped Germanotellurite Glasses for Broadband Fiber Amplifiers. (1) 165
Surface Damage Resistance of Gel-Derived Oxycarbide Glasses: Hardness, Toughness, and Scratchability. (10) 2220
Theoretical Investigation of Heat Transfer in Glass Forming. (10) 2296
Transmission Electron Microscopy and Electron Energy-Loss Spectroscopy Study of Nonstoichiometric Silicon-Carbon-Oxygen Glasses. (10) 2189
Unusual Elastic and Mechanical Behaviors of Copper Phosphate Glasses with Different Copper Valence States. (10) 2401

glass-ceramics
Devitrification Kinetics and Mechanism of K_2O–CaO–SrO–BaO–B_2O_3–SiO_2 Glass-Ceramic. (6) 1354
Effect of Composition and Crystallization Temperature on Microstructure of Y- and Er-SiAlON I_{ss}-Phase Glass-Ceramics. (7) 1601
Effect of Composition on Microstructural Development in MgO–Al_2O_3–SiO_2 Glass-Ceramics. (5) 1108
High-Temperature Rheology of Calcium Aluminosilicate (Anorthite) Glass-Ceramics under Uniaxial and Triaxial Loading. (11) 2617
Phase Separation in an SiCO Glass Studied by Transmission Electron Microscopy and Electron Energy-Loss Spectroscopy. (5) 1073
Role of Internal Friction in Indentation Damage in a Mica-Containing Glass-Ceramic. (11) 2603
Sol–Gel Synthesis of Silica-Based Oxyfluoride Glass-Ceramic Thin Films: Incorporation of Eu^{3+} Activators into Crystallites. (11) 2716

gold
Origin of Gas Porosity in Gold-Based Alloys Cast in Calcium Sulfate-Bonded Investment and Influence of Metal Oxide Acid–Base Properties on Calcium Sulfate Thermal Stability. (8) 1839

grain boundaries
Exuding Liquid from Grain Boundaries in Alumina. (4) 859
Flexural Creep of an *in Situ*-Toughened Silicon Carbide. (9) 2022
Grain Boundaries of Semiconducting $SrTiO_3$ and $BaTiO_3$ Ceramics Synthesized from Surface-Coated Powders. (9) 1937
Interactions and Chemistry of Defects at the Grain Boundaries of Ceramics. (3) 539
Local Viscosity of Si-O-C-N Nanoscale Amorphous Phases at Ceramic Grain Boundaries. (10) 2225
Low-Frequency Measurements on the Grain-Boundary Internal Friction Peak in Chlorine-Doped Silicon Nitride. (10) 2366
Microcontact Impedance Spectroscopy at Single Grain Boundaries in Fe-Doped $SrTiO_3$ Polycrystals. (3) 521
Scavenging of Siliceous Grain-Boundary Phase of 8-mol%-Ytterbia-Stabilized Zirconia without Additive. (11) 2735
Secondary Phases in Hot-Pressed Aluminum-Boron-Carbon–Silicon Carbide. (4) 813
Structure and Chemistry of Yttria-Stabilized Cubic-Zirconia Symmetric Tilt Grain Boundaries. (6) 1361
Thickness Alteration of Grain-Boundary Amorphous Films during Creep of a Multiphase Silicon Nitride Ceramic. (6) 1296

grain growth
Effect of Coarse-Powder Portion on Abnormal Grain Growth during Hot Pressing of Commercial-Purity Alumina Powder. (5) 1143
Effect of Liquid Content on the Abnormal Grain Growth of Alumina. (7) 1597
Effect of Liquid Volume Fraction on Grain Growth of Magnesium Oxide Grains in Molten Calcium Magnesium Silicate Matrix. (12) 3027
Grain Growth Phenomena in the Interface Region of α-Alumina Bilayer Composites. (8) 1865
Kinetics of Templated Grain Growth of $0.65Pb(Mg_{1/3}Nb_{2/3})O_3$-$0.35PbTiO_3$. (11) 2507
Microstructure in Silicon Nitride Containing β-Phase Seeding: III, Grain Growth and Coalescence. (8) 1891
Residual Stresses in Alumina/Zirconia Composites: Effect of Cooling Rate and Grain Size. (12) 2962
Revisit to the Origin of Grain Growth Anomaly in Yttria-Doped Barium Titanate. (8) 1745
Three-Dimensional Simulation of Grain Growth in the Presence of Mobile Pores. (6) 1379

grain size
Apatite-Forming Ability of Sodium-Containing Titania Gels in a Simulated Body Fluid. (12) 2969
Grain-Size Effect on Compressive Creep of Silicon-Carbide-Whisker-Reinforced Aluminum Oxide. (7) 1645

grains
Tribological Properties of Unidirectionally Aligned Silicon Nitride. (11) 2579

granules
Packaging of Sol–Gel-Made Porous Nanostructured Titania Particles by Spray Drying. (12) 2802
Rheological Behavior of Dilute SiAlON with or without Intergranular X-Phase. (3) 598

graphite
Synthesis and Structure of Three-Dimensionally Ordered Graphitelike BC_2N Ternary Crystals. (2) 279

green body
Green State Joining of SiC without Applied Pressure. (11) 2479
Influence of Green Formulation and Pyrolyzable Particulates on the Porous Microstructure and Sintering Characteristics of Tape Cast Ceramics. (1) 41
Mechanical Properties of Dry-Pressed Alumina Green Bodies. (7) 1405

green density
Roles of Poly(propylene glycol) during Solvent-Based Lamination of Ceramic Green Tapes. (2) 289
Strength of Green Ceramics with Low Binder Content. (12) 2809

grinding
Dye Impregnation Method for Revealing Machining Crack Geometry. (4) 795

hafnium/hafnium compounds
In Situ Ultraviolet Raman Study on the Phase Transition of Hafnia up to 2085 K. (3) 663
Phase Equilibria in the Hafnia–Yttria–Lanthana System. (10) 2415
Phase Relations and Volume Changes of Hafnia under High Pressure and High Temperature. (6) 1369

hardness
Brittle Fracture versus Quasi Plasticity in Ceramics: A Simple Predictive Index. (3) 561
Nanoindentation of a Polymer-Derived Amorphous Silicon Carbonitride Ceramic. (5) 1164
Strain Hardening in Superplastic Codoped Yttria-Stabilized Tetragonal-Zirconia Polycrystals. (12) 2981

heat treatment
Effect of Vacuum Heat Treatment on Electron-Beam-Irradiation-Cured Polycarbosilane Fibers. (1) 111
Nanocrystalline α-Al_2O_3 Using Sucrose. (10) 2421
Oxidation of Low-Oxygen Silicon Carbide Fibers (Hi-Nicalon) in Carbon Dioxide. (12) 2975
Scavenging of Siliceous Grain-Boundary Phase of 8-mol%-Ytterbia-Stabilized Zirconia without Additive. (11) 2735

heaters/heating
Effect of Heating Rate on the Sintering Behavior and the Piezoelectric Properties of Lead Zirconate Titanate Ceramics. (4) 902

Hertzian cone cracks
Contact-induced Damage in Ceramic Coatings on Compliant Substrates: Fracture Mechanics and Design. (5) 1066

Hertzian contact
Effect of Flaw State on the Strength of Brittle Coatings on Soft Substrates. (10) 2377

high temperature
High-Temperature Proton Conductors for the Injection of Hydrogen into a Vacuum. (9) 1996
High-Temperature Strength Behavior of Synroc-C. (1) 117
Molecular Dynamics Study of Atomic Structure and Diffusion Behavior in Amorphous Silicon Nitride Containing Boron. (10) 2213
Nanoscale Densification Creep in Polymer-Derived Silicon Carbonitrides at 1350°C. (10) 2208
Novel Silicon-Boron-Carbon-Nitrogen Materials Thermally Stable up to 2200°C. (10) 2179
Phase Relationship between 3C- and 6H-Silicon Carbide at High Pressure and High Temperature. (12) 3013
Stresses Occurring during Joining of Ceramics Using Preceramic Polymers. (10) 2240
Transmission Electron Microscopy and Electron Energy-Loss Spectroscopy Study of Nonstoichiometric Silicon-Carbon-Oxygen Glasses. (10) 2189

hydration
Hydration Characteristics of Portland Cement after Heat Curing: I, Degree of Hydration of the Anhydrous Cement Phases. (3) 608
Improvement in Hydration Reactivity of α-Phase Belite by Remelting Reaction. (3) 639
Properties of Portland Cement Pastes Incorporating Nanometer-Sized Franklinite Particles Obtained from Electric-Arc-Furnace Dust. (12) 2909

hydrogen
High-Temperature Proton Conductors for the Injection of Hydrogen into a Vacuum. (9) 1996
Water-Based Gelcasting of Surface-Coated Silicon Nitride Powder. (4) 701

hydrolysis
Formation Mechanism of Hydrous Zirconia Particles Produced by the Hydrolysis of $ZrOCl_2$ Solutions: III, Kinetics Study for the Nucleation and Crystal-Growth Processes of Primary Particles. (10) 2303
Hydrolysis Deposition of Thin Films of Antimony-Doped Tin Oxide. (4) 869

hydroxyapatite
Dispersion and Slip Casting of Hydroxyapatite. (8) 1710
Gel-to-Ceramic Conversion during Hydroxyapatite Synthesis. (9) 2123
Hydroxyapatite Coating on Thermally Oxidized Titanium Substrates. (9) 2135
Mechanochemical Synthesis of Hydroxyapatite from Calcium Oxide and Brushite. (2) 465
Molten Salt Synthesis of Calcium Hydroxyapatite Whiskers. (2) 295
Preparation of Hydroxyapatite Lathlike Particles Using High-Speed Dispersing Equipment. (6) 1203
Synthesis of a Hydroxyapatite/Collagen/Chondroitin Sulfate Nanocomposite by a Novel Precipitation Method. (2) 459

impedance
Evolution of Impedance Spectra during Debonding and Pullout of Single Steel Fibers from Cement. (4) 740
Microcontact Impedance Spectroscopy at Single Grain Boundaries in Fe-Doped $SrTiO_3$ Polycrystals. (3) 521

impurities
Determination and Control of Metallic Impurities in Alumina Deposits Obtained by Aqueous Electrophoretic Deposition. (4) 733

Impurity-Dependent Morphology and Grain Growth in Liquid-Phase-Sintered Alumina. (7) 1620

indentation

Mesoscopic Nonlinear Elastic Modulus of Thermal Barrier Coatings Determined by Cylindrical Punch Indentation. (11) 2739

Nanoindentation of a Polymer-Derived Amorphous Silicon Carbonitride Ceramic. (5) 1164

Role of Internal Friction in Indentation Damage in a Mica-Containing Glass-Ceramic. (11) 2603

Shrinkage Behavior of Knoop Indentations in Silica and Soda–Lime–Silica Glasses. (9) 2141

Visualization of Knoop Indentation Damage of Silicon Nitride by Plasma Etching. (10) 2427

indium/indium compounds

Fabrication of Low-Porosity Indium Tin Oxide Ceramics in Air from Hydrothermally Prepared Powder. (1) 251

infrared techniques

Infrared Microscopy for Examination of Structure in Spray-Dried Granules and Compacts. (1) 254

ink-jet

Bimodal Ceramic Ink for Continuous Ink-Jet Printer Plasma Spraying. (6) 1257

Ink-Jet Printing of Wax-Based Alumina Suspensions. (11) 2514

Solid Freeforming of Silicon Carbide by Inkjet Printing Using a Polymeric Precursor. (2) 307

interfaces

Grain Growth Phenomena in the Interface Region of α-Alumina Bilayer Composites. (8) 1865

Interactions and Chemistry of Defects at the Grain Boundaries of Ceramics. (3) 539

Interactions between Clay Bodies and Lead Glazes. (5) 1120

Oxide–Oxide Interfaces: Atomistic and Density Functional Study of Cubic-ZrO_2 (100) ‖ NiO (111). (11) 2677

Raman Study of the Interface between Hot-Pressed Silica Parts. (1) 29

Thermal Shock of Layered Ceramic Structures with Crack-Deflecting Interfaces. (1) 104

ion-exchange

Development of Surface Compressive Stresses in Zirconia–Alumina Composites by an Ion-Exchange Process. (6) 1321

Flaw-Insensitive Ion-Exchanged Glass: I, Theoretical Aspects. (8) 1827

Flaw-Insensitive Ion-Exchanged Glass: II, Production and Mechanical Performance. (8) 1832

Thermal Treatment of Titanate Derivatives Synthesized by Ion-Exchange Reaction. (5) 1181

iron/iron compounds

Behavior of Paramagnetic Iron during the Thermal Transformations of Kaolinite. (5) 1017

Comment on "Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes". (11) 2743

Dielectric Properties of Lead Magnesium Niobate and Lead Iron Niobate Prepared by the Semiwet Hydroxide Route. (9) 2126

Effect of Oxidation State of Iron on Phase Separation in Sodium Silicate Glasses. (8) 1859

Microwave-Hydrothermal Synthesis of Monodispersed Nanophase α-Fe_2O_3. (10) 2313

One-Step Synthesis and Consolidation of Nanophase Iron Aluminide. (5) 910

Reply to "Comment on 'Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes'". (11) 2745

Role of Structural Fe(III) and Iron Oxide Nanophases in Mullite Coloration. (7) 1627

joints/joining

Green State Joining of SiC without Applied Pressure. (11) 2479

Seamless Joining of Silicon Nitride Ceramics. (4) 708

Stresses Occurring during Joining of Ceramics Using Preceramic Polymers. (10) 2240

X-ray Tomography Study on Green State Joining of Silicon Carbide Using Polymer Precursors. (9) 1961

kaolinite

Behavior of Paramagnetic Iron during the Thermal Transformations of Kaolinite. (5) 1017

Electron-Beam-Induced Phase Transformations from Metakaolinite to Mullite Investigated by EF-TEM and HRTEM. (9) 2096

kinetics

Coarsening of Lamellar Microstructures in Directionally Solidified Yttrium Aluminate/Alumina Eutectic Fiber. (12) 2991

Devitrification Kinetics and Mechanism of K_2O–CaO–SrO–BaO–B_2O_3–SiO_2 Glass-Ceramic. (6) 1354

Effect of Composition on Microstructural Development in MgO–Al_2O_3–SiO_2 Glass-Ceramics. (5) 1108

Kinetics of Templated Grain Growth of $0.65Pb(Mg_{1/3}Nb_{2/3})O_3$-$0.35PbTiO_3$. (11) 2507

Limitations of the Augis and Bennett Method for Kinetic Analysis of the Crystallization of Glasses and Conditions for Correct Use. (8) 1797

Microwave Effects in Lead Zirconium Titanate Synthesis: Enhanced Kinetics and Changed Mechanisms. (6) 1197

Modeling the Kinetics of Volatilization from Glass Melts. (9) 1952

Oxidation Kinetics of an Amorphous Silicon Carbonitride Ceramic. (8) 1803

Oxygen Transport in Silica at High Temperatures: Implications of Oxidation Kinetics. (11) 2607

Precursor-Derived Si-B-C-N Ceramics: Oxidation Kinetics. (10) 2184

Thermal Expansion Kinetics: Method to Measure Permeability of Cementitious Materials: II, Application to Hardened Cement Pastes. (2) 385

laminates

Alumina/NiCu Laminate under Thermal Shock up to 1000°C: I, Experimental. (12) 2819

Alumina/NiCu Laminate under Thermal Shock up to 1000°C: II, Prediction of the Laminate Behavior. (12) 2827

Cosintering Simulation and Experimentation: Case Study of Nanocrystalline Zirconia. (12) 2757

Effect of the Magnetostrictive Layer on Magnetoelectric Properties in Lead Zirconate Titanate/Terfenol-D Laminate Composites. (12) 2905

Experimental Observations of High Fracture Resistance in Silicon Carbide/Alumina Laminated Composites. (10) 2451

Roles of Poly(propylene glycol) during Solvent-Based Lamination of Ceramic Green Tapes. (2) 289

lanthanum/lanthanum compounds

An Alternative Explanation for the Origin of the Resistivity Anomaly in La-Doped $BaTiO_3$. (2) 474

Characterization of Lanthanum-Doped Barium Titanate Ceramics Using Impedance Spectroscopy. (3) 531

Crystal Structure Refinement of $La_{0.683}(Ti_{0.95}Al_{0.05})O_3$ Perovskite by the Rietveld Method. (2) 468

Fabrication of Lanthanum Manganese Oxide Thin Films on Yttria-Stabilized Zirconia Substrates by a Chemically Modified Alkoxide Method. (10) 2323

Hydrothermal Synthesis and Formation Mechanisms of Lanthanum Tin Pyrochlore Oxide. (11) 2531

Mechanochemical Synthesis of Lanthanum Oxyfluoride from Lanthanum Oxide and Lanthanum Fluoride. (4) 863

Phase Diagram Studies in the Systems La_2O_3–SrO–Ga_2O_3, La_2O_3–MgO–Ga_2O_3, and SrO–MgO–Ga_2O_3 at 1400°C in Air. (5) 1093

Phase Equilibria in the Hafnia–Yttria–Lanthana System. (10) 2415

Preparation of Nanosized Perovskite-Type $LaMnO_3$ Powders Using the Thermal Decomposition of a Heteronuclear Complex, $LaMn(dhbaen)(OH)(NO_3)(H_2O)_4$. (5) 969

Structure and Magnetic Properties of $La_{0.7}Ca_{0.3}MnO_{3-\delta}$ for $(3 - \delta) < 3.0$. (4) 747

Thermal Expansion Behavior of Titanium-Doped La(Sr)CrO_3 Solid Oxide Fuel Cell Interconnects. (11) 2573

Thermal Stability of Lanthanum Zirconate Plasma-Sprayed Coating. (9) 2086

lattice

Electrical Conductivity and Lattice Defects in Nanocrystalline Cerium Oxide Thin Films. (9) 2007

layered ceramics

Effect of Tangential Loading on Critical Conditions for Radial Cracking in Brittle Coatings. (11) 2719

Grain Growth Phenomena in the Interface Region of α-Alumina Bilayer Composites. (8) 1865

lead

Crystallization of Lead Niobate Glass by Mechanical Activation. (11) 2691

Interactions between Clay Bodies and Lead Glazes. (5) 1120

lead lanthanum zirconate titanate

Microstructural Evolution of Transparent PLZT Ceramics Sintered in Air and Oxygen Atmospheres. (7) 1465

lead magnesium niobates

Dielectric Properties of Lead Magnesium Niobate and Lead Iron Niobate Prepared by the Semiwet Hydroxide Route. (9) 2126

Dielectric Properties of the Perovskite System $Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$ Modified by $Pb(Mg_{1/3}Ta_{2/3})O_3$ and $Pb(Zn_{1/3}Nb_{2/3})O_3$. (6) 1281

Effects of Calcium Substitution on the Structural and Microwave Dielectric Characteristics of $[(Pb_{1-x}Ca_x)_{1/2}La_{1/2}](Mg_{1/2}Nb_{1/2})O_3$ Ceramics. (6) 1291

Kinetics of Templated Grain Growth of $0.65Pb(Mg_{1/3}Nb_{2/3})O_3$-$0.35PbTiO_3$. (11) 2507

Low-Temperature Reactive Sintering of 0.65PMN-0.35PT. (3) 648

Preparation of Dense Lead Magnesium Niobate–Lead Titanate ($Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$) Ceramics by Spark Plasma Sintering. (12) 3059

Study on the Effects of Lanthanum Doping on the Microstructure and Dielectric Properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$. (2) 314

Synthesis of $Pb(Mg_{1/3}Nb_{2/3})O_3$ in Excess Lead Oxide by Mechanical Activation. (3) 660

lead oxide

Phase Equilibria in the Lead–Magnesium–Niobium–Oxygen System at 1000°C. (9) 2150

Synthesis of $Pb(Mg_{1/3}Nb_{2/3})O_3$ in Excess Lead Oxide by Mechanical Activation. (3) 660

lead titanate

Dielectric Properties of the Perovskite System $Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$ Modified by $Pb(Mg_{1/3}Ta_{2/3})O_3$ and $Pb(Zn_{1/3}Nb_{2/3})O_3$. (6) 1281

Effect of the Pb/Ti Source Ratio on the Crystallization of $PbTiO_3$ Thin Films Grown by Metalorganic Chemical Vapor Deposition at Low Temperature of 400°C. (1) 207

Low-Temperature Reactive Sintering of 0.65PMN-0.35PT. (3) 648

Morphotropic Phase Boundary in the $Pb(Zn_{1/3}Nb_{2/3}O_3)$–$BaTiO_3$–$PbTiO_3$ System. (8) 1740

Preparation of Dense Lead Magnesium Niobate–Lead Titanate ($Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$) Ceramics by Spark Plasma Sintering. (12) 3059

Rapid Preparation of Lead Titanate Sputtering Target Using Spark-Plasma Sintering. (11) 2521

Study on the Effects of Lanthanum Doping on the Microstructure and Dielectric Properties of $0.9Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.1PbTiO_3$. (2) 314

lead zinc niobates

Effect of Lead Content on the Structure and Electrical Properties of $Pb((Zn_{1/3}Nb_{2/3})_{0.5}(Zr_{0.47}Ti_{0.53})_{0.5})O_3$ Ceramics. (3) 636

lead zirconate titanate

C_{60} Nanowhiskers in a Mixture of Lead Zirconate Titanate Sol–C_{60} Toluene Solution. (12) 3036

Direct-Write Fabrication of $Pb(Nb,Zr,Ti)O_3$ Devices: Influence of Paste Rheology on Print Morphology and Component Properties. (11) 2462

Effect of Heating Rate on the Sintering Behavior and the Piezoelectric Properties of Lead Zirconate Titanate Ceramics. (4) 902

Effect of the Magnetostrictive Layer on Magnetoelectric Properties in Lead Zirconate Titanate/Terfenol-D Laminate Composites. (12) 2905

Electromechanical Properties of a Ceramic d_{31}-Gradient Flextensional Actuator. (5) 996

Lead Zirconate Titanate Thin Films on Base-Metal Foils: An Approach for Embedded High-Permittivity Passive Components. (10) 2436

Microwave Effects in Lead Zirconium Titanate Synthesis: Enhanced Kinetics and Changed Mechanisms. (6) 1197

Phase Stability and Ferroelectric Properties of Lead Strontium Zirconate Titanate Ceramics. (2) 333

Pressure-Induced Phase Transformation of Controlled-Porosity $Pb(Zr_{0.95}Ti_{0.05})O_3$ Ceramics. (6) 1260

Processing and Properties of Screen-Printed Lead Zirconate Titanate Piezoelectric Thick Films on Electroded Silicon. (12) 2863

Robocast $Pb(Zr_{0.95}Ti_{0.05})O_3$ Ceramic Monoliths and Composites. (4) 872

Sintering Behavior and Surface Microstructure of PbO-Rich $PbNi_{1/3}Nb_{2/3}O_3$–$PbTiO_3$–$PbZrO_3$ Ceramics. (11) 2469

Structural and Property Evolution of Aqueous-Based Lead Zirconate Titanate Tape-Cast Layers. (11) 2495

Synthesis of Lead Nickel Niobate–Lead Zirconate Titanate Solid Solutions by a B-site Precursor Method. (12) 2869

lithium

Fabrication and Characterization of γ-$LiAlO_2$ Matrices Using an Aqueous Tape-Casting Process. (5) 937

Mechanochemical Synthesis and Electrochemical Properties of $LiMn_2O_4$. (1) 242

Mullite–β-Spodumene Composites from Aluminosilicates. (8) 1703

luminescence

Sodium Carbonate Flux Effects on the Luminescence Characteristics of $(Y_{0.5}Gd_{0.5})_2O_3$:Eu Phosphor Particles Prepared by Spray Pyrolysis. (2) 447

Sol–Gel Synthesis of Silica-Based Oxyfluoride Glass-Ceramic Thin Films: Incorporation of Eu^{3+} Activators into Crystallites. (11) 2716

magnesium

Phase Diagram Studies in the Systems La_2O_3–SrO–Ga_2O_3, La_2O_3–MgO–Ga_2O_3, and SrO–MgO–Ga_2O_3 at 1400°C in Air. (5) 1093

magnesium oxide

In Situ Processing of a Porous Calcium Zirconate/Magnesia Composite with Platinum Nanodispersion and Its Influence on Nitric Oxide Decomposition. (11) 2713

Effect of Liquid Volume Fraction on Grain Growth of Magnesium Oxide Grains in Molten Calcium Magnesium Silicate Matrix. (12) 3027

Effect of Magnesium Oxide on Faceted Vicinal (0001) Surface of Aluminum Oxide. (2) 456

Effect of Rapid Solidification on Microstructural Evolution in MgO–$MgAl_2O_4$. (8) 1873

$MgSiN_2$ Addition as a Means of Increasing the Thermal Conductivity of β-Silicon Nitride. (12) 3062

Oxidation Protection of MgO–C Refractories by Means of $Al_8B_4C_7$. (3) 577

Phase Equilibria in the Lead–Magnesium–Niobium–Oxygen System at 1000°C. (9) 2150

Residual Stresses in Alumina/Zirconia Composites: Effect of Cooling Rate and Grain Size. (12) 2962

Solubility of Magnesia in Polycrystalline Alumina at High Temperatures. (2) 420

magnetic materials/properties

Effect of the Magnetostrictive Layer on Magnetoelectric Properties in Lead Zirconate Titanate/Terfenol-D Laminate Composites. (12) 2905

Investigation of Magnetic Force for Barium and Strontium Ferrites. (5) 1184

Structure and Magnetic Properties of $La_{0.7}Ca_{0.3}MnO_{3-\delta}$ for $(3 - \delta) < 3.0$. (4) 747

manganese/manganese compounds

Structure and Magnetic Properties of $La_{0.7}Ca_{0.3}MnO_{3-\delta}$ for $(3 - \delta) < 3.0$. (4) 747

measurement

Temperature Measurements during Microwave Processing: The Significance of Thermocouple Effects. (9) 1981

mechanical properties

Advanced Alumina Composites Reinforced with Titanium-Based Alloys. (7) 1509

Effect of β-to-α Phase Transformation on the Microstructural Development and Mechanical Properties of Fine-Grained Silicon Carbide Ceramics. (5) 945

Effects of Matrix Porosity on the Mechanical Properties of a Porous-Matrix, All-Oxide Ceramic Composite. (11) 2594

Electromechanical Properties of a Ceramic d_{31}-Gradient Flextensional Actuator. (5) 996

High-Temperature Mechanical Properties of $SiC–Mo_5(Si,Al)_3C$ Composites. (2) 413

Mechanical Properties of CoAl Materials with the Combined Additions of $ZrO_2(3Y)$ and Al_2O_3. (10) 2445

Mechanical Properties of Dry-Pressed Alumina Green Bodies. (7) 1405

Microstructure and Mechanical Properties of Porous Alumina Ceramics Fabricated by the Decomposition of Aluminum Hydroxide. (11) 2638

Processing and Mechanical Properties of Al_2O_3/Ni_3Al Composites with Interpenetrating Network Microstructure. (9) 2034

Unusual Elastic and Mechanical Behaviors of Copper Phosphate Glasses with Different Copper Valence States. (10) 2401

melts

Improvement in Hydration Reactivity of α-Phase Belite by Remelting Reaction. (3) 639

Modeling the Kinetics of Volatilization from Glass Melts. (9) 1952

Solubility of Platinum and Rhodium in *Lime–Alumina–Silica Melts at 1700 K*. (5) 1097

membranes

A Simple and Cost-Effective Approach to Fabrication of Dense Ceramic Membranes on Porous Substrates. (8) 1903

Ceramic Membrane Filter Using Ultrafine Powders. (9) 2144

Compressive Creep Performance of $SrFeO_3$. (8) 1822

Ethene/Ethane (C_2H_4/C_2H_6) Separation through an Inorganic–Organic Hybrid Membrane Containing Silver(I) Ions as Olefin Carriers, Using Poly(*N*-vinylpyrrolidone) as a Mediation Agent. (3) 654

Preparation and Properties of Hydrothermally Stable γ-Alumina Membranes. (1) 136

microstructure

Calculating the Thermal Conductivity of Heated Powder Compacts. (6) 1315

Computer Simulations of Diffraction Effects due to Stacking Faults in β-SiC: II, Experimental Verification. (11) 2645

Differences between Zirconium Hydroxide ($Zr(OH)_4{\cdot}nH_2O$) and Hydrous Zirconia ($ZrO_2{\cdot}nH_2O$). (7) 1637

Effect of Composition on Microstructural Development in $MgO–Al_2O_3–SiO_2$ Glass-Ceramics. (5) 1108

Effect of Liquid Content on the Abnormal Grain Growth of Alumina. (7) 1597

Effect of Rapid Solidification on Microstructural Evolution in $MgO–MgAl_2O_4$. (8) 1873

Effect of Surface Impurities on the Microstructure Development during Sintering of Alumina. (6) 1386

Effect of Ultrasonication on the Microstructure and Tensile Elongation of Zirconia-Dispersed Alumina Ceramics Prepared by Colloidal Processing. (9) 2132

Effect of β-Seed Addition on the Microstructural Evolution of Silicon Nitride Ceramics. (12) 3039

Effect of β-to-α Phase Transformation on the Microstructural Development and Mechanical Properties of Fine-Grained Silicon Carbide Ceramics. (5) 945

Effects of Intergranular Phase Chemistry on the Microstructure and Mechanical Properties of Silicon Carbide Ceramics Densified with Rare-Earth Oxide and Alumina Additions. (7) 1642

Etching for Microstructural Observation of Cemented Submicrometer-Sized Carbides. (4) 899

Evidence of Nearest-Neighbor Ordering in Wet-Processed Zirconia–Nickel Composites. (10) 2439

Ferroelastic and Plastic Deformation of *t'*-Zirconia Single Crystals. (8) 1755

Flexural Creep of an *in Situ*-Toughened Silicon Carbide. (9) 2022

High-Resolution Transmission Electron Microscopy Observations on Antiphase Boundaries in Barium Lanthanum Magnesium Niobate. (8) 1909

Luster Pottery from the Thirteenth Century to the Sixteenth Century: A Nanostructured Thin Metallic Film. (2) 442

Microstructural Characteristics of Strontium Magnesium Niobate. (12) 3031

Microstructural Evolution during Sintering of Aluminum Nitride Ceramics Doped with Alumina and Yttria. (3) 631

Microstructural Evolution in Liquid-Phase-Sintered SiC: Part I, Effect of Starting Powder. (7) 1578

Microstructural Evolution in Liquid-Phase-Sintered SiC: Part II, Effects of Planar Defects and Seeds in the Starting Powder. (7) 1585

Microstructural Investigations of Barium Titanate-Based Material for Base Metal Electrode Ceramic Multilayer Capacitor. (4) 821

Microstructure and Dielectric Properties of Barium Strontium Magnesium Niobate. (9) 2105

Microstructure and Mechanical Properties of Silicon Nitride Materials Fabricated from SHS Powders. (5) 1033

Microstructure in Silicon Nitride Containing β-Phase Seeding: III, Grain Growth and Coalescence. (8) 1891

Microstructure of a Molybdenum Nitride Layer Formed by Nitriding Molybdenum Metal. (5) 1175

Microstructure of Ti(CN)–WC–NbC–Ni Cermets. (4) 843

Relationship between Microstructure and Fracture Toughness of Toughened Silicon Carbide Ceramics. (6) 1347

Sintering Behavior and Surface Microstructure of PbO-Rich $PbNi_{1/3}Nb_{2/3}O_3–PbTiO_3–PbZrO_3$ Ceramics. (11) 2469

microwaves

Densification Behavior in Microwave-Sintered Silicon Nitride at 28 GHz. (10) 2424

Effect of Nb_2O_5/ZnO Addition on Microwave Properties of $(Zr_{0.8}Sn_{0.2})TiO_4$ Ceramics. (11) 2542

Influence of Copper(II) Oxide Additions to Zinc Niobate Microwave Ceramics on Sintering Temperature and Dielectric Properties. (6) 1286

Microwave Effects in Lead Zirconium Titanate Synthesis: Enhanced Kinetics and Changed Mechanisms. (6) 1197

Microwave-Hydrothermal Synthesis of Monodispersed Nanophase $\alpha-Fe_2O_3$. (10) 2313

Microwave-Hydrothermal Synthesis of Nanocrystalline Zirconia Powders. (11) 2728

Nepheline and Carnegieite Ceramics from A-Type Zeolites by Microwave Heating. (2) 321

Preparation, Characterization, and Microwave Properties of $RETiNbO_6$ (RE = Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Y, and Yb) Dielectric Ceramics. (7) 1487

Temperature Measurements during Microwave Processing: The Significance of Thermocouple Effects. (9) 1981

mills/milling

Preparation of $Li_2S–P_2S_5$ Amorphous Solid Electrolytes by Mechanical Milling. (2) 477

modeling/model

Computer Simulations of Diffraction Effects due to Stacking Faults in β-SiC: II, Experimental Verification. (11) 2645

High-Temperature Morphological Evolution of Lithographically Introduced Cavities in Silicon Carbide. (5) 921

Modeling the Kinetics of Volatilization from Glass Melts. (9) 1952

Permeability of Porous Ceramics Considering the Klinkenberg and Inertial Effects. (5) 941

Structure and Chemistry of Yttria-Stabilized Cubic-Zirconia Symmetric Tilt Grain Boundaries. (6) 1361

Three-Dimensional Simulation of Grain Growth in the Presence of Mobile Pores. (6) 1379

Using Nanoscaled Powder as an Additive in Coarse-Grained Powder. (2) 261

molybdenum

Microstructure of a Molybdenum Nitride Layer Formed by Nitriding Molybdenum Metal. (5) 1175

molybdenum disilicide

Dense Layered Molybdenum Disilicide–Silicon Carbide Functionally Graded Composites Formed by Field-Activated Synthesis. (5) 962

Electrical Characterization of Polymethylsiloxane/$MoSi_2$-Derived Composite Ceramics. (10) 2256

Silicon Nitride/Molybdenum Disilicide Composite with Superior Long-Term Oxidation Resistance at 1500°C. (10) 2430

morphology

Effect of Polymer Crystallinity on Morphology in Ceramic Injection Molding. (12) 2750

Morphology and Phase Stability of Nitrogen–Partially Stabilized Zirconia (N-PSZ). (1) 172

Nucleation Energy Barriers for Volume-Conserving Shape Changes of Crystals with Nonequilibrium Morphologies. (9) 2099

Preparation of Nickel Powders by Spray Pyrolysis of Nickel Formate. (7) 1425

mullite

Crack-Healing Behavior Under Stress of Mullite/Silicon Carbide Ceramics and the Resultant Fatigue Strength. (9) 2073

Cyclic Infiltration of Porous Zirconia Preforms with a Liquid Solution of Mullite Precursor. (1) 71

Effect of Oxygen Vacancies on the Hot Hardness of Mullite. (5) 1167

Electron-Beam-Induced Phase Transformations from Metakaolinite to Mullite Investigated by EF-TEM and HRTEM. (9) 2096

Flame Spray Pyrolysis of Precursors as a Route to Nano-mullite Powder: Powder Characterization and Sintering Behavior. (5) 951

Porous Mullite Preforms via Fused Deposition. (1) 221

Preparation of Short Mullite Fibers from Kaolin via the Addition of Foaming Agents. (3) 497

Processing of Mullite–Aluminum Composites. (3) 509

Role of Structural Fe(III) and Iron Oxide Nanophases in Mullite Coloration. (7) 1627

Secondary Ion Mass Spectroscopy Study of Oxygen-18 Tracer Diffusion in 2/1-Mullite Single Crystals. (12) 2845

Structural Control of Elastic Constants of Mullite in Comparison to Sillimanite. (10) 2409

Volume Fraction and Whisker Orientation Dependence of the Electrical Properties of SiC-Whisker-Reinforced Mullite Composites. (10) 2328

multilayer capacitor

Microstructural Investigations of Barium Titanate-Based Material for Base Metal Electrode Ceramic Multilayer Capacitor. (4) 821

nanocomposites

Nanofiber Formation in the Fabrication of Carbon/Silicon Carbide Ceramic Matrix Nanocomposites by Slurry Impregnation and Pulse Chemical Vapor Infiltration. (8) 1683

Synthesis of a Hydroxyapatite/Collagen/Chondroitin Sulfate Nanocomposite by a Novel Precipitation Method. (2) 459

Synthesis of Dense $TiB_2–TiN$ Nanocrystalline Composites through Mechanical and Field Activation. (6) 1209

nanomaterials

C_{60} Nanowhiskers in a Mixture of Lead Zirconate Titanate Sol–C_{60} Toluene Solution. (12) 3036

Gas-Sensing Properties of Nanocrystalline WO_3 Films Made by Advanced Reactive Gas Deposition. (7) 1504

Nanocrystalline $\alpha-Al_2O_3$ Using Sucrose. (10) 2421

Nonisothermal Synthesis of Yttria-Stabilized Zirconia Nanopowder through Oxalate Processing: II, Morphology Manipulation. (11) 2484

Preparation of Nanosized Perovskite-Type $LaMnO_3$ Powders Using the Thermal Decomposition of a Heteronuclear Complex, $LaMn(dhbaen)(OH)(NO_3)(H_2O)_4$. (5) 969

Role of Structural Fe(III) and Iron Oxide Nanophases in *Mullite Coloration*. (7) 1627

Synthesis of Nanocrystalline α-Alumina Powder Using Triethanolamine. (12) 2849

nanoparticulates

Cadmium Sulfide Aggregates through Reverse Micelles. (7) 1439

Effect of Silica Nanoparticle Size on the Stability of Alumina/Silica Suspensions. (4) 713

Electrokinetic Properties of Nanosized SiC Particles in Highly Concentrated Electrolyte Solutions. (7) 1411

Flame Spray Pyrolysis of Precursors as a Route to Nano-mullite Powder: Powder Characterization and Sintering Behavior. (5) 951

Hydrothermal Synthesis of Nanosized Titania Powders: Influence of Tetraalkyl Ammonium Hydroxides on Particle Characteristics. (8) 1696

Nanocrystalline Zirconia Surface-Doped with Alumina: Chemical Vapor Synthesis, Characterization, and Properties. (12) 2771

Partially Reduced Cuprous Oxide Nanoparticles Formed in Porous Glass Reaction Fields. (10) 2269

Single-Source Sol–Gel Synthesis of Nanocrystalline $ZnAl_2O_4$: Structural and Optical Properties. (9) 1921

Sintering Behavior and Electrical Properties of Nanosized Doped-ZnO Powders Produced by Metallorganic Polymeric Processing. (8) 1661

Synthesis of Nanocrystalline Titanium Nitride Powders by Direct Nitridation of Titanium Oxide. (12) 3044

neodymium/neodymium compounds

Influence of Dopant Concentration on Creep Properties of Nd_2O_3-Doped Alumina. (5) 1010

Nextel

Evaluation of Porous $ZrO_2–SiO_2$ and Monazite Coatings Using Nextel™ 720-Fiber-Reinforced Blackglas™ Minicomposites. (7) 1526

Nicalon/Nicalon compounds

Influence of Strong Fiber/Coating Interfaces on the Mechanical Behavior and Lifetime of Hi-Nicalon/$(PyC/SiC)_n$/SiC Minicomposites. (4) 787

Raman Study of Hi-Nicalon-Fiber-Reinforced Celsian Composites: I, Distribution and Nanostructure of Different Phases. (5) 1129

Raman Study of Hi-Nicalon-Fiber-Reinforced Celsian Composites: II, Residual Stress in Fibers. (5) 1136
Temperature Dependence of Tensile Strength for a Woven Boron-Nitride-Coated Hi-Nicalon™ SiC Fiber-Reinforced Silicon-Carbide-Matrix Composite. (9) 2079
Thermal Stability of Polycarbosilane-Derived Silicon Carbide Fibers under Reduced Pressures. (3) 566

nickel/nickel compounds
Effect of NiO-to-Ni Transformation on Conductivity and Structure of Yttria-Stabilized ZrO_2. (11) 2652
Electrokinetic Properties of Nanosized SiC Particles in Highly Concentrated Electrolyte Solutions. (7) 1411
Fabrication of Long Lengths of Epitaxial Buffer Layers on Biaxially Textured Nickel Substrates Using a Continuous Reel-to-Reel Dip-Coating Unit. (2) 273
Preparation of Nickel Powders by Spray Pyrolysis of Nickel Formate. (7) 1425
Processing and Microstructure Development of Titanium Carbide–Nickel Aluminide Composites Prepared by Melt Infiltration/Sintering (MIS). (1) 55
Synthesis of Lead Nickel Niobate–Lead Zirconate Titanate Solid Solutions by a B-site Precursor Method. (12) 2869

niobium/niobium compounds
Crystallization of Lead Niobate Glass by Mechanical Activation. (11) 2691
Discontinuous Dissolution of a Liquid Phase in $Ba(Ni_{1/3}Nb_{2/3})O_3$ Ceramics. (1) 218
Effect of Nb_2O_5/ZnO Addition on Microwave Properties of $(Zr_{0.8}Sn_{0.2})TiO_4$ Ceramics. (11) 2542
Influence of Copper(II) Oxide Additions to Zinc Niobate Microwave Ceramics on Sintering Temperature and Dielectric Properties. (6) 1286
Microstructure and Dielectric Properties of Barium Strontium Magnesium Niobate. (9) 2105
Microstructure Characterizations in Calcium Magnesium Niobate. (7) 1632
Phase Equilibria in the Lead–Magnesium–Niobium–Oxygen System at 1000°C. (9) 2150
Positive Temperature Coefficient of Resistance Effect in Heavily Niobium-Doped Barium Titanate by the Growth of the Double-Twinned Seeds. (11) 2707
Potassium Lithium Niobate Films Derived from Aqueous Precursor Solution. (7) 1415
Synthesis of Lead Nickel Niobate–Lead Zirconate Titanate Solid Solutions by a B-site Precursor Method. (12) 2869

nitridation
Catalytic Effects of Metals on Direct Nitridation of Silicon. (8) 1669
Formation Mechanism of AlN–SiC Solid Solution by Combustion Nitridation in Si_3N_4–Si-Al-C System. (4) 726
Hot Isostatic Pressing of Chromium Nitrides (Cr_2N and CrN) Prepared by Self-Propagating High-Temperature Synthesis. (9) 2120
Microstructure of a Molybdenum Nitride Layer Formed by Nitriding Molybdenum Metal. (5) 1175

nonstoichiometry
Dislocation Loop Formation in Nonstoichiometric $(Ba,Ca)TiO_3$ and $BaTiO_3$ Ceramics. (1) 200

nuclear magnetic resonance
^{125}Te, ^{27}Al, and ^{71}Ga NMR Study of M_2O_3–TeO_2 (M = Al and Ga) Glasses. (4) 836
Gel-to-Ceramic Conversion during Hydroxyapatite Synthesis. (9) 2123

nuclear waste
Effect of Oxidation State of Iron on Phase Separation in Sodium Silicate Glasses. (8) 1859
Generalized Titanate Ceramic Waste Form for Advanced Purex Reprocessing. (5) 1187
Synthesis, Structure Determination, and Aqueous Durability of $Cs_2ZrSi_3O_9$. (1) 153

nucleation
Devitrification Kinetics and Mechanism of K_2O–CaO–SrO–BaO–B_2O_3–SiO_2 Glass-Ceramic. (6) 1354
Effect of Neodymium:Yttrium Aluminum Garnet Laser Irradiation on Crystallization in Li_2O–Al_2O_3–SiO_2 Glass. (10) 2433
Effect of the Growth Treatment on Two-Stage Nucleation Experiments. (3) 492
Nucleation Energy Barriers for Volume-Conserving Shape Changes of Crystals with Nonequilibrium Morphologies. (9) 2099

optical materials/properties
Consequence of Nanometer-Scale Property Variations to Macroscopic Properties of CrOCN Thin Films. (12) 2873
Low-Temperature Aging of Zirconia Ferrules for Optical Connectors. (11) 2731
Luster Pottery from the Thirteenth Century to the Sixteenth Century: A Nanostructured Thin Metallic Film. (2) 442
Raman Study of the Interface between Hot-Pressed Silica Parts. (1) 29
Thermal Softening Behavior and Application to Transparent Thick Films of Poly(benzylsilsesquioxane) Particles Prepared by the Sol–Gel Process. (4) 775

orientation
Preferred Grain Orientation Relationships in Sintered Perovskite Ceramics. (8) 1885
Preparation of Highly Oriented Aluminum Nitride Thin Films on Polycrystalline Substrates by Helicon Plasma Sputtering and Annealing. (9) 1917

oxidation
Characterization of Oxidized Polymer-Derived SiBCN Fibers. (10) 2197
Damage Evolution and Stress Analysis in Zirconia Thermal Barrier Coatings during Cyclic and Isothermal Oxidation. (10) 2385
Effect of Silica Surface Dopants on the Formation of Alumina/Aluminum Composites by the Directed Metal Oxidation of an Aluminum Alloy. (11) 2526
Oxidation Behavior of Silicon-Infiltrated Carbon/Carbon Composites in High-Enthalpy Convective Environment. (7) 1559
Oxidation Behavior of Titanium Boride at Elevated Temperatures. (1) 239
Oxidation Kinetics of an Amorphous Silicon Carbonitride Ceramic. (8) 1803
Oxidation of Low-Oxygen Silicon Carbide Fibers (Hi-Nicalon) in Carbon Dioxide. (12) 2975
Oxidation Protection of MgO–C Refractories by Means of $Al_8B_4C_7$. (3) 577
Oxygen Transport in Silica at High Temperatures: Implications of Oxidation Kinetics. (11) 2607
Precursor-Derived Si-B-C-N Ceramics: Oxidation Kinetics. (10) 2184

oxidation resistance
Silicon Nitride/Molybdenum Disilicide Composite with Superior Long-Term Oxidation Resistance at 1500°C. (10) 2430

oxides
Bulk Phase Relations, Conductivity, and Transparency in Novel Bixbyite Transparent Conducting Oxide Solution in the Cadmium-Indium-Tin Oxide System. (5) 1004
Conversion of Oak to Cellular Silicon Carbide Ceramic by Gas-Phase Reaction with Silicon Monoxide. (6) 1236
Geometry Optimization and Ground-State Properties of Complex Ceramic Oxides. (4) 801
High-Temperature Proton Conductors for the Injection of Hydrogen into a Vacuum. (9) 1996
Mechanochemical Synthesis of Lanthanum Oxyfluoride from Lanthanum Oxide and Lanthanum Fluoride. (4) 863
Microstructure of a Complex Oxide, $Er_2Mn_{2/3}Mo_{4/3}O_7$, with a Pyrochlore-Related Structure. (6) 1374

oxycarbides
Creep Viscosity and Stress Relaxation of Gel-Derived Silicon Oxycarbide Glasses. (5) 1052
Surface Damage Resistance of Gel-Derived Oxycarbide Glasses: Hardness, Toughness, and Scratchability. (10) 2220

oxygen
Effect of Oxygen Vacancies on the Hot Hardness of Mullite. (5) 1167

oxynitride
Consequence of Nanometer-Scale Property Variations to Macroscopic Properties of CrOCN Thin Films. (12) 2873
Reaction and Formation of Crystalline Silicon Oxynitride in Si–O–N Systems under Solid High Pressure. (4) 875
Structure Models for γ-Aluminum Oxynitride from *Ab Initio* Calculations. (11) 2633

packing
Monolayer Packing of Submicrometer Ceramic Spheres by Employing a Langmuir–Blodgett Film of Dicarboxylic Acid. (2) 301
Packing Density of Binary Mixtures of Wet Spheres. (3) 504

palladium/palladium compounds
Dye Impregnation Method for Revealing Machining Crack Geometry. (4) 795

particle size
Synthesis of Nanocrystalline Titanium Nitride Powders by Direct Nitridation of Titanium Oxide. (12) 3044

particle size distribution
Influence of Cement Particle-Size Distribution on Early Age Autogenous Strains and Stresses in Cement-Based Materials. (1) 129
Microwave-Hydrothermal Synthesis of Nanocrystalline Zirconia Powders. (11) 2728
Packing Density of Binary Mixtures of Wet Spheres. (3) 504

particles
Influence of Plasma Spray Parameters on In-Flight Characteristics of ZrO_2–8 wt% Y_2O_3 Ceramic Particles. (4) 685
Synthesis of CoO/Ni Composite Powders for Molten Carbonate Fuel Cells. (1) 233

permeability
Ceramic Membrane Filter Using Ultrafine Powders. (9) 2144
Dynamic Permeability Behavior during Drying of Refractory Castables Based on Calcium-Free Alumina Binders. (1) 248
Permeability of Porous Ceramics Considering the Klinkenberg and Inertial Effects. (5) 941
Permeability of Refractory Castables at High Temperatures. (3) 645
Permeable Porosity of Refractory Castables Evaluated by the Water-Expulsion Porosimetry Technique. (1) 236
Thermal Expansion Kinetics: Method to Measure Permeability of Cementitious Materials: II, Application to Hardened Cement Pastes. (2) 385

perovskites
Catalytic and Electrochemical Properties of Doped Lanthanum Chromites as New Anode Materials for Solid Oxide Fuel Cells. (10) 2289
Control of the Thermal Expansion of Strontium-Doped Lanthanum Chromite Perovskites by B-site Doping for High-Temperature Solid Oxide Fuel Cell Separators. (4) 781
Crystal Structure Refinement of $La_{0.683}(Ti_{0.95}Al_{0.05})O_3$ Perovskite by the Rietveld Method. (2) 468
Defect Structure and Electrical Properties of $La_{1-x}Sr_xFe_{1-x}Al_xO_{3-\delta}$. (5) 1148
Fabrication of Lanthanum Manganese Oxide Thin Films on Yttria-Stabilized Zirconia Substrates by a Chemically Modified Alkoxide Method. (10) 2323
High-Resolution Transmission Electron Microscopy Observations on Antiphase Boundaries in Barium Lanthanum Magnesium Niobate. (8) 1909
Incorporation of Aliovalent Dopants into the Bismuth-Layered Perovskite-Like Structure of $BaBi_4Ti_4O_{15}$. (11) 2702
Microstructural Characteristics of Strontium Magnesium Niobate. (12) 3031
Point Defect Concentrations in Barium Titanate Revisited. (9) 2147
Preferred Grain Orientation Relationships in Sintered Perovskite Ceramics. (8) 1885
Preparation of Nanosized Perovskite-Type $LaMnO_3$ Powders Using the Thermal Decomposition of a Heteronuclear Complex, $LaMn(dhbaen)(OH)(NO_3)(H_2O)_4$. (5) 969
Relationship between the Bond Valence and the Temperature Coefficient of the Resonant Frequency in the Complex Perovskite $(Pb_{1-x}Ca_x)[Fe_{0.5}(Nb_{1-y}Ta_y)_{0.5}]O_3$. (1) 99

phase diagrams
Phase Diagram Studies in the System Tl_2O_3–BaO–CaO–CuO–Ag. (1) 183
Thermodynamic Modeling of the Isomorphous Phase Diagrams in the Al_2O_3–Cr_2O_3 and V_2O_3–Cr_2O_3 Systems. (8) 1881

phase equilibria
Morphology and Phase Stability of Nitrogen–Partially Stabilized Zirconia (N-PSZ). (1) 172
Phase Equilibria in the Lead–Magnesium–Niobium–Oxygen System at 1000°C. (9) 2150

phase transformations
In Situ Ultraviolet Raman Study on the Phase Transition of Hafnia up to 2085 K. (3) 663
Anatase-to-Rutile Transformation in Titania Powders. (3) 619
Behavior of Paramagnetic Iron during the Thermal Transformations of Kaolinite. (5) 1017
Effect of Silica Additive on the Anatase-to-Rutile Phase Transition. (7) 1591
Effect of β-to-α Phase Transformation on the Microstructural Development and Mechanical Properties of Fine-Grained Silicon Carbide Ceramics. (5) 945
Electron-Beam-Induced Phase Transformations from Metakaolinite to Mullite Investigated by EF-TEM and HRTEM. (9) 2096
Influence of Tetragonality on Tetragonal-to-Monoclinic Phase Transformation during Hydrothermal Aging in Plasma-Sprayed Yttria-Stabilized Zirconia Coatings. (5) 1037
Long-Term Behavior and Application Limits of Plasma-Sprayed Zirconia Thermal Barrier Coatings. (6) 1301
Pressure-Induced Phase Transformation of Controlled-Porosity $Pb(Zr_{0.95}Ti_{0.05})O_3$ Ceramics. (6) 1260
Processing of Mullite–Aluminum Composites. (3) 509
Sol–Gel Preparation of $BaTi_4O_9$ and $Ba_2Ti_9O_{20}$. (3) 669

phases
Bulk Phase Relations, Conductivity, and Transparency in Novel Bixbyite Transparent Conducting Oxide Solution in the Cadmium-Indium-Tin Oxide System. (5) 1004
Control of Phase and Pore Structure of Titania Powders Using HCl and NH_4OH Catalysts. (1) 92
Crystal Structure of Metastable Tetragonal Zirconia up to 1473 K. (5) 1169
Detection of Phase Separation by FTIR in a Liquid-Crystal-Display Substrate Aluminoborosilicate Glass. (9) 2111
Effects of Intergranular Phase Chemistry on the Microstructure and Mechanical Properties of Silicon Carbide Ceramics Densified with Rare-Earth Oxide and Alumina Additions. (7) 1642

Measuring Interphase Recession by Fiber Push-In Testing. (4) 866
Morphotropic Phase Boundary in the $Pb(Zn_{1/3}Nb_{2/3}O_3)$–$BaTiO_3$–$PbTiO_3$ System. (8) 1740
PAC Characterization of Nontransformable Tetragonal *t'* Phase in Arc-Melted Zirconia–2.8 mol% Yttria Ceramics. (1) 188
Phase Formation and Stability in Reactively Sputter Deposited Yttria-Stabilized Zirconia Coatings. (5) 929
Phase Relations and Dielectric Properties in the Bi_2O_3–ZnO–Ta_2O_5 System. (11) 2557
Phase Relations and Volume Changes of Hafnia under High Pressure and High Temperature. (6) 1369
Phase Relationship between 3C- and 6H-Silicon Carbide at High Pressure and High Temperature. (12) 3013
Secondary Phases in Hot-Pressed Aluminum-Boron-Carbon–Silicon Carbide. (4) 813

physical vapor deposition
Distributed Porosity as a Control Parameter for Oxide Thermal Barriers Made by Physical Vapor Deposition. (12) 2937
Strength Degradation and Failure Mechanisms of Electron-Beam Physical-Vapor-Deposited Thermal Barrier Coatings. (7) 1545

piezoelectric materials/properties
Diffusion of ^{110m}Ag Tracer in Polycrystalline and Single-Crystal Lead-Containing Piezoelectric Ceramics. (8) 1777
Electromechanical Properties of a Ceramic d_{31}-Gradient Flextensional Actuator. (5) 996
Estimation of the Effective d_{31} Coefficients of the Piezoelectric Layer in Rainbow Actuators. (11) 2563
Preparation of Dense Lead Magnesium Niobate–Lead Titanate ($Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$) Ceramics by Spark Plasma Sintering. (12) 3059

pigment
Microwave-Hydrothermal Synthesis of Monodispersed Nanophase α-Fe_2O_3. (10) 2313

plasma
Spheroidization of Titanium Carbide Powders by Induction Thermal Plasma Processing. (9) 1929

plasma spraying
Bimodal Ceramic Ink for Continuous Ink-Jet Printer Plasma Spraying. (6) 1257
Chromium Oxycarbide Thin Films Prepared by Inductively Coupled Radio-Frequency Plasma-Assisted Magnetron Sputtering. (8) 1763
Film Synthesis of $Y_3Al_5O_{12}$ and $Y_3Fe_5O_{12}$ by the Spray–Inductively Coupled Plasma Technique. (3) 651
Influence of Plasma Spray Parameters on Formation and Morphology of ZrO_2–8 wt% Y_2O_3 Deposits. (4) 693
Influence of Plasma Spray Parameters on In-Flight Characteristics of ZrO_2–8 wt% Y_2O_3 Ceramic Particles. (4) 685
Long-Term Behavior and Application Limits of Plasma-Sprayed Zirconia Thermal Barrier Coatings. (6) 1301
Rapid Preparation of Lead Titanate Sputtering Target Using Spark-Plasma Sintering. (11) 2521
Yttrium Aluminum Garnet (YAG) Films through a Precursor Plasma Spraying Technique. (8) 1906

plasticity
Formation of Barrier Ribs for Plasma Display Panel via Roll Forming of Green Tapes. (7) 1470
High-Temperature Fracture Energy of Superplastically Forged Silicon Nitride. (8) 1791
Strain Hardening in Superplastic Codoped Yttria-Stabilized Tetragonal-Zirconia Polycrystals. (12) 2981
Surprising Results of a Study on the Plasticity in Strontium Titanate. (5) 1161

platinum
In Situ Processing of a Porous Calcium Zirconate/Magnesia Composite with Platinum Nanodispersion and Its Influence on Nitric Oxide Decomposition. (11) 2713
Solubility of Platinum and Rhodium in Lime–Alumina–Silica Melts at 1700 K. (5) 1097

pollucite
Energetics of Substituted Pollucites Along the $CsAlSi_2O_6$–$CsTiSi_2O_{6.5}$ Join: A High-Temperature Calorimetric Study. (3) 555

polycarbosilane
Effect of Vacuum Heat Treatment on Electron-Beam-Irradiation-Cured Polycarbosilane Fibers. (1) 111
Silicon Carbide Films by Laser Pyrolysis of Polycarbosilane. (1) 224

polycrystalline materials
Low-Frequency Measurements on the Grain-Boundary Internal Friction Peak in Chlorine-Doped Silicon Nitride. (10) 2366
Translucent Polycrystalline Alumina with Improved Resistance to Sodium Attack. (12) 2853

polymers/polymerization
A Process for C_f/SiC Composites Using Liquid Polymer Infiltration. (10) 2235
Adsorption of Hydroxypropyl Methyl Cellulose in an Aqueous System Containing Multicomponent Oxide Particles. (6) 1241
Characterization of Oxidized Polymer-Derived SiBCN Fibers. (10) 2197
Conductive Ceramic Foams from Preceramic Polymers. (10) 2265
Effect of Acrylic–Styrene Copolymer Chemical Structure on the Properties of Ceramic Tapes Obtained by Tape Casting. (6) 1231
Effect of Polymer Crystallinity on Morphology in Ceramic Injection Molding. (12) 2750
Effects of Particle Size and Molecular Weight of Polyethylenimine on Properties of Nanoparticulate Silicon Dispersions. (4) 806
Green State Joining of SiC without Applied Pressure. (11) 2479
Mechanical Properties of Coagulated Wet Particle Networks with Alkali-Swellable Thickeners. (8) 1689
Solid Freeforming of Silicon Carbide by Inkjet Printing Using a Polymeric Precursor. (2) 307
Solubility of Gases in Vitreous Silica Described by a Distribution of Dissolution Energies. (11) 2699
Stresses Occurring during Joining of Ceramics Using Preceramic Polymers. (10) 2240
X-ray Tomography Study on Green State Joining of Silicon Carbide Using Polymer Precursors. (9) 1961

porcelain
Feedstock Formulations for Direct Consolidation of Porcelains with Polysaccharides. (4) 719

pores/porosity
Control of Phase and Pore Structure of Titania Powders Using HCl and NH_4OH Catalysts. (1) 92
Control of Synthesis Conditions to Improve Zirconia Microspheres for Ultrafast Chromatography. (8) 1721
Crack Growth along Interfaces in Porous Ceramic Layers. (9) 2051
Defect Chemistry and Microstructure of Hydrothermal Barium Titanate. (1) 179
Distributed Porosity as a Control Parameter for Oxide Thermal Barriers Made by Physical Vapor Deposition. (12) 2937
Effective Medium Theory of the Porosity Dependence of Bulk Moduli. (5) 1190
Effects of Matrix Porosity on the Mechanical Properties of a Porous-Matrix, All-Oxide Ceramic Composite. (11) 2594
Fabrication of Porous Ceramics with Unidirectionally Aligned Continuous Pores. (6) 1395
Measurements of Chloride Activity Coefficients in Real Portland Cement Paste Pore Solutions. (12) 3008
Mechanical Properties of Silicon Oxycarbide Ceramic Foams. (10) 2245
Microstructural Evolution of Transparent PLZT Ceramics Sintered in Air and Oxygen Atmospheres. (7) 1465
Microstructure and Mechanical Properties of Porous Alumina Ceramics Fabricated by the Decomposition of Aluminum Hydroxide. (11) 2638
Origin of Gas Porosity in Gold-Based Alloys Cast in Calcium Sulfate-Bonded Investment and Influence of Metal Oxide Acid–Base Properties on Calcium Sulfate Thermal Stability. (8) 1839
Packaging of Sol–Gel-Made Porous Nanostructured Titania Particles by Spray Drying. (12) 2802
Permeable Porosity of Refractory Castables Evaluated by the Water-Expulsion Porosimetry Technique. (1) 236
Pressure-Induced Phase Transformation of Controlled-Porosity $Pb(Zr_{0.95}Ti_{0.05})O_3$ Ceramics. (6) 1260
Synthesis of Porous Ceramics with Complex Pore Structure by Freeze-Dry Processing. (1) 230
Three-Dimensional Simulation of Grain Growth in the Presence of Mobile Pores. (6) 1379

porous materials
Electrophoretic Deposition of Zirconia on Porous Anodic Substrates. (2) 328
Evaluation of Porous ZrO_2–SiO_2 and Monazite Coatings Using Nextel™ 720-Fiber-Reinforced Blackglas™ Minicomposites. (7) 1526
Fabrication of Low-Shrinkage, Porous Silicon Nitride Ceramics by Addition of a Small Amount of Carbon. (7) 1639
Improvement in the Strut Thickness of Reticulated Porous Ceramics. (7) 1654
Micro-/Macroporous Ceramics from Preceramic Precursors. (10) 2252
Permeability of Porous Ceramics Considering the Klinkenberg and Inertial Effects. (5) 941
Porous Mullite Preforms via Fused Deposition. (1) 221

portland cement
Hydration Characteristics of Portland Cement after Heat Curing: I. Degree of Hydration of the Anhydrous Cement Phases. (3) 608
Hydration Characteristics of Portland Cement after Heat Curing: II. Evolution of Crystalline Aluminate-Bearing Hydrates. (5) 1113
Measurements of Chloride Activity Coefficients in Real Portland Cement Paste Pore Solutions. (12) 3008
Properties of Portland Cement Pastes Incorporating Nanometer-Sized Franklinite Particles Obtained from Electric-Arc-Furnace Dust. (12) 2909
State of Water in Hydrating Tricalcium Silicate and Portland Cement Pastes Measured by Quasi-Elastic Neutron Scattering. (8) 1811

positive temperature coefficient of resistivity
Positive Temperature Coefficient of Resistance Effect in Heavily Niobium-Doped Barium Titanate by the Growth of the Double-Twinned Seeds. (11) 2707
Positive Temperature Coefficient of Resistivity Effect in Highly Donor-Doped Barium Titanate. (6) 1273
Revisit to the Origin of Grain Growth Anomaly in Yttria-Doped Barium Titanate. (8) 1745

potassium/potassium compounds
Potassium Lithium Niobate Films Derived from Aqueous Precursor Solution. (7) 1415
Processing, Characterization, and Dielectric Studies on $K(Ta_{1-x}Nb_x)O_3$ for Use at Cryogenic Temperatures. (11) 2547

powders
In Situ Neutron Powder Diffraction Study of Ti_3SiC_2 Synthesis. (10) 2281
Anatase-to-Rutile Transformation in Titania Powders. (3) 619
Calculating the Thermal Conductivity of Heated Powder Compacts. (6) 1315
Ceramic Membrane Filter Using Ultrafine Powders. (9) 2144
Design of Ceramic Materials for Chemical Sensors: Effect of $SmFeO_3$ Processing on Surface and Electrical Properties. (2) 341
Direct Evidence for Low-Density Regions in Compacted Spray-Dried Powders. (10) 2454
Effect of Coarse-Powder Portion on Abnormal Grain Growth during Hot Pressing of Commercial-Purity Alumina Powder. (5) 1143
Fabrication of Low-Porosity Indium Tin Oxide Ceramics in Air from Hydrothermally Prepared Powder. (1) 251
Microstructural Evolution in Liquid-Phase-Sintered SiC: Part I. Effect of Starting Powder. (7) 1578
Sintering Behavior and Electrical Properties of Nanosized Doped-ZnO Powders Produced by Metallorganic Polymeric Processing. (8) 1661
Spheroidization of Titanium Carbide Powders by Induction Thermal Plasma Processing. (9) 1929
Synthesis and Colloidal Processing of Zirconia Nanopowder. (11) 2489
Synthesis of Nanocrystalline Titanium Nitride Powders by Direct Nitridation of Titanium Oxide. (12) 3044
Synthesis of Ultrafine Ceria Powders by Mechanochemical Processing. (7) 1453
Using Nanoscaled Powder as an Additive in Coarse-Grained Powder. (2) 261

precipitates/precipitation
Phase Separation in an SiCO Glass Studied by Transmission Electron Microscopy and Electron Energy-Loss Spectroscopy. (5) 1073

precursors
Fracture Toughness of Amorphous Precursor-Derived Ceramics in the Silicon–Carbon–Nitrogen System. (10) 2203
Micro-/Macroporous Ceramics from Preceramic Precursors. (10) 2252
Precursor-Derived Si-B-C-N Ceramics: Oxidation Kinetics. (10) 2184

preparation
Preparation of Short Mullite Fibers from Kaolin via the Addition of Foaming Agents. (3) 497

pressing
Hot Isostatic Pressing of Chromium Nitrides (Cr_2N and CrN) Prepared by Self-Propagating High-Temperature Synthesis. (9) 2120

pressure
Reaction and Formation of Crystalline Silicon Oxynitride in Si–O–N Systems under Solid High Pressure. (4) 875

processing
Aqueous Processing of Titanium Carbide Green Sheets. (11) 2537
Fabrication of Porous Ceramics with Unidirectionally Aligned Continuous Pores. (6) 1395
Oxygen Vacancies in Pure Tetragonal Zirconia Powders: Dependence on the Presence of Chlorine during Processing. (1) 65
Preparation of Hydroxyapatite Lathlike Particles Using High-Speed Dispersing Equipment. (6) 1203
Processing and Dielectric Properties of Sillenite Compounds $Bi_{12}MO_{20-\delta}$ (M = Si, Ge, Ti, Pb, Mn, $B_{1/2}P_{1/2}$). (12) 2900
Processing and Mechanical Properties of Al_2O_3/Ni_3Al Composites with Interpenetrating Network Microstructure. (9) 2034
Processing and Properties of Ti(C,N)–WC-Based Materials. (11) 2669
Sintering Behavior and Electrical Properties of Nanosized Doped-ZnO Powders Produced by Metallorganic Polymeric Processing. (8) 1661
Synthesis and Processing of Barium Hexaaluminogallates. (7) 1433

pyrochlore
Hydrothermal Synthesis and Formation Mechanisms of Lanthanum Tin Pyrochlore Oxide. (11) 2531
Microstructure of a Complex Oxide, $Er_2Mn_{2/3}Mo_{4/3}O_7$, with a Pyrochlore-Related Structure. (6) 1374

pyrolysis
In Situ Densification Behavior in the Pyrolysis Consolidation of Amorphous Si-N-C Bulk Ceramics from Polymer Precursors. (10) 2165
Silicon Carbide Films by Laser Pyrolysis of Polycarbosilane. (1) 224
Synthesis of Nanocrystalline α-Alumina Powder Using Triethanolamine. (12) 2849
R-curve
R-Curve Behavior of *In Situ* Toughened α-SiAlON Ceramics. (4) 884
Contribution from Ferroelastic Domain Switching Detected Using X-ray Diffraction to *R*-Curves in Lead Zirconate Titanate Ceramics. (12) 2921
Residual Stress Induced *R*-Curves in Laminar Ceramics That Exhibit a Threshold Strength. (11) 2722
Raman spectroscopy
In Situ Ultraviolet Raman Study on the Phase Transition of Hafnia up to 2085 K. (3) 663
Characterization of Liquid Exsolved by Remelting Reaction of Belite. (5) 1155
Raman Microprobe Evaluation of Bridging Stresses in Highly Anisotropic Silicon Nitride. (8) 1785
Raman Study of Hi-Nicalon-Fiber-Reinforced Celsian Composites: I, Distribution and Nanostructure of Different Phases. (5) 1129
Raman Study of Hi-Nicalon-Fiber-Reinforced Celsian Composites: II, Residual Stress in Fibers. (5) 1136
Raman Study of the Interface between Hot-Pressed Silica Parts. (1) 29
rare earths
Microstructure of a Complex Oxide, $Er_2Mn_{2/3}Mo_{4/3}O_7$, with a Pyrochlore-Related Structure. (6) 1374
Preparation,: Characterization, and Microwave Properties of $RETiNbO_6$ (RE = Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Y, and Yb) Dielectric Ceramics. (7) 1487
Thermal Conductivity of β-Si_3N_4: III, Effect of Rare-Earth (RE = La, Nd, Gd, Y, Yb, and Sc) Oxide Additives. (2) 353
reaction bonding
Effects of Zirconium Oxide on the Reaction Bonding of Aluminum Oxide. (5) 986
Seeding of the Reaction-Bonded Aluminum Oxide Process. (3) 657
refractories
Dynamic Permeability Behavior during Drying of Refractory Castables Based on Calcium-Free Alumina Binders. (1) 248
Fluid Dynamics and Thermal Aspects of the Dewatering of High-Alumina Refractory Castables: Removal of Physically Absorbed Water. (11) 2696
Investigation of the Formation of Cristobalite from the Diatomaceous Clay *Moler* Using Powder X-ray Diffractometry Data and Profile Refinement Methods. (4) 878
Investigation of Thermal Shock in a High-Temperature Refractory Ceramic: A Fracture Mechanics Approach. (6) 1309
Oxidation Protection of MgO–C Refractories by Means of $Al_8B_4C_7$. (3) 577
Permeability of Refractory Castables at High Temperatures. (3) 645
Permeable Porosity of Refractory Castables Evaluated by the Water-Expulsion Porosimetry Technique. (1) 236
Thermal Decomposition of Zircon Refractories. (12) 2930
Vaporization and Corrosion of Refractories in the Presence of Pressurized Pulverized Coal Combustion Slag. (7) 1445
resistivity
An Alternative Explanation for the Origin of the Resistivity Anomaly in La-Doped $BaTiO_3$. (2) 474
rheology/rheometry
In Situ Rheological Investigation of the Coagulation in Aqueous Alumina Suspensions. (8) 1733
Direct-Write Fabrication of $Pb(Nb,Zr,Ti)O_3$ Devices: Influence of Paste Rheology on Print Morphology and Component Properties. (11) 2462
Dynamic Rheology of Agar Gel Based Aqueous Binders. (6) 1217
Effect of the Interparticle Pair Potential on the Rheological Behavior of Zirconia Powders: II, The Influence of Chem-Adsorbed Silanes. (5) 991
Effects of Boehmite-Coating Thickness on the Consolidation and Rheological Properties of Boehmite-Coated SiC Suspensions. (12) 2834
Effects of Particle Size and Molecular Weight of Polyethylenimine on Properties of Nanoparticulate Silicon Dispersions. (4) 806
Influence of Acidity on the Stability and Rheological Properties of Ionically Stabilized Alumina Suspensions in Ethanol. (9) 1977
Rheological Behavior of Dilute SiAlON with or without Intergranular X-Phase. (3) 598
samarium
Design of Ceramic Materials for Chemical Sensors: Effect of $SmFeO_3$ Processing on Surface and Electrical Properties. (2) 341
sapphire
Strength-Limiting Surface Damage in Single-Crystal Sapphire Imaged by X-ray Topography. (10) 2351
seeding
Effect of β-Seed Addition on the Microstructural Evolution of Silicon Nitride Ceramics. (12) 3039
Influence of Diaspore Seeding and Chloride Concentration on the Transformation of "Diasporic" Precursors to Corundum. (8) 1896
Microstructure in Silicon Nitride Containing β-Phase Seeding: III, Grain Growth and Coalescence. (8) 1891
Positive Temperature Coefficient of Resistance Effect in Heavily Niobium-Doped Barium Titanate by the Growth of the Double-Twinned Seeds. (11) 2707
Preparation of Zirconia Whiskers from Zirconium Hydroxide in Sulfuric Acid Solutions under Hydrothermal Conditions at 200°C. (11) 2705
Seeding of the Reaction-Bonded Aluminum Oxide Process. (3) 657
Synthesis of Cerium α-SiAlON with Nuclei Addition. (6) 1389
self-propagating high-temperature synthesis
Catalytically Assisted Self-Propagating High-Temperature Synthesis of Tantalum Carbide Powders. (5) 976
Effect of Heating Rates on the Synthesis of Al_2O_3–SiC Composites by the Self-Propagating High-Temperature Synthesis (SHS) Technique. (5) 915
Effects of Zirconium Oxide on the Reaction Bonding of Aluminum Oxide. (5) 986
Hercynite-Free Ceramic Liner for Composite Steel Pipe Made Using a Self-Propagating High-Temperature Synthesis Gravitational-Thermite Process. (12) 3042
Hot Isostatic Pressing of Chromium Nitrides (Cr_2N and CrN) Prepared by Self-Propagating High-Temperature Synthesis. (9) 2120
Microstructure and Mechanical Properties of Silicon Nitride Materials Fabricated from SHS Powders. (5) 1033
Synthesis of Ternary Titanium Aluminum Carbides Using Self-Propagating High-Temperature Synthesis Technique. (12) 3053
semiconductors
Grain Boundaries of Semiconducting $SrTiO_3$ and $BaTiO_3$ Ceramics Synthesized from Surface-Coated Powders. (9) 1937
shear
Effect of Shear Damage on the Fracture Behavior of Carbon–Carbon Composites. (6) 1327
shrinkage
Defect Chemistry and Microstructure of Hydrothermal Barium Titanate. (1) 179
SiAlON
R-Curve Behavior of *In Situ* Toughened α-SiAlON Ceramics. (4) 884
Diffusion Bonding of Silicon Nitride Using a Superplastic β-SiAlON Interlayer. (2) 471
Effect of Composition and Crystallization Temperature on Microstructure of Y- and Er-SiAlON I_w-Phase Glass-Ceramics. (7) 1601
Fabrication of Continuous-SiC-Fiber-Reinforced SiAlON-Based Ceramic Composites by Reactive Melt Infiltration. (9) 1945
Rheological Behavior of Dilute SiAlON with or without Intergranular X-Phase. (3) 598
Synthesis of Cerium α-SiAlON with Nuclei Addition. (6) 1389
Synthesis of α-SiAlON Seed Crystals. (7) 1651
silanes
Effect of the Interparticle Pair Potential on the Rheological Behavior of Zirconia Powders: II, The Influence of Chem-Adsorbed Silanes. (5) 991
silica
Detection of Phase Separation by FTIR in a Liquid-Crystal-Display Substrate Aluminoborosilicate Glass. (9) 2111
Effect of Silica Nanoparticle Size on the Stability of Alumina/Silica Suspensions. (4) 713
Effects of Particle Size and Molecular Weight of Polyethylenimine on Properties of Nanoparticulate Silicon Dispersions. (4) 806
Feedstock Formulations for Direct Consolidation of Porcelains with Polysaccharides. (4) 719
Heterocoagulation in Ionically Stabilized Mixed-Oxide Colloidal Dispersions in Ethanol. (6) 1250
Hydrothermal Treatment of a Silica Sand Complex with Lime. (10) 2318
Oxygen Transport in Silica at High Temperatures: Implications of Oxidation Kinetics. (11) 2607
Phase Separation in Sol–Gel Process of Alkoxide-Derived Silica–Zirconia in the Presence of Polyethylene Oxide. (9) 1968
Solubility of Gases in Vitreous Silica Described by a Distribution of Dissolution Energies. (11) 2699
Synthesis of Low-Dielectric Silica Aerogel Films by Ambient Drying. (2) 453
silicates
Effect of Liquid Volume Fraction on Grain Growth of Magnesium Oxide Grains in Molten Calcium Magnesium Silicate Matrix. (12) 3027
Optical Spectra of Nickel-Bearing Silicate Gels Prepared by the Geopolymer Technique, with Special Reference to the Low-Temperature Formation of Liebenbergite (Ni_2SiO_4). (8) 1717
Residual Stresses in Alumina/Zirconia Composites: Effect of Cooling Rate and Grain Size. (12) 2962
State of Water in Hydrating Tricalcium Silicate and Portland Cement Pastes as Measured by Quasi-Elastic Neutron Scattering. (8) 1811
Synthesis, Structure Determination, and Aqueous Durability of $Cs_2ZrSi_3O_9$. (1) 153
silicon
Catalytic Effects of Metals on Direct Nitridation of Silicon. (8) 1669
Reaction and Formation of Crystalline Silicon Oxynitride in Si–O–N Systems under Solid High Pressure. (4) 875
Structure and Electronic Transport Properties of Si-(B)-C-N Ceramics. (10) 2260
silicon carbide
In Situ Reaction Synthesis of Silicon Carbide–Boron Nitride Composites. (7) 1475
A Process for C_f/SiC Composites Using Liquid Polymer Infiltration. (10) 2235
Computer Simulations of Diffraction Effects due to Stacking Faults in β-SiC: II, Experimental Verification. (11) 2645
Conversion of Oak to Cellular Silicon Carbide Ceramic by Gas-Phase Reaction with Silicon Monoxide. (6) 1236
Crack-Healing Behavior Under Stress of Mullite/Silicon Carbide Ceramics and the Resultant Fatigue Strength. (9) 2073
Cyclic Fatigue–Crack Propagation Behavior in Silicon Carbide: Long- and Small-Crack Behavior. (3) 551
Dense Layered Molybdenum Disilicide–Silicon Carbide Functionally Graded Composites Formed by Field-Activated Synthesis. (5) 962
Effect of Dynamic Microstructural Change on Deformation Behavior in Liquid-Phase-Sintered Silicon Carbide with Al_2O_3–Y_2O_3–CaO Additions. (9) 2045
Effect of Interfacial Reaction on the Thermal Conductivity of Al–SiC Composites with SiC Dispersions. (4) 896
Effect of β-to-α Phase Transformation on the Microstructural Development and Mechanical Properties of Fine-Grained Silicon Carbide Ceramics. (5) 945
Effects of Boehmite-Coating Thickness on the Consolidation and Rheological Properties of Boehmite-Coated SiC Suspensions. (12) 2834
Effects of Intergranular Phase Chemistry on the Microstructure and Mechanical Properties of Silicon Carbide Ceramics Densified with Rare-Earth Oxide and Alumina Additions. (7) 1642
Electrokinetic Properties of Nanosized SiC Particles in Highly Concentrated Electrolyte Solutions. (7) 1411
Experimental Observations of High Fracture Resistance in Silicon Carbide/Alumina Laminated Composites. (10) 2451
Fabrication of Continuous-SiC-Fiber-Reinforced SiAlON-Based Ceramic Composites by Reactive Melt Infiltration. (9) 1945
Flexural Creep of an *in Situ*-Toughened Silicon Carbide. (9) 2022
Grain-Boundary Viscosity of Preoxidized and Nitrogen-Annealed Silicon Carbides. (10) 2371
Green State Joining of SiC without Applied Pressure. (11) 2479
Heat-Resistant Silicon Carbide with Aluminum Nitride and Erbium Oxide. (9) 2060
High-Temperature Mechanical Properties of SiC–$Mo_5(Si,Al)_3C$ Composites. (2) 413
High-Temperature Morphological Evolution of Lithographically Introduced Cavities in Silicon Carbide. (5) 921
Improved Resistance to Damage of Silicon Carbide-Whisker-Reinforced Silicon Nitride-Matrix Composites by Whisker-Oriented Alignment. (1) 161
Influence of Strong Fiber/Coating Interfaces on the Mechanical Behavior and Lifetime of Hi-Nicalon/$(PyC/SiC)_n$/SiC Minicomposites. (4) 787
Influence of Thermal Conductivity and Fracture Toughness on the Thermal Shock Resistance of Alumina–Silicon-Carbide-Whisker Composites. (6) 1334
Measurement of High-Temperature Elastic Properties of Ceramics Using a Laser Ultrasonic Method. (7) 1521
Mechanical Properties of Two Plain-Woven Chemical Vapor Infiltrated Silicon Carbide-Matrix Composites. (5) 1043
Microstructural Evolution in Liquid-Phase-Sintered SiC: Part I, Effect of Starting Powder. (7) 1578
Microstructural Evolution in Liquid-Phase-Sintered SiC: Part II, Effects of Planar Defects and Seeds in the Starting Powder. (7) 1585
Microstructure and Mechanical Properties of Sinter–Post-HIPed Si_3N_4–SiC Composites. (2) 406

Nanofiber Formation in the Fabrication of Carbon/Silicon Carbide Ceramic Matrix Nanocomposites by Slurry Impregnation and Pulse Chemical Vapor Infiltration. (8) 1683
Oxidation of Low-Oxygen Silicon Carbide Fibers (Hi-Nicalon) in Carbon Dioxide. (12) 2975
Phase Relationship between 3C- and 6H-Silicon Carbide at High Pressure and High Temperature. (12) 3013
Relationship between Microstructure and Fracture Toughness of Toughened Silicon Carbide Ceramics. (6) 1347
Secondary Phases in Hot-Pressed Aluminum-Boron-Carbon–Silicon Carbide. (4) 813
Silicon Carbide Films by Laser Pyrolysis of Polycarbosilane. (1) 224
Solid Freeforming of Silicon Carbide by Inkjet Printing Using a Polymeric Precursor. (2) 307
Temperature Dependence of Tensile Strength for a Woven Boron-Nitride-Coated Hi-Nicalon™ SiC Fiber-Reinforced Silicon-Carbide-Matrix Composite. (9) 2079
Thermal and Electrical Properties in Plasma-Activation-Sintered Silicon Carbide with Rare-Earth-Oxide Additives. (10) 2448
Volume Fraction and Whisker Orientation Dependence of the Electrical Properties of SiC-Whisker-Reinforced Mullite Composites. (10) 2328

silicon carbonitride
Crystallization Behavior of Amorphous Silicon Carbonitride Ceramics Derived from Organometallic Precursors. (10) 2170
Fracture Toughness of Amorphous Precursor-Derived Ceramics in the Silicon–Carbon–Nitrogen System. (10) 2203
Nanoindentation of a Polymer-Derived Amorphous Silicon Carbonitride Ceramic. (5) 1164
Nanoscale Densification Creep in Polymer-Derived Silicon Carbonitrides at 1350°C. (10) 2208
Novel Silicon-Boron-Carbon-Nitrogen Materials Thermally Stable up to 2200°C. (10) 2179
Oxidation Kinetics of an Amorphous Silicon Carbonitride Ceramic. (8) 1803

silicon nitride
Aqueous Gel-Forming of Silicon Nitride Using Carrageenans. (1) 62
Densification Behavior in Microwave-Sintered Silicon Nitride at 28 GHz. (10) 2424
Diffusion Bonding of Silicon Nitride Using a Superplastic β-SiAlON Interlayer. (2) 471
Effect of β-Seed Addition on the Microstructural Evolution of Silicon Nitride Ceramics. (12) 3039
Fabrication of Low-Shrinkage, Porous Silicon Nitride Ceramics by Addition of a Small Amount of Carbon. (7) 1639
Formation Mechanism of AlN–SiC Solid Solution by Combustion Nitridation in Si_3N_4–Si-Al-C System. (4) 726
High-Temperature Fracture Energy of Superplastically Forged Silicon Nitride. (8) 1791
Improved Resistance to Damage of Silicon Carbide-Whisker-Reinforced Silicon Nitride-Matrix Composites by Whisker-Oriented Alignment. (1) 161
Influence of Aluminum–Oxygen–Yttrium Solid Solution on the Aqueous Tribological Behavior of Silicon Nitride. (2) 462
Infrared Microscopy for Examination of Structure in Spray-Dried Granules and Compacts. (1) 254
Low-Frequency Measurements on the Grain-Boundary Internal Friction Peak in Chlorine-Doped Silicon Nitride. (10) 2366
$MgSiN_2$ Addition as a Means of Increasing the Thermal Conductivity of β-Silicon Nitride. (12) 3062
Microstructural Control of a 70% Silicon Nitride– 30% Barium Aluminum Silicate Self-Reinforced Composite. (1) 13
Microstructure and Mechanical Properties of Silicon Nitride Materials Fabricated from SHS Powders. (5) 1033
Microstructure and Mechanical Properties of Sinter–Post-HIPed Si_3N_4–SiC Composites. (2) 406
Microstructure in Silicon Nitride Containing β-Phase Seeding: III, Grain Growth and Coalescence. (8) 1891
Molecular Dynamics Study of Atomic Structure and Diffusion Behavior in Amorphous Silicon Nitride Containing Boron. (10) 2213
Raman Microprobe Evaluation of Bridging Stresses in Highly Anisotropic Silicon Nitride. (8) 1785
Relationship between Microstructure and Mechanical Performance of a 70% Silicon Nitride–30% Barium Aluminum Silicate Self-Reinforced Ceramic Composite. (1) 5
Seamless Joining of Silicon Nitride Ceramics. (4) 708
Separate Growth of α- and β-Si_3N_4 Whiskers on or near a Carbon Substrate by Carbothermal Reduction. (10) 2442
Silicon Nitride Colloidal Probe Measurements: Interparticle Forces and the Role of Surface-Segment Interactions in Poly(acrylic acid) Adsorption from Aqueous Solution. (8) 1675
Silicon Nitride/Molybdenum Disilicide Composite with Superior Long-Term Oxidation Resistance at 1500°C. (10) 2430
Tensile Creep Behavior of a Gas-Pressure-Sintered Silicon Nitride Containing Silicon Carbide. (10) 2394
Thermal Conductivity of β-Si_3N_4: III, Effect of Rare-Earth (RE = La, Nd, Gd, Y, Yb, and Sc) Oxide Additives. (2) 353
Thickness Alteration of Grain-Boundary Amorphous Films during Creep of a Multiphase Silicon Nitride Ceramic. (6) 1296
Tribological Properties of Unidirectionally Aligned Silicon Nitride. (11) 2579
Visualization of Knoop Indentation Damage of Silicon Nitride by Plasma Etching. (10) 2427
Water-Based Gelcasting of Surface-Coated Silicon Nitride Powder. (4) 701

silicon oxycarbide
Mechanical Properties of Silicon Oxycarbide Ceramic Foams. (10) 2245
Phase Separation in an SiCO Glass Studied by Transmission Electron Microscopy and Electron Energy-Loss Spectroscopy. (5) 1073
Sol–Gel-Derived Silicon-Boron Oxycarbide Glasses Containing Mixed Silicon Oxycarbide (SiC_xO_{4-x}) and Boron Oxycarbide (BC_xO_{3-x}) Units. (10) 2160
Transmission Electron Microscopy and Electron Energy-Loss Spectroscopy Study of Nonstoichiometric Silicon-Carbon-Oxygen Glasses. (10) 2189

silver/silver compounds
Ethene/Ethane (C_2H_4/C_2H_6) Separation through an Inorganic–Organic Hybrid Membrane Containing Silver(I) Ions as Olefin Carriers, Using Poly(*N*-vinylpyrrolidone) as a Mediation Agent. (3) 654

simulation
Atomistic Simulation of Dopant Incorporation in Barium Titanate. (2) 376
Computer Simulation of Dissociative Adsorption of Water on the Surfaces of Spinel $MgAl_2O_4$. (7) 1553
Extraction of Weibull Parameters of Fiber Strength from Means and Standard Deviations of Failure Loads and Fiber Diameters. (3) 588
Oxide–Oxide Interfaces: Atomistic and Density Functional Study of Cubic-ZrO_2 (100) ‖ NiO (111). (11) 2677

single crystals
Secondary Ion Mass Spectroscopy Study of Oxygen-18 Tracer Diffusion in 2/1-Mullite Single Crystals. (12) 2845

sinter/sintering
Boron Carbide–Zirconium Boride *In Situ* Composites by the Reactive Pressureless Sintering of Boron Carbide–Zirconia Mixtures. (3) 642
Calculating the Thermal Conductivity of Heated Powder Compacts. (6) 1315
Cosintering Simulation and Experimentation: Case Study of Nanocrystalline Zirconia. (12) 2757
Densification Behavior in Microwave-Sintered Silicon Nitride at 28 GHz. (10) 2424
Dispersion and Slip Casting of Hydroxyapatite. (8) 1710
Effect of Dynamic Microstructural Change on Deformation Behavior in Liquid-Phase-Sintered Silicon Carbide with Al_2O_3–Y_2O_3–CaO Additions. (9) 2045
Effect of Heating Rate on the Sintering Behavior and the Piezoelectric Properties of Lead Zirconate Titanate Ceramics. (4) 902
Effect of Surface Impurities on the Microstructure Development during Sintering of Alumina. (6) 1386
Electric-Field Effects on Sintering and Reaction to Form Aluminum Titanate from Binary Alumina–Titania Sol–Gel Powders. (5) 983
High-Strength Porous Alumina Ceramics by the Pulse Electric Current Sintering Technique. (12) 3050
Impurity-Dependent Morphology and Grain Growth in Liquid-Phase-Sintered Alumina. (7) 1620
Influence of Green Formulation and Pyrolyzable Particulates on the Porous Microstructure and Sintering Characteristics of Tape Cast Ceramics. (1) 41
Low-Temperature Sintering, Densification, and Properties of Z-type Hexaferrite with Bi_2O_3 Additives. (12) 2889
$MgSiN_2$ Addition as a Means of Increasing the Thermal Conductivity of β-Silicon Nitride. (12) 3062
Micromechanics of Deformation in Porous Liquid-Phase-Sintered Alumina under Hertzian Contact. (8) 1844
Microstructural Evolution of Transparent PLZT Ceramics Sintered in Air and Oxygen Atmospheres. (7) 1465
Microstructure and Mechanical Properties of Sinter–Post-HIPed Si_3N_4–SiC Composites. (2) 406
Mullite–β-Spodumene Composites from Aluminosilicates. (8) 1703
Pore–Boundary Separation Behavior during Sintering of Pure and Bi_2O_3-Doped ZnO Ceramics. (6) 1398
Pressureless Sintering and Properties of Titanium Diboride Ceramics Containing Chromium and Iron. (4) 893
Processing and Microstructure Development of Titanium Carbide–Nickel Aluminide Composites Prepared by Melt Infiltration/Sintering (MIS). (1) 55
Scavenging of Siliceous Grain-Boundary Phase of 8-mol%-Ytterbia-Stabilized Zirconia without Additive. (11) 2735
Sintering and Microstructure Modification of Mullite/Zirconia Composites Derived from Silica-Coated Alumina Powders. (4) 850
Sintering Behavior and Surface Microstructure of PbO-Rich $PbNi_{1/3}Nb_{2/3}O_3$–$PbTiO_3$–$PbZrO_3$ Ceramics. (11) 2469

slags
Vaporization and Corrosion of Refractories in the Presence of Pressurized Pulverized Coal Combustion Slag. (7) 1445

slip casting
Dispersion and Slip Casting of Hydroxyapatite. (8) 1710
Effect of Solids Loading and Dispersant Concentration on Strain Mismatch and Deformation of Slip-Cast Green Bodies. (10) 2274

slurries
Freeze Casting of Aqueous Alumina Slurries with Glycerol. (7) 1459
Improvement in the Strut Thickness of Reticulated Porous Ceramics. (7) 1654
Nanofiber Formation in the Fabrication of Carbon/Silicon Carbide Ceramic Matrix Nanocomposites by Slurry Impregnation and Pulse Chemical Vapor Infiltration. (8) 1683
Robocast $Pb(Zr_{0.95}Ti_{0.05})O_3$ Ceramic Monoliths and Composites. (4) 872
Transverse Thermal Conductivity of Thin C/SiC Composites Fabricated by Slurry Infiltration and Pyrolysis. (10) 2229

soda-lime-silica
Morphology of Vickers Indent Flaws in Soda–Lime–Silica Glass. (10) 2361

sodium/sodium compounds
Microwave-Hydrothermal Synthesis of Nanocrystalline Zirconia Powders. (11) 2728
Translucent Polycrystalline Alumina with Improved Resistance to Sodium Attack. (12) 2853

sol-gel
Crystallization Behavior of Sol–Gel-Derived Strontium Barium Niobate Thin Films. (1) 193
Effect of Phosphorus Ions on the Proton Conductivity in the Sol–Gel-Derived Porous Glasses. (11) 2553
Electric-Field Effects on Sintering and Reaction to Form Aluminum Titanate from Binary Alumina-Titania Sol-Gel Powders. (5) 983
Ethene/Ethane (C_2H_4/C_2H_6) Separation through an Inorganic–Organic Hybrid Membrane Containing Silver(I) Ions as Olefin Carriers, Using Poly(*N*-vinylpyrrolidone) as a Mediation Agent. (3) 654
Fabrication and Characterization of Pyroelectric $Ba_{0.8}Sr_{0.2}TiO_3$ Thin Films by a Sol–Gel Process. (7) 1421
Gel-to-Ceramic Conversion during Hydroxyapatite Synthesis. (9) 2123
Intrinsically Formed Trivalent Titanium Ions in Sol–Gel Titania. (2) 392
Low-Temperature Preparation and Size Effect of Strontium Barium Niobate Ultrafine Powder. (1) 79
Phase Separation in Sol–Gel Process of Alkoxide-Derived Silica–Zirconia in the Presence of Polyethylene Oxide. (9) 1968
Single-Source Sol-Gel Synthesis of Nanocrystalline $ZnAl_2O_4$ Structural and Optical Properties. (9) 1921
Sol–Gel Preparation of $BaTi_4O_9$ and $Ba_2Ti_9O_{20}$. (3) 669
Sol-Gel Processing and Characterization of Pure and Metal-Doped SnO_2 Thin Films. (1) 48
Sol–Gel Synthesis of Silica-Based Oxyfluoride Glass-Ceramic Thin Films: Incorporation of Eu^{3+} Activators into Crystallites. (11) 2716
Thermal Softening Behavior and Application to Transparent Thick Films of Poly(benzylsilsesquioxane) Particles Prepared by the Sol–Gel Process. (4) 775

solid oxide fuel cell
A Simple and Cost-Effective Approach to Fabrication of Dense Ceramic Membranes on Porous Substrates. (8) 1903
Catalytic and Electrochemical Properties of Doped Lanthanum Chromites as New Anode Materials for Solid Oxide Fuel Cells. (10) 2289
Control of the Thermal Expansion of Strontium-Doped Lanthanum Chromite Perovskites by B-site Doping for High-Temperature Solid Oxide Fuel Cell Separators. (4) 781
Effect of Substitution of Manganese for Iron on the Structure and Electrical Properties of Yttrium Ferrite. (6) 1265
Electrochemical Stability of Strontium-Doped Ceria Electrolyte in Solid-Oxide Fuel Cell Applications. (7) 1533
Fabrication of Dense Zirconia Electrolyte Films for Tubular Solid Oxide Fuel Cells by Electrophoretic Deposition. (1) 33

Thermal Expansion Behavior of Titanium-Doped $La(Sr)CrO_3$ Solid Oxide Fuel Cell Interconnects. (11) 2573

solid solutions
Effect of the Presence of Ammonium Peroxodisulfate on the Direct Precipitation of Ceria and Ceria–Zirconia Solid Solutions from Acidic Aqueous Solutions. (8) 1728

solubility
Solubility of Gases in Vitreous Silica Described by a Distribution of Dissolution Energies. (11) 2699

solvent/solutions
Influence of Aluminum–Oxygen–Yttrium Solid Solution on the Aqueous Tribological Behavior of Silicon Nitride. (2) 462

spinels
Computer Simulation of Dissociative Adsorption of Water on the Surfaces of Spinel $MgAl_2O_4$. (7) 1553
Single-Source Sol–Gel Synthesis of Nanocrystalline $ZnAl_2O_4$: Structural and Optical Properties. (9) 1921
Titanium Incorporation in Zn_2TiO_4 Spinel Ceramics. (5) 1081

spray drying
Direct Evidence for Low-Density Regions in Compacted Spray-Dried Powders. (10) 2454
Infrared Microscopy for Examination of Structure in Spray-Dried Granules and Compacts. (1) 254
Packaging of Sol–Gel-Made Porous Nanostructured Titania Particles by Spray Drying. (12) 2802

spray pyrolysis
Film Synthesis of $Y_3Al_5O_{12}$ and $Y_3Fe_5O_{12}$ by the Spray–Inductively Coupled Plasma Technique. (3) 651
Flame Spray Pyrolysis of Precursors as a Route to Nano-mullite Powder: Powder Characterization and Sintering Behavior. (5) 951
Preparation of Nickel Powders by Spray Pyrolysis of Nickel Formate. (7) 1425
Sodium Carbonate Flux Effects on the Luminescence Characteristics of $(Y_{0.5}Gd_{0.5})_2O_3$:Eu Phosphor Particles Prepared by Spray Pyrolysis. (2) 447

stannates
Effect of Processing Parameters on Physical Properties of Cadmium Stannate Thin Films Prepared by a Dip-Coating Technique. (1) 85

strain
Effect of Solids Loading and Dispersant Concentration on Strain Mismatch and Deformation of Slip-Cast Green Bodies. (10) 2274
Estimation of the Effective d_{31} Coefficients of the Piezoelectric Layer in Rainbow Actuators. (11) 2563
Ferroelastic Behavior of $LaCoO_3$-Based Ceramics. (9) 2029

strength
Contact-induced Damage in Ceramic Coatings on Compliant Substrates: Fracture Mechanics and Design. (5) 1066
Effect of Flaw State on the Strength of Brittle Coatings on Soft Substrates. (10) 2377
High-Strength Porous Alumina Ceramics by the Pulse Electric Current Sintering Technique. (12) 3050
High-Temperature Strength Behavior of Synroc-C. (1) 117
Monazite Coatings on Fibers: II. Coating without Strength Degradation. (12) 2793
Seamless Joining of Silicon Nitride Ceramics. (4) 708
Strength of Green Ceramics with Low Binder Content. (12) 2809
Strength-Limiting Surface Damage in Single-Crystal Sapphire Imaged by X-ray Topography. (10) 2351
Toughened Oxide Composites Based on Porous Alumina-Platelet Interphases. (4) 767

stress
Apatite-Forming Ability of Sodium-Containing Titania Gels in a Simulated Body Fluid. (12) 2969
Development of Surface Compressive Stresses in Zirconia–Alumina Composites by an Ion-Exchange Process. (6) 1321
Estimation of the Effective d_{31} Coefficients of the Piezoelectric Layer in Rainbow Actuators. (11) 2563
Ferroelastic Behavior of $LaCoO_3$-Based Ceramics. (9) 2029
Influence of Cement Particle-Size Distribution on Early Age Autogenous Strains and Stresses in Cement-Based Materials. (1) 129
Measurement of Very Slow Crack Growth in Glass. (11) 2585
Raman Microprobe Evaluation of Bridging Stresses in Highly Anisotropic Silicon Nitride. (8) 1785
Residual Stress Induced *R*-Curves in Laminar Ceramics That Exhibit a Threshold Strength. (11) 2722
Residual-Stress Predictions in Polycrystalline Alumina. (12) 2947
Temperature and Stress Distributions in a Hollow Cylinder of Functionally Graded Material: The Case of Temperature-Independent Material Properties. (5) 1059
Thermal Shock Behavior of Iron-Particle-Toughened Alumina. (3) 603

strontium
Phase Diagram Studies in the Systems La_2O_3–SrO–Ga_2O_3, La_2O_3–MgO–Ga_2O_3, and SrO–MgO–Ga_2O_3 at 1400°C in Air. (5) 1093
Processing and Properties of Strontium Bismuth Vanadate Niobate Ferroelectric Ceramics. (12) 2882

strontium barium niobate
Crystallization Behavior of Sol–Gel-Derived Strontium Barium Niobate Thin Films. (1) 193
Low-Temperature Preparation and Size Effect of Strontium Barium Niobate Ultrafine Powder. (1) 79

strontium oxide
Electrochemical Stability of Strontium-Doped Ceria Electrolyte in Solid-Oxide Fuel Cell Applications. (7) 1533

strontium titanate
Grain Boundaries of Semiconducting $SrTiO_3$ and $BaTiO_3$ Ceramics Synthesized from Surface-Coated Powders. (9) 1937
Microcontact Impedance Spectroscopy at Single Grain Boundaries in Fe-Doped $SrTiO_3$ Polycrystals. (3) 521
Strontium Zirconate and Strontium Titanate Ceramics for High-Voltage Applications: Synthesis, Processing, and Dielectric Properties. (7) 1648
Surprising Results of a Study on the Plasticity in Strontium Titanate. (5) 1161

structure
Cation Effects on Anion Distributions in Aluminophosphate Glasses. (5) 1025
Contribution of Structure to Temperature Dependence of Resonant Frequency in the $(1 - x)La(Zn_{1/2}Ti_{1/2})O_3$-$xATiO_3$ (A = Ca, Sr) System. (4) 753
Crystal Structure of Metastable Tetragonal Zirconia up to 1473 K. (5) 1169
Relationship between the Bond Valence and the Temperature Coefficient of the Resonant Frequency in the Complex Perovskite $(Pb_{1-x}Ca_x)[Fe_{0.5}(Nb_{1-y}Ta_y)_{0.5}]O_3$. (1) 99
Structure and Electronic Transport Properties of Si-(B)-C-N Ceramics. (10) 2260
Surface Damage Resistance of Gel-Derived Oxycarbide Glasses: Hardness, Toughness, and Scratchability. (10) 2220

substitution
Effect of Substitution of Manganese for Iron on the Structure and Electrical Properties of Yttrium Ferrite. (6) 1265
Effects of Calcium Substitution on the Structural and Microwave Dielectric Characteristics of $[(Pb_{1-x}Ca_x)_{1/2}La_{1/2}][(Mg_{1/2}Nb_{1/2})O_3$ Ceramics. (6) 1291
Energetics of Substituted Pollucites Along the $CsAlSi_2O_6$–$CsTiSi_2O_{6.5}$ Join: A High-Temperature Calorimetric Study. (3) 555

substrates
Analyses of Multiple Film Cracking in Film/Substrate Systems. (12) 2955
Fabrication of Long Lengths of Epitaxial Buffer Layers on Biaxially Textured Nickel Substrates Using a Continuous Reel-to-Reel Dip-Coating Unit. (2) 273
Lead Zirconate Titanate Thin Films on Base-Metal Foils: An Approach for Embedded High-Permittivity Passive Components. (10) 2436
Preparation of Dense Platinum-Yttria Stabilized Zirconia; Yttria Stabilized Zirconia Films on Porous $La_{0.9}Sr_{0.1}MnO_3$ (LSM) Substrates. (2) 283
Residual Stresses in Alumina/Zirconia Composites: Effect of Cooling Rate and Grain Size. (12) 2962
Separate Growth of α- and β-Si_3N_4 Whiskers on or near a Carbon Substrate by Carbothermal Reduction. (10) 2442

sulfides
Preparation of Li_2S–P_2S_5 Amorphous Solid Electrolytes by Mechanical Milling. (2) 477

surface
Effect of Magnesium Oxide on Faceted Vicinal (0001) Surface of Aluminum Oxide. (2) 456
IR and XPS Studies on the Surface Structure of Poled ZnO–TeO_2 Glasses with Second-Order Nonlinearity. (1) 214
Origin of Gas Porosity in Gold-Based Alloys Cast in Calcium Sulfate-Bonded Investment and Influence of Metal Oxide Acid–Base Properties on Calcium Sulfate Thermal Stability. (8) 1839

surface area
High-Surface-Area Alumina Ceramics Fabricated by the Decomposition of $Al(OH)_3$. (3) 485
Thermal Decomposition of Titanium Alkoxide and Silicate Ester in Organic Solvent: A New Method for Synthesizing Large-Surface-Area, Silica-Modified Titanium(IV) Oxide of High Thermal Stability. (5) 1178

surfactants
Cadmium Sulfide Aggregates through Reverse Micelles. (7) 1439

suspensions
In Situ Rheological Investigation of the Coagulation in Aqueous Alumina Suspensions. (8) 1733
Effect of Particle Volume Fraction on the Gelation Behavior of the Temperature Induced Forming (TIF) Aqueous Alumina Suspensions. (9) 2138
Ink-Jet Printing of Wax-Based Alumina Suspensions. (11) 2514
Mechanical Properties of Coagulated Wet Particle Networks with Alkali-Swellable Thickeners. (8) 1689
Structural and Property Evolution of Aqueous-Based Lead Zirconate Titanate Tape-Cast Layers. (11) 2495

synchrotron radiation
Determination of Positions of Zeolitic Calcium Atoms and Water Molecules in Hydrothermally Formed Aluminum-Substituted Tobermorite-1.1nm Using Synchrotron Radiation Powder Diffraction Data. (11) 2685

synroc
High-Temperature Strength Behavior of Synroc-C. (1) 117

synthesis
In Situ Neutron Powder Diffraction Study of Ti_3SiC_2 Synthesis. (10) 2281
In Situ Reaction Synthesis of Silicon Carbide–Boron Nitride Composites. (7) 1475
Control of Synthesis Conditions to Improve Zirconia Microspheres for Ultrafast Chromatography. (8) 1721
Crystallization Behavior of Amorphous Silicon Carbonitride Ceramics Derived from Organometallic Precursors. (10) 2170
Double Injection Synthesis and Dispersion of Submicrometer Barium Titanyl Oxalate Tetrahydrate. (5) 1172
Hydrothermal Synthesis and Formation Mechanisms of Lanthanum Tin Pyrochlore Oxide. (11) 2531
Hydrothermal Synthesis of Nanosized Titania Powders: Influence of Tetraalkyl Ammonium Hydroxides on Particle Characteristics. (8) 1696
Influence of Diaspore Seeding and Chloride Concentration on the Transformation of "Diasporic" Precursors to Corundum. (8) 1896
Intrinsically Formed Trivalent Titanium Ions in Sol–Gel Titania. (2) 392
Mechanochemical Synthesis and Electrochemical Properties of $LiMn_2O_4$. (1) 242
Mechanochemical Synthesis of Hydroxyapatite from Calcium Oxide and Brushite. (2) 465
Mechanochemical Synthesis of Lanthanum Oxyfluoride from Lanthanum Oxide and Lanthanum Fluoride. (4) 863
Nepheline and Carnegieite Ceramics from A-Type Zeolites by Microwave Heating. (2) 321
Nonisothermal Synthesis of Yttria-Stabilized Zirconia Nanopowder through Oxalate Processing: II. Morphology Manipulation. (11) 2484
Novel Silicon-Boron-Carbon-Nitrogen Materials Thermally Stable up to 2200°C. (10) 2179
One-Step Synthesis and Consolidation of Nanophase Iron Aluminide. (5) 910
Synthesis and Colloidal Processing of Zirconia Nanopowder. (11) 2489
Synthesis and Microstructural Characterization of Unsupported Nanocrystalline Zirconia Thin Films. (4) 890
Synthesis and Processing of Barium Hexaaluminogallates. (7) 1433
Synthesis of Aluminum Oxide Platelets. (3) 514
Synthesis of Calcium Hexaboride Powder via the Reaction of Calcium Carbonate with Boron Carbide and Carbon. (11) 2725
Synthesis of Hard Materials by Field Activation: The Synthesis of Solid Solutions and Composites in the TiB_2–WB_2–CrB_2 System. (12) 2764
Synthesis of Low-Dielectric Silica Aerogel Films by Ambient Drying. (2) 453
Synthesis of Nanocrystalline α-Alumina Powder Using Triethanolamine. (12) 2849
Synthesis of $Pb(Mg_{1/3}Nb_{2/3})O_3$ in Excess Lead Oxide by Mechanical Activation. (3) 660
Synthesis of Porous Ceramics with Complex Pore Structure by Freeze-Dry Processing. (1) 230
Synthesis of Pure and Manganese-, Nickel-, and Zinc-Doped Ferrite Particles in Water-in-Oil Microemulsions. (9) 1987
Synthesis of Ultrafine Ceria Powders by Mechanochemical Processing. (7) 1453
Synthesis of α-SiAlON Seed Crystals. (7) 1651

tantalum/tantalum compounds
Catalytically Assisted Self-Propagating High-Temperature Synthesis of Tantalum Carbide Powders. (5) 976
Microwave Dielectric Properties of $(1 - x)(Al_{1/2}Ta_{1/2})O_2$–$x(Mg_{1/3}Ta_{2/3})O_2$ Ceramics. (11) 2570

tape casting
Aqueous Processing of Titanium Carbide Green Sheets. (11) 2537
Competitive Adsorption Phenomena in Nonaqueous Tape Casting Suspensions. (11) 2501
Effect of Acrylic–Styrene Copolymer Chemical Structure on the Properties of Ceramic Tapes Obtained by Tape Casting. (6) 1231
Fabrication and Characterization of γ-$LiAlO_2$ Matrices Using an Aqueous Tape-Casting Process. (5) 937

Formation of Barrier Ribs for Plasma Display Panel via Roll Forming of Green Tapes. (7) 1470
Fracture Resistance of Highly Textured Alumina. (7) 1514
Influence of Green Formulation and Pyrolyzable Particulates on the Porous Microstructure and Sintering Characteristics of Tape Cast Ceramics. (1) 41
Organic Distributions in Dried Alumina Green Tape. (2) 267
Phase Stability and Ferroelectric Properties of Lead Strontium Zirconate Titanate Ceramics. (2) 333
Structural and Property Evolution of Aqueous-Based Lead Zirconate Titanate Tape-Cast Layers. (11) 2495

tellurium/tellurium compounds
^{125}Te, ^{27}Al, and ^{71}Ga NMR Study of M_2O_3–TeO_2 (M = Al and Ga) Glasses. (4) 836

temperature
Monazite Coatings on Fibers: I, Effect of Temperature and Alumina Doping on Coated-Fiber Tensile Strength. (12) 2783
Temperature Measurements during Microwave Processing: The Significance of Thermocouple Effects. (9) 1981

tensile
Misalignment-Induced Bending in Pin-Loaded Tensile-Creep Specimens. (1) 145
Multiple Cracking and Tensile Behavior for an Orthogonal 3-D Woven Si-Ti-C-O Fiber/Si-Ti-C-O Matrix Composite. (7) 1565
Tensile Creep Behavior of a Gas-Pressure-Sintered Silicon Nitride Containing Silicon Carbide. (10) 2394

texture
Fabrication of Textured Alumina by High-Temperature Deformation. (6) 1392
Fracture Resistance of Highly Textured Alumina. (7) 1514

thalium
Phase Diagram Studies in the System Tl_2O_3–BaO–CaO–CuO–Ag. (1) 183

thermal analysis
Fluid Dynamics and Thermal Aspects of the Dewatering of High-Alumina Refractory Castables: Removal of Physically Absorbed Water. (11) 2696

thermal conductivity
Calculating the Thermal Conductivity of Heated Powder Compacts. (6) 1315
Crystallographic Texture and Thermal Conductivity of Zirconia Thermal Barrier Coatings Deposited on Different Substrates. (7) 1539
Distributed Porosity as a Control Parameter for Oxide Thermal Barriers Made by Physical Vapor Deposition. (12) 2937
Effect of Interfacial Reaction on the Thermal Conductivity of Al–SiC Composites with SiC Dispersions. (4) 896
Long-Term Behavior and Application Limits of Plasma-Sprayed Zirconia Thermal Barrier Coatings. (6) 1301
$MgSiN_2$ Addition as a Means of Increasing the Thermal Conductivity of β-Silicon Nitride. (12) 3062
Thermal Conductivity of β-Si_3N_4: III, Effect of Rare-Earth (RE = La, Nd, Gd, Y, Yb, and Sc) Oxide Additives. (2) 353
Transverse Thermal Conductivity of Thin C/SiC Composites Fabricated by Slurry Infiltration and Pyrolysis. (10) 2229

thermal decomposition
Design of Ceramic Materials for Chemical Sensors: Effect of $SmFeO_3$ Processing on Surface and Electrical Properties. (2) 341
Effect of pH on the Chemistry of the Barium Titanium Citrate Gel and Its Thermal Decomposition Behavior. (11) 2475
Thermal Decomposition of Titanium Alkoxide and Silicate Ester in Organic Solvent: A New Method for Synthesizing Large-Surface-Area, Silica-Modified Titanium(IV) Oxide of High Thermal Stability. (5) 1178
Thermal Decomposition of Zircon Refractories. (12) 2930

thermal expansion
Thermal Expansion Behavior of Titanium-Doped La(Sr)CrO_3 Solid Oxide Fuel Cell Interconnects. (11) 2573

thermal properties
Effects of Matrix Cracks on the Thermal Diffusivity of a Fiber-Reinforced Ceramic Composite. (9) 2015
Mechanism of Thermal Transport in Zirconia and Yttria-Stabilized Zirconia by Molecular-Dynamics Simulation. (12) 2997
Molten Salt Synthesis of Calcium Hydroxyapatite Whiskers. (2) 295
Spectroscopic Properties and Thermal Stability of Er^{3+}-Doped Germanotellurite Glasses for Broadband Fiber Amplifiers. (1) 165
Theoretical Investigation of Heat Transfer in Glass Forming. (10) 2296
Thermal and Electrical Properties in Plasma-Activation-Sintered Silicon Carbide with Rare-Earth-Oxide Additives. (10) 2448

thermal shock/thermal shock resistance
Alumina/NiCu Laminate under Thermal Shock up to 1000°C: I, Experimental. (12) 2819
Alumina/NiCu Laminate under Thermal Shock up to 1000°C: II, Prediction of the Laminate Behavior. (12) 2827
Fluid Dynamics and Thermal Aspects of the Dewatering of High-Alumina Refractory Castables: Removal of Physically Absorbed Water. (11) 2696
Influence of the Compositional Profile of Functionally Graded Material on the Crack Path under Thermal Shock. (7) 1480
Investigation of Thermal Shock in a High-Temperature Refractory Ceramic: A Fracture Mechanics Approach. (6) 1309
Temperature and Stress Distributions in a Hollow Cylinder of Functionally Graded Material: The Case of Temperature-Independent Material Properties. (5) 1059
Thermal Shock Behavior of Iron-Particle-Toughened Alumina. (3) 603
Thermal Shock of Layered Ceramic Structures with Crack-Deflecting Interfaces. (1) 104

thermal treatment
Crystallization of Sol–Gel-Derived Barium Strontium Titanate Thin Films. (5) 1087
Effect of the Growth Treatment on Two-Stage Nucleation Experiments. (3) 492
Preparation of Zirconia Whiskers from Zirconium Hydroxide in Sulfuric Acid Solutions under Hydrothermal Conditions at 200°C. (11) 2705
Thermal Stability of Polycarbosilane-Derived Silicon Carbide Fibers under Reduced Pressures. (3) 566

thermodynamics
Energetics of Substituted Pollucites Along the $CsAlSi_2O_6$–$CsTiSi_2O_{6.5}$ Join: A High-Temperature Calorimetric Study. (3) 555
Thermodynamic Modeling of the Isomorphous Phase Diagrams in the Al_2O_3–Cr_2O_3 and V_2O_3–Cr_2O_3 Systems. (8) 1881

thick films
Processing and Properties of Screen-Printed Lead Zirconate Titanate Piezoelectric Thick Films on Electroded Silicon. (12) 2863
Thermal Softening Behavior and Application to Transparent Thick Films of Poly(benzylsilsesquioxane) Particles Prepared by the Sol–Gel Process. (4) 775

thin films
Chromium Oxycarbide Thin Films Prepared by Inductively Coupled Radio-Frequency Plasma-Assisted Magnetron Sputtering. (8) 1763
Consequence of Nanometer-Scale Property Variations to Macroscopic Properties of CrOCN Thin Films. (12) 2873
Crystallization of Sol–Gel-Derived Barium Strontium Titanate Thin Films. (5) 1087
Effect of Processing Parameters on Physical Properties of Cadmium Stannate Thin Films Prepared by a Dip-Coating Technique. (1) 85
Fabrication and Characterization of Pyroelectric $Ba_{0.8}Sr_{0.2}TiO_3$ Thin Films by a Sol–Gel Process. (7) 1421
Hydrolysis Deposition of Thin Films of Antimony-Doped Tin Oxide. (4) 869
Lead Zirconate Titanate Thin Films on Base-Metal Foils: An Approach for Embedded High-Permittivity Passive Components. (10) 2436
Luster Pottery from the Thirteenth Century to the Sixteenth Century: A Nanostructured Thin Metallic Film. (2) 442
Rapid Preparation of Lead Titanate Sputtering Target Using Spark-Plasma Sintering. (11) 2521
Synthesis and Microstructural Characterization of Unsupported Nanocrystalline Zirconia Thin Films. (4) 890

tin/tin compounds
Habit Modifications of SnO_2 Crystals in SnO_2–Cu_2O Flux System in the Presence of Trivalent Impurity Cations. (6) 1341
Hydrolysis Deposition of Thin Films of Antimony-Doped Tin Oxide. (4) 869
Sol–Gel Processing and Characterization of Pure and Metal-Doped SnO_2 Thin Films. (1) 48

titanates
Contribution of Structure to Temperature Dependence of Resonant Frequency in the $(1-x)La(Zn_{1/2}Ti_{1/2})O_3$–$xATiO_3$ (A = Ca, Sr) System. (4) 753
Crystallization of Sol–Gel-Derived Barium Strontium Titanate Thin Films. (5) 1087
Diffusion of ^{110m}Ag Tracer in Polycrystalline and Single-Crystal Lead-Containing Piezoelectric Ceramics. (8) 1777
Electric-Field Effects on Sintering and Reaction to Form Aluminum Titanate from Binary Alumina–Titania Sol–Gel Powders. (5) 983
Fabrication and Characterization of Pyroelectric $Ba_{0.8}Sr_{0.2}TiO_3$ Thin Films by a Sol–Gel Process. (7) 1421
Generalized Titanate Ceramic Waste Form for Advanced Purex Reprocessing. (5) 1187
Preferred Grain Orientation Relationships in Sintered Perovskite Ceramics. (8) 1885
Thermal Treatment of Titanate Derivatives Synthesized by Ion-Exchange Reaction. (5) 1181
Titanium Incorporation in Zn_2TiO_4 Spinel Ceramics. (5) 1081

titanium
Cyclic Fatigue-Crack Growth and Fracture Properties in Ti_3SiC_2 Ceramics at Elevated Temperatures. (12) 2914
Crystal Chemistry and Stabilization in Air of Brannerite, UTi_2O_6. (1) 141
Effect of pH on the Chemistry of the Barium Titanium Citrate Gel and Its Thermal Decomposition Behavior. (11) 2475
Hydroxyapatite Coating on Thermally Oxidized Titanium Substrates. (9) 2135
In Situ Neutron Powder Diffraction Study of Ti_3SiC_2 Synthesis. (10) 2281
Synthesis of Ternary Titanium Aluminum Carbides Using Self-Propagating High-Temperature Synthesis Technique. (12) 3053
Titanium Incorporation in Zn_2TiO_4 Spinel Ceramics. (5) 1081

titanium boride
Oxidation Behavior of Titanium Boride at Elevated Temperatures. (1) 239
Synthesis of Hard Materials by Field Activation: The Synthesis of Solid Solutions and Composites in the TiB_2–WB_2–CrB_2 System. (12) 2764

titanium carbide
Aqueous Processing of Titanium Carbide Green Sheets. (11) 2537
Mechanical Properties of Sputter-Deposited Titanium-Silicon-Carbon Films. (3) 672
Processing and Microstructure Development of Titanium Carbide–Nickel Aluminide Composites Prepared by Melt Infiltration/Sintering (MIS). (1) 55
Spheroidization of Titanium Carbide Powders by Induction Thermal Plasma Processing. (9) 1929

titanium carbonitride
Microstructure of Ti(CN)–WC–NbC–Ni Cermets. (4) 843
Processing and Properties of Ti(C,N)–WC-Based Materials. (11) 2669

titanium diboride
Pressureless Sintering and Properties of Titanium Diboride Ceramics Containing Chromium and Iron. (4) 893
Synthesis of Dense TiB_2–TiN Nanocrystalline Composites through Mechanical and Field Activation. (6) 1209

titanium dioxide
Anatase-to-Rutile Transformation in Titania Powders. (3) 619
Control of Phase and Pore Structure of Titania Powders Using HCl and NH_4OH Catalysts. (1) 92
Effect of Silica Additive on the Anatase-to-Rutile Phase Transition. (7) 1591
Hydrothermal Synthesis of Nanosized Titania Powders: Influence of Tetraalkyl Ammonium Hydroxides on Particle Characteristics. (8) 1696
Intrinsically Formed Trivalent Titanium Ions in Sol–Gel Titania. (2) 392
Packaging of Sol–Gel-Made Porous Nanostructured Titania Particles by Spray Drying. (12) 2802
Thermal Decomposition of Titanium Alkoxide and Silicate Ester in Organic Solvent: A New Method for Synthesizing Large-Surface-Area, Silica-Modified Titanium(IV) Oxide of High Thermal Stability. (5) 1178

titanium nitride
Synthesis of Dense TiB_2–TiN Nanocrystalline Composites through Mechanical and Field Activation. (6) 1209
Synthesis of Nanocrystalline Titanium Nitride Powders by Direct Nitridation of Titanium Oxide. (12) 3044

toughness
R-Curve Behavior of *In Situ* Toughened α-SiAlON Ceramics. (4) 884
Contact-induced Damage in Ceramic Coatings on Compliant Substrates: Fracture Mechanics and Design. (5) 1066

transformation toughening
Low-Temperature Aging of Zirconia Ferrules for Optical Connectors. (11) 2731

transitions
Energy Transfer Process for the Blue Up-Conversion in Calcium Aluminate Glasses Doped with Tm^{3+} and Nd^{3+}. (2) 348
Mechanical-Activation-Triggered Gibbsite-to-Boehmite Transition and Activation-Derived Alumina Powders. (6) 1225
Phase Relations and Volume Changes of Hafnia under High Pressure and High Temperature. (6) 1369

transmission electron microscopy
High-Resolution Transmission Electron Microscopy Observations on Antiphase Boundaries in Barium Lanthanum Magnesium Niobate. (8) 1909

tungsten/tungsten compounds
Gas-Sensing Properties of Nanocrystalline WO_3 Films Made by Advanced Reactive Gas Deposition. (7) 1504
Processing and Properties of Ti(C,N)–WC-Based Materials. (11) 2669

ultrasonics
Measurement of High-Temperature Elastic Properties of Ceramics Using a Laser Ultrasonic Method. (7) 1521

uranium/uranium compounds
Crystal Chemistry and Stabilization in Air of Brannerite, UTi_2O_6. (1) 141
vacancies
Effect of Oxygen Vacancies on the Hot Hardness of Mullite. (5) 1167
Oxygen Vacancies in Pure Tetragonal Zirconia Powders: Dependence on the Presence of Chlorine during Processing. (1) 65
vanadium/vanadium compounds
Processing and Properties of Strontium Bismuth Vanadate Niobate Ferroelectric Ceramics. (12) 2882
Zinc Vanadates in Vanadium Oxide-Doped Zinc Oxide Varistors. (2) 435
vaporization
Vaporization and Corrosion of Refractories in the Presence of Pressurized Pulverized Coal Combustion Slag. (7) 1445
varistors
Pore–Boundary Separation Behavior during Sintering of Pure and Bi_2O_3-Doped ZnO Ceramics. (6) 1398
Structure and Chemistry of Basal-Plane Inversion Boundaries in Antimony Oxide-Doped Zinc Oxide. (11) 2657
Zinc Vanadates in Vanadium Oxide-Doped Zinc Oxide Varistors. (2) 435
viscosity
Creep Viscosity and Stress Relaxation of Gel-Derived Silicon Oxycarbide Glasses. (5) 1052
Effect of Particle Volume Fraction on the Gelation Behavior of the Temperature Induced Forming (TIF) Aqueous Alumina Suspensions. (9) 2138
Improvement in the Strut Thickness of Reticulated Porous Ceramics. (7) 1654
Local Viscosity of Si-O-C-N Nanoscale Amorphous Phases at Ceramic Grain Boundaries. (10) 2225
Low-Frequency Measurements on the Grain-Boundary Internal Friction Peak in Chlorine-Doped Silicon Nitride. (10) 2366
Rheological Properties of Cement-Based Extrudates with Fibers. (10) 2343
waste disposal
Comment on "Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes". (11) 2743
Enthalpies of Chromium Oxide Solution in Soda Lime Borosilicate Glass Systems. (12) 2987
Properties of Portland Cement Pastes Incorporating Nanometer-Sized Franklinite Particles Obtained from Electric-Arc-Furnace Dust. (12) 2909
Reply to "Comment on 'Influence of Fe^{3+}/Fe^{2+} Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes'". (11) 2745
water
Aqueous Gel-Forming of Silicon Nitride Using Carrageenans. (1) 62
Fluid Dynamics and Thermal Aspects of the Dewatering of High-Alumina Refractory Castables: Removal of Physically Absorbed Water. (11) 2696
State of Water in Hydrating Tricalcium Silicate and Portland Cement Pastes as Measured by Quasi-Elastic Neutron Scattering. (8) 1811
wear/wear resistance
Advanced Alumina Composites Reinforced with Titanium-Based Alloys. (7) 1509
Wet Erosive Wear of Alumina Densified with Magnesium Silicate Additions. (8) 1767
Weibull statistics
Extraction of Weibull Parameters of Fiber Strength from Means and Standard Deviations of Failure Loads and Fiber Diameters. (3) 588
wetting
Drying and Rewetting of Mature Cement Pastes Studied through Positron Annihilation Lifetime Spectroscopy. (1) 227
whiskers
C_{60} Nanowhiskers in a Mixture of Lead Zirconate Titanate Sol–C_{60} Toluene Solution. (12) 3036
Fracture Behavior of SiC-Whisker-Reinforced Barium Aluminosilicate Glass-Ceramic Matrix Composites. (4) 881
Grain-Size Effect on Compressive Creep of Silicon-Carbide-Whisker-Reinforced Aluminum Oxide. (7) 1645
Influence of Thermal Conductivity and Fracture Toughness on the Thermal Shock Resistance of Alumina–Silicon-Carbide-Whisker Composites. (6) 1334
Molten Salt Synthesis of Calcium Hydroxyapatite Whiskers. (2) 295
Preparation of Zirconia Whiskers from Zirconium Hydroxide in Sulfuric Acid Solutions under Hydrothermal Conditions at 200°C. (11) 2705
Separate Growth of α- and β-Si_3N_4 Whiskers on or near a Carbon Substrate by Carbothermal Reduction. (10) 2442
X-ray computed tomography
X-ray Tomography Study on Green State Joining of Silicon Carbide Using Polymer Precursors. (9) 1961
X-ray methods
In Situ X-ray Diffraction and Young's Modulus Measurement during Heat Treatment of High-Alumina Cement Castables. (3) 583
Determination of Calcium/Phosphorus Atomic Ratio of Calcium Phosphate Apatites Using X-ray Diffractometry. (2) 359
Differences between Zirconium Hydroxide ($Zr(OH)_4{\cdot}nH_2O$) and Hydrous Zirconia ($ZrO_2{\cdot}nH_2O$). (7) 1637
Investigation of the Formation of Cristobalite from the Diatomaceous Clay *Moler* Using Powder X-ray Diffractometry Data and Profile Refinement Methods. (4) 878
Qualitative X-ray Diffraction Analysis of Metastable Tetragonal (t') Zirconia. (3) 615
xerogels
Effect of Silica Additive on the Anatase-to-Rutile Phase Transition. (7) 1591
Young's modulus
In Situ X-ray Diffraction and Young's Modulus Measurement during Heat Treatment of High-Alumina Cement Castables. (3) 583
yttria
Fabrication of Lanthanum Manganese Oxide Thin Films on Yttria-Stabilized Zirconia Substrates by a Chemically Modified Alkoxide Method. (10) 2323
Neutron Diffraction Study of Ferroelasticity in a 3 mol% Y_2O_3–ZrO_2. (2) 399
PAC Characterization of Nontransformable Tetragonal t' Phase in Arc-Melted Zirconia–2.8 mol% Yttria Ceramics. (1) 188
Phase Equilibria in the Hafnia–Yttria–Lanthana System. (10) 2415
yttrium aluminum garnet
Coarsening of Lamellar Microstructures in Directionally Solidified Yttrium Aluminate/Alumina Eutectic Fiber. (12) 2991
Film Synthesis of $Y_3Al_5O_{12}$ and $Y_3Fe_5O_{12}$ by the Spray–Inductively Coupled Plasma Technique. (3) 651
Ytterbium Cation Diffusion in Yttrium Aluminum Garnet (YAG)—Implications for Creep Mechanisms. (10) 2356
Yttrium Aluminum Garnet (YAG) Films through a Precursor Plasma Spraying Technique. (8) 1906
yttrium/yttrium compounds
Effect of Substitution of Manganese for Iron on the Structure and Electrical Properties of Yttrium Ferrite. (6) 1265
zeolites
Determination of Positions of Zeolitic Calcium Atoms and Water Molecules in Hydrothermally Formed Aluminum-Substituted Tobermorite-1.1nm Using Synchrotron Radiation Powder Diffraction Data. (11) 2685
Nepheline and Carnegieite Ceramics from A-Type Zeolites by Microwave Heating. (2) 321
zeta potential
Effects of Particle Size and Molecular Weight of Polyethylenimine on Properties of Nanoparticulate Silicon Dispersions. (4) 806
Electrokinetic Properties of Nanosized SiC Particles in Highly Concentrated Electrolyte Solutions. (7) 1411
Influence of Washing on Zirconia Powder for Electrophoretic Deposition. (3) 666
zinc oxide
IR and XPS Studies on the Surface Structure of Poled ZnO–TeO_2 Glasses with Second-Order Nonlinearity. (1) 214
Pore–Boundary Separation Behavior during Sintering of Pure and Bi_2O_3-Doped ZnO Ceramics. (6) 1398
Structure and Chemistry of Basal-Plane Inversion Boundaries in Antimony Oxide-Doped Zinc Oxide. (11) 2657
Zinc Vanadates in Vanadium Oxide-Doped Zinc Oxide Varistors. (2) 435
zircon
Thermal Decomposition of Zircon Refractories. (12) 2930
zirconate
In Situ Processing of a Porous Calcium Zirconate/Magnesia Composite with Platinum Nanodispersion and Its Influence on Nitric Oxide Decomposition. (11) 2713
Strontium Zirconate and Strontium Titanate Ceramics for High-Voltage Applications: Synthesis, Processing, and Dielectric Properties. (7) 1648
Thermal Stability of Lanthanum Zirconate Plasma-Sprayed Coating. (9) 2086
zirconia
Bimodal Ceramic Ink for Continuous Ink-Jet Printer Plasma Spraying. (6) 1257
Bonelike Apatite Formation Induced on Zirconia Gel in a Simulated Body Fluid and Its Modified Solutions. (9) 2041
Control of Synthesis Conditions to Improve Zirconia Microspheres for Ultrafast Chromatography. (8) 1721
Cosintering Simulation and Experimentation: Case Study of Nanocrystalline Zirconia. (12) 2757
Crystallographic Texture and Thermal Conductivity of Zirconia Thermal Barrier Coatings Deposited on Different Substrates. (7) 1539
Cyclic Infiltration of Porous Zirconia Preforms with a Liquid Solution of Mullite Precursor. (1) 71
Damage Evolution and Stress Analysis in Zirconia Thermal Barrier Coatings during Cyclic and Isothermal Oxidation. (10) 2385
Development of Surface Compressive Stresses in Zirconia–Alumina Composites by an Ion-Exchange Process. (6) 1321
Effect of the Interparticle Pair Potential on the Rheological Behavior of Zirconia Powders: II. The Influence of Chem-Adsorbed Silanes. (5) 991
Effect of the Presence of Ammonium Peroxodisulfate on the Direct Precipitation of Ceria and Ceria–Zirconia Solid Solutions from Acidic Aqueous Solutions. (8) 1728
Effect of Ultrasonication on the Microstructure and Tensile Elongation of Zirconia-Dispersed Alumina Ceramics Prepared by Colloidal Processing. (9) 2132
Effects of Zirconium Oxide on the Reaction Bonding of Aluminum Oxide. (5) 986
Electrophoretic Deposition of Zirconia on Porous Anodic Substrates. (2) 328
Evaluation of Porous ZrO_2–SiO_2 and Monazite Coatings Using Nextel™ 720-Fiber-Reinforced Blackglas™ Minicomposites. (7) 1526
Fabrication of Dense Zirconia Electrolyte Films for Tubular Solid Oxide Fuel Cells by Electrophoretic Deposition. (1) 33
Ferroelastic and Plastic Deformation of t'-Zirconia Single Crystals. (8) 1755
Formation Mechanism of Hydrous Zirconia Particles Produced by the Hydrolysis of $ZrOCl_2$ Solutions: III. Kinetics Study for the Nucleation and Crystal-Growth Processes of Primary Particles. (10) 2303
Influence of Washing on Zirconia Powder for Electrophoretic Deposition. (3) 666
Long-Term Behavior and Application Limits of Plasma-Sprayed Zirconia Thermal Barrier Coatings. (6) 1301
Low-Temperature Aging of Zirconia Ferrules for Optical Connectors. (11) 2731
Mechanical Properties of CoAl Materials with the Combined Additions of ZrO_2(3Y) and Al_2O_3. (10) 2445
Mechanism of the Cubic-to-Tetragonal Phase Transition in Zirconia and Yttria-Stabilized Zirconia by Molecular-Dynamics Simulation. (7) 1609
Mechanism of Thermal Transport in Zirconia and Yttria-Stabilized Zirconia by Molecular-Dynamics Simulation. (12) 2997
Nanocrystalline Zirconia Surface-Doped with Alumina: Chemical Vapor Synthesis, Characterization, and Properties. (12) 2771
Neutron Diffraction Study of Ferroelasticity in a 3 mol% Y_2O_3–ZrO_2. (2) 399
Oxide–Oxide Interfaces: Atomistic and Density Functional Study of Cubic-ZrO_2 (100) ‖ NiO (111). (11) 2677
PAC Characterization of Nontransformable Tetragonal t' Phase in Arc-Melted Zirconia–2.8 mol% Yttria Ceramics. (1) 188
Phase Separation in Sol–Gel Process of Alkoxide-Derived Silica–Zirconia in the Presence of Polyethylene Oxide. (9) 1968
Qualitative X-ray Diffraction Analysis of Metastable Tetragonal (t') Zirconia. (3) 615
Sintering Behavior and Electrical Properties of Nanosized Doped-ZnO Powders Produced by Metallorganic Polymeric Processing. (8) 1661
Synthesis and Colloidal Processing of Zirconia Nanopowder. (11) 2489
Synthesis and Microstructural Characterization of Unsupported Nanocrystalline Zirconia Thin Films. (4) 890
zirconia: partially stabilized
Morphology and Phase Stability of Nitrogen–Partially Stabilized Zirconia (N-PSZ). (1) 172
zirconia: tetragonal polycrystals
Colloidal Processing and Ionic Conductivity of Fine-Grained Cupric-Oxide-Doped Tetragonal Zirconia. (9) 2129
Crystal Structure of Metastable Tetragonal Zirconia up to 1473 K. (5) 1169
Growth of Tetragonal Zirconia Coatings by Reactive Sputter Deposition. (12) 2841
Oxygen Vacancies in Pure Tetragonal Zirconia Powders: Dependence on the Presence of Chlorine during Processing. (1) 65
zirconia: yttria stabilized
Compression Creep Characteristics of 8-mol%-Yttria-Stabilized Cubic-Zirconia. (11) 2625
Effect of NiO-to-Ni Transformation on Conductivity and Structure of Yttria-Stabilized ZrO_2. (11) 2652
Influence of Plasma Spray Parameters on Formation and Morphology of ZrO_2–8 wt% Y_2O_3 Deposits. (4) 693
Influence of Plasma Spray Parameters on In-Flight Characteristics of ZrO_2–8 wt% Y_2O_3 Ceramic Particles. (4) 685
Influence of Tetragonality on Tetragonal-to-Monoclinic

Phase Transformation during Hydrothermal Aging in Plasma-Sprayed Yttria-Stabilized Zirconia Coatings. (5) 1037
Mechanism of the Cubic-to-Tetragonal Phase Transition in Zirconia and Yttria-Stabilized Zirconia by Molecular-Dynamics Simulation. (7) 1609
Mechanism of Thermal Transport in Zirconia and Yttria-Stabilized Zirconia by Molecular-Dynamics Simulation. (12) 2997
Microstructure and Heat Transfer Phenomena in Ceramic Thermal Barrier Coatings. (4) 827
Nonisothermal Synthesis of Yttria-Stabilized Zirconia Nanopowder through Oxalate Processing: II, Morphology Manipulation. (11) 2484
Phase Formation and Stability in Reactively Sputter Deposited Yttria-Stabilized Zirconia Coatings. (5) 929
Preparation of Dense Platinum-Yttria Stabilized Zirconia; Yttria Stabilized Zirconia Films on Porous $La_{0.9}Sr_{0.1}MnO_3$ (LSM) Substrates. (2) 283
Scavenging of Siliceous Grain-Boundary Phase of 8-mol%-Ytterbia-Stabilized Zirconia without Additive. (11) 2735
Strength Degradation and Failure Mechanisms of Electron-Beam Physical-Vapor-Deposited Thermal Barrier Coatings. (7) 1545
Structural Evolution of Thermal-Sprayed Yttria-Stabilized ZrO_2 Thermal Barrier Coatings with Annealing—A Neutron Diffraction Study. (3) 678
Structure and Chemistry of Yttria-Stabilized Cubic-Zirconia Symmetric Tilt Grain Boundaries. (6) 1361
Effect of Cation Doping on the Superplastic Flow in Yttria-Stabilized Tetragonal Zirconia Polycrystals. (8) 1817

zirconia: yttria-stabilized tetragonal polycrystals
Boron Carbide–Zirconium Boride *In Situ* Composites by the Reactive Pressureless Sintering of Boron Carbide–Zirconia Mixtures. (3) 642
Strain Hardening in Superplastic Codoped Yttria-Stabilized Tetragonal-Zirconia Polycrystals. (12) 2981

zirconium/zirconium compounds
Differences between Zirconium Hydroxide ($Zr(OH)_4{\cdot}nH_2O$) and Hydrous Zirconia ($ZrO_2{\cdot}nH_2O$). (7) 1637
Effect of Nb_2O_5/ZnO Addition on Microwave Properties of $(Zr_{0.8}Sn_{0.2})TiO_4$ Ceramics. (11) 2542
Microwave-Hydrothermal Synthesis of Nanocrystalline Zirconia Powders. (11) 2728
Solid-State Preparation of $BaTiO_3$-Based Dielectrics, Using Ultrafine Raw Materials. (12) 2777